

# SAFETY DATA SHEET

Issuing Date 27-Jul-2018 Revision Date 27-Jul-2018 Revision Number 1

This document complies with the US OSHA Hazard Communication Standard (29 CFR 1910.1200), Canada WHMIS 2015 which includes the amended Hazardous Products Act (HPA) and the Hazardous Products Regulation (HPR), and Mexico's NMX-R-019-SC-2011.

# 1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND THE COMPANY/UNDERTAKING

**GHS** product identifier

Product Name Mothers Foaming Wheel & Tire Cleaner

Other means of identification

Product Code(s) 05924, 05902, 35924

Synonyms None

Recommended use of the chemical and restrictions on use

Recommended Use Car care

Uses advised against No information available

Supplier's details

Supplier Address Company

MOTHERS POLISHES WAXES MOTHERS POLISHES WAXES CLEANERS

CLEANERS 5456 Industrial Drive

5456 Industrial Drive Huntington Beach, CA 92649

Huntington Beach, CA 92649 TEL: 714-891-3364 TEL: 714-893-1827

FAX: 714-893-1827

**Emergency telephone number** 

Emergency Telephone Chemtrec Phone: 1-800-424-9300 (within the U.S.) or +1 703-527-3887 (outside the U.S.)

Number

# 2. HAZARDS IDENTIFICATION

# Classification

This product is considered hazardous according to the criteria set within the US OSHA Hazard Communication Standard (29 CFR 1910.1200), Canada WHMIS 2015 which includes the amended Hazardous Products Act (HPA) and the Hazardous Products Regulation (HPR), and Mexico's NMX-R-019-SC-2011.

Skin Corrosion/Irritation	Category 2
Serious Eye Damage/Eye Irritation	Category 2

### **Label Elements**

#### Signal Word

Warning



#### **Hazard Statements**

Causes skin irritation
Causes serious eye irritation

## Physical and Health Hazards Not Otherwise Classified

Not applicable.

#### **Precautionary Statements**

#### Prevention

- · Wash face, hands and any exposed skin thoroughly after handling.
- Wear protective gloves/protective clothing/eye protection/face protection.

#### **General Advice**

Specific treatment (see supplemental first aid instructions on this label).

#### Eyes

- ÎF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
- If eye irritation persists: Get medical advice/attention.

#### Skin

- IF ON SKIN: Wash with plenty of soap and water.
- If skin irritation occurs: Get medical advice/attention.
- Take off contaminated clothing and wash before reuse.

## Other information

May be harmful if swallowed.

Harmful to aquatic life with long lasting effects. Harmful to aquatic life.

# 3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS-No		Hazardous Material Information Review Act registry number (HMIRA registry #)	Date HMIRA filed and date exemption granted (if applicable)
Ethylenediamine tetraacetic acid (EDTA)	60-00-4	5-10	-	-
Sodium metasilicate	6834-92-0	1-5	-	-
Isopropyl alcohol	67-63-0	1-5	-	-

# 4. FIRST AID MEASURES

# Description of necessary first-aid measures

General Advice Immediate medical attention is not required. Show this safety data sheet to the doctor in

attendance. If symptoms persist, call a physician.

Eye Contact Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If

symptoms persist, call a physician.

**Skin Contact** Wash off immediately with soap and plenty of water. If symptoms persist, call a physician.

**Inhalation** Move to fresh air. If breathing is difficult, give oxygen. If symptoms persist, call a physician.

Ingestion Drink plenty of water. Rinse mouth. Do NOT induce vomiting. Never give anything by mouth

to an unconscious person. Consult a physician if necessary.

Most important symptoms/effects, acute and delayed

Most Important Symptoms/Effects Irritation.

Indication of immediate medical attention and special treatment needed, if necessary

Notes to Physician Treat symptomatically.

5. FIRE-FIGHTING MEASURES

surrounding environment.

<u>Unsuitable Extinguishing Media</u> None known.

Specific Hazards Arising from the

Chemical

None known

**Explosion Data** 

Sensitivity to Mechanical Impact Sensitivity to Static Discharge None. None.

Protective Equipment and Precautions for Firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH

(approved or equivalent) and full protective gear.

## 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal Precautions Avoid contact with the skin and the eyes. If spilled, take caution, as material can cause

surfaces to become very slippery.

**Environmental Precautions** 

**Environmental Precautions** Prevent further leakage or spillage if safe to do so. Do not flush into surface water or

sanitary sewer system. Avoid release to the environment. See Section 12 for additional Ecological Information. Dispose of contents/container to an approved waste disposal plant.

Methods and materials for containment and cleaning up

**Methods for Containment** Stop leak if you can do it without risk.

**Methods for Cleaning Up**Soak up with inert absorbent material. Pick up and transfer to properly labeled containers.

Clean contaminated surface thoroughly.

# 7. HANDLING AND STORAGE

Precautions for safe handling

**Handling** Wear personal protective equipment. Avoid contact with skin, eyes and clothing. Handle in

accordance with good industrial hygiene and safety practice. Do not breathe vapors or

spray mist. Do not eat, drink or smoke when using this product.

Conditions for safe storage, including any incompatibilities

Storage Keep in properly labeled containers. Keep containers tightly closed in a cool, well-ventilated

place. Keep out of the reach of children.

**Incompatible Products** Strong oxidizing agents. Strong acids.

## **Control parameters**

#### **Exposure Guidelines**

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH	
Isopropyl alcohol	STEL: 400 ppm	TWA: 400 ppm	IDLH: 2000 ppm 10% LEL	
67-63-0	TWA: 200 ppm	TWA: 980 mg/m <sup>3</sup>	TWA: 980 mg/m <sup>3</sup>	
		(vacated) TWA: 400 ppm	TWA: 400 ppm	
		(vacated) TWA: 980 mg/m <sup>3</sup>	STEL: 500 ppm	
		(vacated) STEL: 500 ppm	STEL: 1225 mg/m <sup>3</sup>	
		(vacated) STEL: 1225 mg/m <sup>3</sup>		

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

ACGIH TLV: American Conference of Governmental Industrial Hygienists - Threshold Limit Value. OSHA PEL: Occupational Safety and Health Administration - Permissible Exposure Limits. NIOSH IDLH: Immediately Dangerous to Life or Health.

# **Appropriate engineering controls**

**Engineering Measures** Showers. Eyewash stations. Ventilation systems.

### Individual protection measures, such as personal protective equipment

**Eye/Face Protection** Safety glasses with side-shields. If splashes are likely to occur, wear: Tightly fitting safety

goggles.

**Skin and Body Protection** 

Impervious clothing. Impervious gloves. No protective equipment is needed under normal use conditions. If exposure limits are **Respiratory Protection** 

exceeded or irritation is experienced, NIOSH/MSHA approved respiratory protection should

Handle in accordance with good industrial hygiene and safety practice. Avoid contact with **Hygiene Measures** 

skin, eyes and clothing.

# 9. PHYSICAL AND CHEMICAL PROPERTIES

## Information on basic physical and chemical properties

**Physical State** Liquid. **Appearance** Yellow. Perfume. **Odor Threshold** Odor No information available.

Property Values Remarks/ - Method

Hq No data available None known Melting Point/Range No data available None known **Boiling Point/Boiling Range** No data available None known No data available None known **Flash Point** None known **Evaporation rate** No data available No data available None known Flammability (solid, gas)

Flammability Limits in Air

upper flammability limit No data available lower flammability limit No data available

**Vapor Pressure** No data available None known **Vapor Density** No data available None known **Relative Density** No data available None known No data available **Specific Gravity** None known No data available None known **Water Solubility** No data available None known Solubility in other solvents None known Partition coefficient: n-octanol/waterNo data available None known No data available **Autoignition Temperature Decomposition Temperature** No data available None known **Viscosity** No data available None known

Flammable Properties Not flammable

**Explosive Properties** No data available

**Oxidizing Properties** No data available

Other information

**VOC Content (%)** No data available

# 10. STABILITY AND REACTIVITY

No data available. Reactivity

**Chemical stability** Stable under recommended storage conditions.

Possibility of hazardous reactions None under normal processing.

Hazardous polymerization does not occur. **Hazardous Polymerization** 

Do not freeze. Conditions to avoid

Incompatible materials Strong oxidizing agents. Strong acids.

Hazardous decomposition products None known based on information supplied.

#### 11. TOXICOLOGICAL INFORMATION

## Information on likely routes of exposure

**Product Information** 

Inhalation May cause irritation of respiratory tract. Avoid breathing vapors or mists.

**Eye Contact** Irritating to eyes. **Skin Contact** Irritating to skin.

May be harmful if swallowed. Ingestion

#### Numerical measures of toxicity - Product

The following values are calculated based on chapter 3.1 of the GHS document:

LD50 Oral 3354 mg/kg; Acute toxicity estimate

#### **Component Information**

Chemical Name	LD50 Oral	LD50 Dermal	LC50 Inhalation
Ethylenediamine tetraacetic acid	> 2000 mg/kg (Rat)	-	-
(EDTA)			
Sodium metasilicate	= 1153 mg/kg (Rat)	-	-
Isopropyl alcohol	= 1870 mg/kg (Rat)	12800 mg/kg (Rat) 12870 mg/kg (Rabbit)	72.6 mg/L (Rat) 4 h

# Symptoms related to the physical, chemical and toxicological characteristics

Irritation **Symptoms** 

#### Delayed and immediate effects and also chronic effects from short and long term exposure

Respiratory or Skin Sensitization

May cause sensitization of susceptible persons.

Does not contain substances that are known or suspected to be mutagens. **Germ Cell Mutagenicity** 

Carcinogenicity The table below indicates whether each agency has listed any ingredient as a carcinogen.

Chemical Name	ACGIH	IARC	NTP	OSHA
Isopropyl alcohol		Group 3		X

IARC: (International Agency for Research on Cancer)

Group 3 - Not Classifiable as to its Carcinogenicity to Humans

**Reproductive Toxicity**This product does not contain any known or suspected reproductive hazards.

STOT - single exposure None of the ingredients are known to cause specific target organ effects from a single

exposure.

STOT - repeated exposure None of the ingredients are known to cause specific target organ effects through prolonged

or repeated exposure.

Chronic Toxicity Avoid repeated exposure. Repeated contact may cause allergic reactions in very

susceptible persons.

Target Organ Effects Respiratory system. Eyes. Skin.

Aspiration Hazard None of the ingredients are known to be an aspiration hazard.

# 12. ECOLOGICAL INFORMATION

#### **Ecotoxicity**

Harmful to aquatic life with long lasting effects.

Chemical Name	Toxicity to Algae	Toxicity to Fish	Toxicity to Microorganisms	Daphnia Magna (Water Flea)
Ethylenediamine tetraacetic	EC50 72 h: = 1.01 mg/L	LC50 96 h: 34 - 62 mg/L		EC50 48 h: = 113 mg/L
acid (EDTA)	(Desmodesmus	static (Lepomis macrochirus)		Static (Daphnia magna)
60-00-4	subspicatus)	LC50 96 h: 44.2 - 76.5 mg/L		
	, ,	static (Pimephales		
		promelas)		
Sodium metasilicate		LC50 96 h: = 210 mg/L		EC50 96 h: = 216 mg/L
6834-92-0		(Brachydanio rerio) LC50 96		(Daphnia magna)
		h: = 210 mg/L semi-static		
		(Brachydanio rerio)		
Isopropyl alcohol	EC50 72 h: > 1000 mg/L	LC50 96 h: = 11130 mg/L		EC50 48 h: = 13299 mg/L
67-63-0	(Desmodesmus	static (Pimephales		(Daphnia magna)
	subspicatus) EC50 96 h: >	promelas)		
	1000 mg/L (Desmodesmus	LC50 96 h: = 9640 mg/L		
	subspicatus)	flow-through (Pimephales		
		promelas)		
		LC50 96 h: > 1400000 µg/L		
		(Lepomis macrochirus)		

**Persistence and Degradability** No information available.

**Bioaccumulation** No information available.

Chemical Name	Log Pow
Ethylenediamine tetraacetic acid (EDTA)	-3
Isopropyl alcohol	0.05

**Mobility** No information available.

<u>Other Adverse Effects</u> No information available.

# 13. DISPOSAL CONSIDERATIONS

Waste Disposal Methods Dispose of in accordance with federal, state, and local regulations.

**Contaminated Packaging** Dispose of in accordance with local regulations.

This product contains one or more substances that are listed with the State of California as a hazardous waste.

Chemical Name	California Hazardous Waste
Isopropyl alcohol	Toxic
	Ignitable

# 14. TRANSPORT INFORMATION

**DOT** Not regulated

TDG Not regulated

Not regulated <u>MEX</u>

Not regulated IATA

IMDG/IMO Not regulated

## 15. REGULATORY INFORMATION

**International Regulations** 

Not applicable Ozone depleting substances **Persistent Organic Pollutants** Not applicable

**Hazardous Waste** 

**Chemical Name Basel Convention (Hazardous Wastes)** Isopropyl alcohol Y42 Not applicable

**The Rotterdam Convention (Prior** 

Informed Consent)

International Convention for the **Prevention of Pollution from Ships**  Not applicable

(MARPOL)

International Inventories

**TSCA** Contact supplier for inventory compliance status **DSL/NDSL** Contact supplier for inventory compliance status

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

## U.S. Federal Regulations

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372:

Chemical Name	CAS-No	Weight %	SARA 313 - Threshold Values %
Isopropyl alcohol	67-63-0	1-5	1.0

# SARA 311/312 Hazard Categories

Should this product meet EPCRA 311/312 Tier reporting criteria at 40 CFR 370, refer to Section 2 of this SDS for appropriate classifications. Under the amended regulations at 40 CFR 370, EPCRA 311/312 Tier II reporting for the 2017 calendar year will need to be consistent with updated hazard classifications.

#### **Clean Water Act**

This product contains the following substances which are regulated pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42):

Chemical Name	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants	CWA - Hazardous Substances
Ethylenediamine tetraacetic	5000 lb			X
acid (FDTA)				

# CERCLA

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302):

Chemical Name	Hazardous Substances RQs	Extremely Hazardous Substances RQs	RQ
Ethylenediamine tetraacetic acid (EDTA)	5000 lb		RQ 5000 lb final RQ RQ 2270 kg final RQ

## **U.S. State Regulations**

#### **California Proposition 65**

This product does not contain any Proposition 65 chemicals.

# U.S. State Right-to-Know Regulations

"X" designates that the ingredients are listed on the state right to know list.

Chemical Name	New Jersey	Massachusetts	Pennsylvania	Illinois	Rhode Island
Ethylenediamine tetraacetic	Χ	Х	X		
acid (EDTA)					
Isopropyl alcohol	X	X	X		Х

#### **U.S. EPA Label Information**

EPA Pesticide Registration Number Not applicable

16. OTHER INFORMATION				
NFPA	Health Hazard 2	Flammability 0	Instability 0	Physical and Chemical Hazards -
<u>HMIS</u>	Health Hazard 2	Flammability 0	Physical Hazard 0	Personal Protection X
Prepared By	Product Stewardship 23 British American Blvd. Latham, NY 12110 1-800-572-6501			
Issuing Date Revision Date	27-Jul-2018 27-Jul-2018			

#### **General Disclaimer**

**Revision Note** 

The information provided on this SDS is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text.

New regional format.

**End of Safety Data Sheet**