

*This document complies with the US OSHA Hazard Communication Standard (29 CFR 1910.1200), Canada WHMIS 2015 which includes the amended Hazardous Products Act (HPA) and the Hazardous Products Regulation (HPR), and Mexico's NMX-R-019-SC-2011.*

## 1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND THE COMPANY/UNDERTAKING

### GHS product identifier

**Product Name** Mothers California Gold Micro-Polishing Glaze

### Other means of identification

**Product Code(s)** 08100, 08102, 08104, 38100

**Synonyms** None

### Recommended use of the chemical and restrictions on use

**Recommended Use** Car care

**Uses advised against** No information available

### Supplier's details

**Supplier Address**  
MOTHERS POLISHES WAXES  
CLEANERS  
5456 Industrial Drive  
Huntington Beach, CA 92649  
TEL: 714-891-3364  
FAX: 714-893-1827

**Company**  
MOTHERS POLISHES WAXES CLEANERS  
5456 Industrial Drive  
Huntington Beach, CA 92649  
TEL: 714-891-3364  
FAX: 714-893-1827

### Emergency telephone number

**Emergency Telephone Number** Chemtrec Phone: 1-800-424-9300 (within the U.S.) or +1 703-527-3887 (outside the U.S.)

## 2. HAZARDS IDENTIFICATION

### Classification

This product is not considered hazardous according to the criteria set within the US OSHA Hazard Communication Standard (29 CFR 1910.1200), Canada WHMIS 2015 which includes the amended Hazardous Products Act (HPA) and the Hazardous Products Regulation (HPR), and Mexico's NMX-R-019-SC-2011.

Not classified.

### Label Elements

**Signal Word**  
None

**Physical and Health Hazards Not Otherwise Classified**  
Not applicable.

**Precautionary Statements**

- None.

**Other information**

Prolonged or repeated contact may dry skin and cause irritation.

### 3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS-No	Weight %	Hazardous Material Information Review Act registry number (HMIRA registry #)	Date HMIRA filed and date exemption granted (if applicable)
Naphtha (petroleum), heavy alkylate	64741-65-7	10-25	-	-
Calcined kaolin clay	66402-68-4	<10	-	-
Stearic acid	57-11-4	<10	-	-

### 4. FIRST AID MEASURES

**Description of necessary first-aid measures**

<b>General Advice</b>	Show this safety data sheet to the doctor in attendance. If symptoms persist, call a physician.
<b>Eye Contact</b>	Rinse thoroughly with plenty of water, also under the eyelids. Get medical attention if symptoms occur.
<b>Skin Contact</b>	Wash skin with soap and water. Get medical attention if symptoms occur.
<b>Inhalation</b>	Move to fresh air.
<b>Ingestion</b>	Do NOT induce vomiting. Rinse mouth. Drink plenty of water. Never give anything by mouth to an unconscious person. Get medical attention if symptoms occur.
<b>Protection of First-aiders</b>	Use personal protective equipment.

**Most important symptoms/effects, acute and delayed**

**Most Important Symptoms/Effects** None known.

**Indication of immediate medical attention and special treatment needed, if necessary**

**Notes to Physician** Treat symptomatically.

### 5. FIRE-FIGHTING MEASURES

**Suitable Extinguishing Media** Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

**Unsuitable Extinguishing Media** No information available.

**Specific Hazards Arising from the Chemical** None in particular.

**Explosion Data**

<b>Sensitivity to Mechanical Impact</b>	None.
<b>Sensitivity to Static Discharge</b>	None.

**Protective Equipment and Precautions for Firefighters** As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

### 6. ACCIDENTAL RELEASE MEASURES

**Personal precautions, protective equipment and emergency procedures**

**Personal Precautions** Avoid contact with the skin and the eyes. Use personal protective equipment. Ensure adequate ventilation. If spilled, take caution, as material can cause surfaces to become very slippery.

**Environmental Precautions**

**Environmental Precautions** Prevent further leakage or spillage if safe to do so. See Section 12 for additional Ecological Information.

**Methods and materials for containment and cleaning up**

**Methods for Containment** Prevent further leakage or spillage if safe to do so.

**Methods for Cleaning Up** Dam up. Soak up with inert absorbent material. Pick up and transfer to properly labeled containers. Clean contaminated surface thoroughly. Keep in suitable and closed containers for disposal.

## 7. HANDLING AND STORAGE

**Precautions for safe handling**

**Handling** Wear personal protective equipment. Handle in accordance with good industrial hygiene and safety practice. Avoid contact with skin and eyes. Avoid breathing vapors or mists.

**Conditions for safe storage, including any incompatibilities**

**Storage** Keep container tightly closed in a dry and well-ventilated place. Keep out of the reach of children.

**Incompatible Products** None known based on information supplied.

## 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

**Control parameters****Exposure Guidelines**

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Calcined kaolin clay 66402-68-4	STEL: 10 mg/m <sup>3</sup> Zr TWA: 5 mg/m <sup>3</sup> Zr TWA: 0.02 mg/m <sup>3</sup> Mn respirable particulate matter TWA: 0.1 mg/m <sup>3</sup> Mn inhalable particulate matter	TWA: 5 mg/m <sup>3</sup> Zr (vacated) TWA: 5 mg/m <sup>3</sup> Zr (vacated) STEL: 10 mg/m <sup>3</sup> Zr	TWA: 5 mg/m <sup>3</sup> respirable dust TWA: 10 mg/m <sup>3</sup> total dust
Stearic acid 57-11-4	TWA: 10 mg/m <sup>3</sup> inhalable particulate matter TWA: 3 mg/m <sup>3</sup> respirable particulate matter	-	-

*ACGIH TLV: American Conference of Governmental Industrial Hygienists - Threshold Limit Value. OSHA PEL: Occupational Safety and Health Administration - Permissible Exposure Limits. NIOSH IDLH: Immediately Dangerous to Life or Health.*

**Other Exposure Guidelines** Vacated limits revoked by the Court of Appeals decision in AFL-CIO v. OSHA, 965 F.2d 962 (11th Cir., 1992).

**Appropriate engineering controls**

**Engineering Measures** Showers  
Eyewash stations  
Ventilation systems

**Individual protection measures, such as personal protective equipment**

<b>Eye/Face Protection</b>	Goggles.
<b>Skin and Body Protection</b>	Protective gloves.
<b>Respiratory Protection</b>	If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved respiratory protection should be worn.
<b>Hygiene Measures</b>	Handle in accordance with good industrial hygiene and safety practice.

**9. PHYSICAL AND CHEMICAL PROPERTIES****Information on basic physical and chemical properties**

<b>Physical State</b>	Liquid.	<b>Appearance</b>	Light yellow.
<b>Odor</b>	Perfume.	<b>Odor Threshold</b>	No information available.

<u>Property</u>	<u>Values</u>	<u>Remarks/ - Method</u>
<b>pH</b>	8.7 - 9	None known
<b>Melting Point/Range</b>	No data available	None known
<b>Boiling Point/Boiling Range</b>	103 °C / 217.4 °F	None known
<b>Flash Point</b>	> 105 °C / > 221.3 °F	None known
<b>Evaporation rate</b>	No data available	None known
<b>Flammability (solid, gas)</b>	No data available	None known
<b>Flammability Limits in Air</b>		
upper flammability limit	No data available	
lower flammability limit	No data available	
<b>Vapor Pressure</b>	No data available	None known
<b>Vapor Density</b>	No data available	None known
<b>Relative Density</b>	No data available	None known
<b>Specific Gravity</b>	1.021	None known
<b>Water Solubility</b>	No data available	None known
<b>Solubility in other solvents</b>	No data available	None known
<b>Partition coefficient: n-octanol/water</b>	No data available	None known
<b>Autoignition Temperature</b>	No data available	None known
<b>Decomposition Temperature</b>	No data available	None known
<b>Viscosity</b>	1830 cps	None known
<b>Flammable Properties</b>	Not flammable	
<b>Explosive Properties</b>	No data available	
<b>Oxidizing Properties</b>	No data available	

**Other information**

<b>VOC Content (%)</b>	< 30
------------------------	------

**10. STABILITY AND REACTIVITY**

<b>Reactivity</b>	No data available.
<b>Chemical stability</b>	Stable under recommended storage conditions.
<b>Possibility of hazardous reactions</b>	None under normal processing.
<b>Hazardous Polymerization</b>	Hazardous polymerization does not occur.
<b>Conditions to avoid</b>	Do not freeze.
<b>Incompatible materials</b>	None known based on information supplied.
<b>Hazardous decomposition products</b>	None known based on information supplied.

**11. TOXICOLOGICAL INFORMATION**

**Information on likely routes of exposure****Product Information**

<b>Inhalation</b>	Avoid breathing vapors or mists. Vapors may irritate throat and respiratory system.
<b>Eye Contact</b>	Contact with eyes may cause irritation.
<b>Skin Contact</b>	Repeated exposure may cause skin dryness or cracking.
<b>Ingestion</b>	Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhea.

**Numerical measures of toxicity - Product**

The following values are calculated based on chapter 3.1 of the GHS document: Not applicable.

**Component Information**

Chemical Name	LD50 Oral	LD50 Dermal	LC50 Inhalation
Naphtha (petroleum), heavy alkylate	> 7000 mg/kg ( Rat )	> 2000 mg/kg ( Rabbit )	> 5.04 mg/L ( Rat ) 4 h
Stearic acid	-	5 g/kg ( Rabbit )	-

**Symptoms related to the physical, chemical and toxicological characteristics**

**Symptoms** Symptoms of overexposure may be headache, dizziness, tiredness, nausea and vomiting.

**Delayed and immediate effects and also chronic effects from short and long term exposure**

**Respiratory or Skin Sensitization** Not expected to be a sensitizer.  
**Germ Cell Mutagenicity** Does not contain substances that are known or suspected to be mutagens.  
**Carcinogenicity** Occupational health effects due to inhalation of mineral dusts incorporating crystalline silica (quartz, cristobalite, tridymite), crystalline silicates (kaolin, talc) graphite or coal unlikely to occur from exposure to this product.

**Reproductive Toxicity** This product does not contain any known or suspected reproductive hazards.  
**STOT - single exposure** Based on available data, the classification criteria are not met.  
**STOT - repeated exposure** None of the ingredients are known to cause specific target organ effects through prolonged or repeated exposure.  
**Chronic Toxicity** Prolonged or repeated contact may dry skin and cause irritation.  
**Target Organ Effects** Respiratory system. Eyes. Skin. Central nervous system (CNS).  
**Aspiration Hazard** Based on product level data, this product does not meet the requirement to be classified as an aspiration hazard. However, this product contains an ingredient that may cause aspiration if swallowed.

**12. ECOLOGICAL INFORMATION****Ecotoxicity**

The environmental impact of this product has not been fully investigated.

Chemical Name	Toxicity to Algae	Toxicity to Fish	Toxicity to Microorganisms	Daphnia Magna (Water Flea)
Naphtha (petroleum), heavy alkylate 64741-65-7	EC50 72 h: = 30000 mg/L (Pseudokirchneriella subcapitata)			LC50 48 h: = 2 mg/L (Mysidopsis bahia)
Stearic acid 57-11-4		LC50 96 h: < 3000 mg/L semi-static (Brachydanio rerio)		

**Persistence and Degradability** No information available.

**Bioaccumulation** No information available.

**Mobility** No information available.

**Other Adverse Effects** No information available.

### 13. DISPOSAL CONSIDERATIONS

**Waste Disposal Methods** Dispose of in accordance with local regulations.

**Contaminated Packaging** Dispose of in accordance with local regulations.

**California Hazardous Waste Codes** 331

This product contains one or more substances that are listed with the State of California as a hazardous waste.

Chemical Name	California Hazardous Waste
Calcined kaolin clay	Toxic

### 14. TRANSPORT INFORMATION

**DOT** Not regulated

**TDG** Not regulated

**MEX** Not regulated

**IATA** Not regulated

**IMDG/IMO** Not regulated

### 15. REGULATORY INFORMATION

#### International Regulations

**Ozone depleting substances** Not applicable

**Persistent Organic Pollutants** Not applicable

#### Hazardous Waste

Chemical Name	Basel Convention (Hazardous Wastes)
Calcined kaolin clay	Y23
Stearic acid	Y34

**The Rotterdam Convention (Prior Informed Consent)** Not applicable

**International Convention for the Prevention of Pollution from Ships (MARPOL)** Not applicable

#### International Inventories

**TSCA** Contact supplier for inventory compliance status

**DSL/NDSL** Contact supplier for inventory compliance status

#### Legend

**TSCA** - United States Toxic Substances Control Act Section 8(b) Inventory

**DSL/NDSL** - Canadian Domestic Substances List/Non-Domestic Substances List

#### U.S. Federal Regulations

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372:

Chemical Name	CAS-No	Weight %	SARA 313 - Threshold Values %
Calcined kaolin clay	66402-68-4	<10	1.0

#### SARA 311/312 Hazard Categories

Should this product meet EPCRA 311/312 Tier reporting criteria at 40 CFR 370, refer to Section 2 of this SDS for appropriate classifications. Under the amended regulations at 40 CFR 370, EPCRA 311/312 Tier II reporting for the 2017 calendar year will need to be consistent with updated hazard classifications.

**Clean Water Act**

This product contains the following substances which are regulated pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42):

Chemical Name	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants	CWA - Hazardous Substances
Calcined kaolin clay		X		

**CERCLA**

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material.

**U.S. State Regulations****California Proposition 65**

This product contains the following Proposition 65 chemicals:

Chemical Name	CAS-No	California Prop. 65
Quartz	14808-60-7	Carcinogen

**U.S. State Right-to-Know Regulations**

"X" designates that the ingredients are listed on the state right to know list.

Chemical Name	New Jersey	Massachusetts	Pennsylvania	Illinois	Rhode Island
Calcined kaolin clay	X		X	X	X

**U.S. EPA Label Information**

**EPA Pesticide Registration Number** Not applicable

**16. OTHER INFORMATION**

**NFPA** Health Hazard 1 Flammability 1 Instability 0 Physical and Chemical Hazards N/A

**HMIS** Health Hazard 1 Flammability 1 Physical Hazard 0 Personal Protection B

**Prepared By** Product Stewardship  
23 British American Blvd.  
Latham, NY 12110  
1-800-572-6501

**Issuing Date** 31-Aug-2018

**Revision Date** 31-Aug-2018

**Revision Note** New regional format.

**General Disclaimer**

The information provided on this SDS is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text.

**End of Safety Data Sheet**