

Revision: 01.02.2022



Safety data sheet according to 1907/2006/EC, Article 31

Printing date 01.02.2022

Version number 12.1 (replaces version 12.0)

SECTION 1: Identification of the substance/mixture and of the company/ undertaking

- · 1.1 Product identifier
- · Trade name: Medium Cut Polish 2400
- 1.2 Relevant identified uses of the substance or mixture and uses advised against

No further relevant information available.

- · Application of the substance / the mixture Abrasive and polishing compound
- · 1.3 Details of the supplier of the safety data sheet
- · Manufacturer/Supplier:

Menzerna polishing compounds GmbH & Co. KG Industriestraße 25 76470 ÖTIGHEIM **GERMANY**

sds@menzerna.com Tel.: +49 (0) 7222 9157-0

www.menzerna.com

- · Further information obtainable from: Product and Environmental Safety Department
- 1.4 Emergency telephone number: CHEMTREC: +1 703-741-5970 / 1-800-424-9300 CCN 842438

SECTION 2: Hazards identification

- · 2.1 Classification of the substance or mixture
- · Classification according to Regulation (EC) No 1272/2008

The product is not classified, according to the CLP regulation.

- · 2.2 Label elements
- · Labelling according to Regulation (EC) No 1272/2008 Void
- · Hazard pictograms Void
- · Signal word Void
- · Hazard statements Void
- · Additional information:

EUH066 Repeated exposure may cause skin dryness or cracking.

EUH208 Contains 1,2-benzisothiazol-3(2H)-one. May produce an allergic reaction.

EUH210 Safety data sheet available on request.

- · 2.3 Other hazards
- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.

SECTION 3: Composition/information on ingredients

- · 3.2 Mixtures
- · **Description:** Mixture: consisting of the following components.

| · Dangerous components: | | |
|---|--|------------|
| CAS: 64742-55-8 EINECS: 265-158-7 Reg.nr.: 01-2119487077-29 | Distillates (petroleum), hydrotreated light paraffinic \$\infty\$ Asp. Tox. 1, H304 | 10-25% |
| | (Contd | on page 2) |





Printing date 01.02.2022 Version number 12.1 (replaces version 12.0) Revision: 01.02.2022

Trade name: Medium Cut Polish 2400

| | (Conto | d. of page 1) |
|---------------------------|--|---------------|
| EC number: 918-481-9 | Hydrocarbons, C10-C13, n-alkanes, isoalkanes, cyclics, (< 2% | 10-25% |
| Reg.nr.: 01-2119457273-39 | aromatics) | |
| | 🕸 Asp. Tox. 1, H304, EUH066 | |
| CAS: 2634-33-5 | 1,2-benzisothiazol-3(2H)-one | <0.05% |
| EINECS: 220-120-9 | Acute Tox. 2, H330; Eye Dam. 1, H318; Aquatic Acute 1, H400; Aquatic Chronic 2, H411; Acute Tox. 4, H302; Skin Irrit. 2, | |
| Reg.nr.: 01-2120761540-60 | | |
| | H315; Skin Sens. 1, H317 | |
| | Specific concentration limit: Skin Sens. 1; H317: C ≥ 0.05 % | |

· Additional information:

Distillates (petroleum), hydrotreated light paraffinic: DMSO Extract < 3% according Method IP 346 For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

- · 4.1 Description of first aid measures
- · General information: No special measures required.
- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- · After skin contact:

Immediately wash with water and soap and rinse thoroughly.

If skin irritation continues, consult a doctor.

· After eye contact:

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

· After swallowing:

Rinse out mouth and then drink plenty of water.

If symptoms persist consult doctor.

4.2 Most important symptoms and effects, both acute and delayed

No further relevant information available.

· 4.3 Indication of any immediate medical attention and special treatment needed

Treat according to symptoms.

SECTION 5: Firefighting measures

- · 5.1 Extinguishing media
- · Suitable extinguishing agents: Water spray, foam, dry powder or carbon dioxide.
- For safety reasons unsuitable extinguishing agents: Water with full jet
- 5.2 Special hazards arising from the substance or mixture Nitrogen oxides (NOx)
- · 5.3 Advice for firefighters
- · Protective equipment:

Wear self-contained respiratory protective device.

Wear fully protective suit.

SECTION 6: Accidental release measures

· 6.1 Personal precautions, protective equipment and emergency procedures

Keep unnecessary personnel away. Ensure adequate ventilation. Use personal protection recommended in section 8.

- · 6.2 Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- 6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

(Contd. on page 3)





Printing date 01.02.2022 Version number 12.1 (replaces version 12.0) Revision: 01.02.2022

Trade name: Medium Cut Polish 2400

(Contd. of page 2)

See Section 13 for disposal information.

SECTION 7: Handling and storage

- · 7.1 Precautions for safe handling No special precautions are necessary if used correctly.
- Information about fire and explosion protection: No special measures required.
- · 7.2 Conditions for safe storage, including any incompatibilities
- Storage:
- Requirements to be met by storerooms and receptacles:

Store in a well-ventilated place. Storage temperature: between 5°C and 30°C.

- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: None.
- · 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

- · 8.1 Control parameters
- Ingredients with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

| DNELS | | | |
|--|---|---|--|
| CAS: 64742-55-8 Distillates (petroleum), hydrotreated light paraffinic | | | |
| Inhalative | Inhalative DNEL, general population, inhalativ 1.19 mg/m3 | | |
| | DNEL, worker, inhalativ | 5.58 mg/m3 | |
| CAS: 263 | CAS: 2634-33-5 1,2-benzisothiazol-3(2H)-one | | |
| Dermal | DNEL, general population, dermal | 0.345 mg/kg KG/Tag (general population) | |
| | DNEL, worker, dermal | 0.966 mg/kg KG/Tag (worker) | |
| Inhalative | DNEL, general population, inhalativ | 1.2 mg/m3 (general population) | |
| | DNEL, worker, inhalativ | 6.81 mg/m3 (worker) | |

·PNECs

CAS: 2634-33-5 1,2-benzisothiazol-3(2H)-one

| | 1.03 mg/l |
|-----------------------------|---------------|
| | 4.03 µg/l |
| PNEC (Meerwasser) | 0.000403 mg/l |
| PNEC (Sediment - Süßwasser) | 0.0499 mg/kg |
| PNEC (Sediment Meerwasser) | 0.00499 mg/kg |
| PNEC (Boden) | 3 mg/kg |

- · Additional information: The lists valid during the making were used as basis.
- · 8.2 Exposure controls
- Appropriate engineering controls No further data; see item 7.
- Individual protection measures, such as personal protective equipment
- General protective and hygienic measures:

The usual precautionary measures are to be adhered to when handling chemicals.

- Respiratory protection: Not necessary if room is well-ventilated.
- · Hand protection

Normally one does not come into direct contact with the product during use. At the risk of entanglement of protective glove in rotating or linear moving machine parts protective gloves should not be worn.

Recommendation for short-term exposure: Use chemical resistant gloves.

(Contd. on page 4)





Printing date 01.02.2022 Version number 12.1 (replaces version 12.0) Revision: 01.02.2022

Trade name: Medium Cut Polish 2400

(Contd. of page 3)

· Material of gloves

Nitrile rubber, NBR

Recommended thickness of the material: ≥ 0.45 mm

Penetration time of glove material

≥ 480 min

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye/face protection Safety glasses

Body protection: Protective work clothing

SECTION 9: Physical and chemical properties

· 9.1 Information on basic physical and chemical properties

· General Information

· Colour: White

Odour: Characteristic
 Odour threshold: Not determined.
 Melting point/freezing point: Undetermined.

· Boiling point or initial boiling point and boiling

Boiling point or initial boiling point and boiling

range >100 °C (>212 °F)
• Flammability Not applicable.

· Lower and upper explosion limit

Lower: Not determined.Upper: Not determined.

• Flash point: >100 °C (>212 °F) (DIN EN ISO 3679 Verf. B)

· **Auto-ignition temperature:** Product is not selfigniting.

• Decomposition temperature: Not determined.

pH at 20 °C (68 °F) 7-10

· Viscosity:

Kinematic viscosity
Dynamic at 20 °C (68 °F):
Not determined.
6,000-11,000 mPas

Solubility

· water: Not miscible or difficult to mix.

• Partition coefficient n-octanol/water (log value) Not determined. • Vapour pressure at 20 °C (68 °F): 23 hPa (17.3 mm Hg)

Density and/or relative density

Density at 20 °C (68 °F):
 Relative density
 1.1 g/cm³ (9.18 lbs/gal)
 Not determined.

· Vapour density Not determined.

· 9.2 Other information

· Appearance:

· Form: Viscous

· Important information on protection of health

and environment, and on safety.

• **Explosive properties:** Product does not present an explosion hazard.

· Solvent content:

· **VOC (EC)** 12.00 %

· Change in condition · Softening point/range

Oxidising properties Not determined.

(Contd. on page 5)





Printing date 01.02.2022 Version number 12.1 (replaces version 12.0) Revision: 01.02.2022

Trade name: Medium Cut Polish 2400

(Contd. of page 4)

| · Evaporation rate | Not determined. |
|---|-----------------|
| · Information with regard to physical hazard | |
| classes | |
| · Explosives | Void |
| Flammable gases | Void |
| · Aerosols | Void |
| · Oxidising gases | Void |
| Gases under pressure | Void |
| Flammable liquids | Void |
| Flammable solids | Void |
| · Self-reactive substances and mixtures | Void |
| · Pyrophoric liquids | Void |
| · Pyrophoric solids | Void |
| Self-heating substances and mixtures | Void |
| Substances and mixtures, which emit flamm | able |
| gases in contact with water | Void |
| · Oxidising liquids | Void |
| · Oxidising solids | Void |
| · Organic peroxides | Void |
| Corrosive to metals | Void |
| · Desensitised explosives | Void |

SECTION 10: Stability and reactivity

- · 10.1 Reactivity None under normal conditions.
- · 10.2 Chemical stability
- Thermal decomposition / conditions to be avoided:

No decomposition if used according to specifications.

- · 10.3 Possibility of hazardous reactions No dangerous reactions known.
- 10.4 Conditions to avoid No further relevant information available.
- 10.5 Incompatible materials: No further relevant information available.
- · 10.6 Hazardous decomposition products: No dangerous decomposition products known.

SECTION 11: Toxicological information

- · 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008
- · Acute toxicity Based on available data, the classification criteria are not met.

| · LD/LC5 | · LD/LC50 values relevant for classification: | | |
|----------|--|-----------------------|--|
| CAS: 64 | CAS: 64742-55-8 Distillates (petroleum), hydrotreated light paraffinic | | |
| Oral | LD50 | >5,000 mg/kg (rat) | |
| Dermal | LD50 | >2,000 mg/kg (rabbit) | |
| CAS: 26 | CAS: 2634-33-5 1,2-benzisothiazol-3(2H)-one | | |
| Oral | LD50 | 670-784 mg/kg (rat) | |
| Dermal | LD50 | >2,000 mg/kg (rat) | |

- · Skin corrosion/irritation Based on available data, the classification criteria are not met.
- · Serious eye damage/irritation Based on available data, the classification criteria are not met.
- · Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
- · Germ cell mutagenicity Based on available data, the classification criteria are not met.

(Contd. on page 6)





Printing date 01.02.2022 Version number 12.1 (replaces version 12.0) Revision: 01.02.2022

Trade name: Medium Cut Polish 2400

(Contd. of page 5)

- · Carcinogenicity Based on available data, the classification criteria are not met.
- · Reproductive toxicity Based on available data, the classification criteria are not met.
- · STOT-single exposure Based on available data, the classification criteria are not met.
- · STOT-repeated exposure Based on available data, the classification criteria are not met.
- · Aspiration hazard Based on available data, the classification criteria are not met.
- · 11.2 Information on other hazards
- Endocrine disrupting properties

None of the ingredients is listed.

SECTION 12: Ecological information

· 12.1 Toxicity

| 1211 Toxiony | | |
|---|---|--|
| · Aquatic toxicity: | | |
| Hydrocarbons, C10-C13, n-alkanes, isoalkanes, cyclics, (< 2% aromatics) | | |
| LL50 (24h) | >1,000 mg/l (fi) | |
| LL50 (48h) | >1,000 mg/l (fi) | |
| CAS: 2634-33-5 1,2-benzisothiazol-3(2H)-one | | |
| LC50/96h | 2.2 mg/l (Oncorhynchus mykiss) | |
| EC50 (48h) (static) | 0.643 mg/l (daphnia) | |
| EC50 (72h) | 0.11 mg/l (Selenastrum capricornutum) | |
| EC50 (96h) (static) | 0.9893 mg/l (Mysidopsis bahia) | |
| NOEC (72h) | 0.04 mg/l (Selenastrum capricornutum) | |
| NOEC (96h) (static) | 0.25 mg/l (Mysidopsis bahia) | |
| NOEC (21d) | 1.2 mg/l (daphnia) | |
| NOEC (28d) | 0.21 mg/l (Oncorhynchus mykiss) | |
| ErC50 (72h) | 0.15 mg/l (Pseudokirchneriella subcapitata) | |
| | | |

- 12.2 Persistence and degradability No further relevant information available.
- · 12.3 Bioaccumulative potential No further relevant information available.
- · 12.4 Mobility in soil No further relevant information available.
- 12.5 Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.
- 12.6 Endocrine disrupting properties

The product does not contain substances with endocrine disrupting properties.

- · 12.7 Other adverse effects
- · Additional ecological information:
- · General notes:

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

SECTION 13: Disposal considerations

- · 13.1 Waste treatment methods
- · Recommendation

Small amounts may be diluted with plenty of water and washed away. Dispose of bigger amounts in accordance with Local Authority requirements.

(Contd. on page 7)





Printing date 01.02.2022 Version number 12.1 (replaces version 12.0) Revision: 01.02.2022

Trade name: Medium Cut Polish 2400

(Contd. of page 6)

· Waste disposal key:

Waste codes should be determined in consultation with the customer, supplier and disposal.

- Uncleaned packaging:
- · Recommendation:

Packagings that may not be cleansed are to be disposed of in the same manner as the product.

• Recommended cleansing agents: Water, if necessary together with cleansing agents.

SECTION 14: Transport information

| · 14.1 UN number or ID number · ADR/RID, ADN, IMDG, IATA | Void |
|---|-----------------|
| · 14.2 UN proper shipping name · ADR/RID, ADN, IMDG, IATA | Void |
| · 14.3 Transport hazard class(es) | |
| · ADR/RID, ADN, IMDG, IATA · Class | Void |
| · 14.4 Packing group · ADR/RID, IMDG, IATA | Void |
| · 14.5 Environmental hazards: | Not applicable. |
| · 14.6 Special precautions for user | Not applicable. |
| 14.7 Maritime transport in bulk according to IN instruments | Not applicable. |
| · UN "Model Regulation": | Void |

SECTION 15: Regulatory information

- · 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Directive 2012/18/EU
- · Named dangerous substances ANNEX I None of the ingredients is listed.
- · DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment Annex II

None of the ingredients is listed.

- · REGULATION (EU) 2019/1148
- · Annex I RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3))

None of the ingredients is listed.

· Annex II - REPORTABLE EXPLOSIVES PRECURSORS

None of the ingredients is listed.

Regulation (EC) No 273/2004 on drug precursors

None of the ingredients is listed.

Regulation (EC) No 111/2005 laying down rules for the monitoring of trade between the Community and third countries in drug precursors

None of the ingredients is listed.

(Contd. on page 8)





Version number 12.1 (replaces version 12.0) Printing date 01.02.2022 Revision: 01.02.2022

Trade name: Medium Cut Polish 2400

(Contd. of page 7)

· 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

The details of the safety data sheet apply only to the product described in the context of its intended use. The information is based on the current state of our knowledge. It is intended to describe our product in view of the risks posed by it and the relevant precautionary measures. It does not represent an assurance of product and quality characteristics. The information in this safety data sheet is required under Article 31 and Annex II of Regulation EC (VO) no. 1907/2006.

Relevant phrases

- H302 Harmful if swallowed.
- H304 May be fatal if swallowed and enters airways.
- H315 Causes skin irritation.
- H317 May cause an allergic skin reaction.
- H318 Causes serious eye damage.
- Fatal if inhaled. H330
- H400 Very toxic to aquatic life.
- H411 Toxic to aquatic life with long lasting effects.

EUH066 Repeated exposure may cause skin dryness or cracking.

- · Department issuing SDS: Product and Environmental Safety Department
- Date of previous version: 06.07.2021
- · Version number of previous version: 12.0
- Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the

International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

VOC: Volatile Organic Compounds (USA, EU)

DNEL: Derived No-Effect Level (REACH)

PNEC: Predicted No-Effect Concentration (REACH)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

Acute Tox. 4: Acute toxicity – Category 4
Acute Tox. 2: Acute toxicity – Category 2
Skin Irrit. 2: Skin corrosion/irritation – Category 2

Eye Dam. 1: Serious eye damage/eye irritation - Category 1

Skin Sens. 1: Skin sensitisation – Category 1 Asp. Tox. 1: Aspiration hazard – Category 1

Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard - Category 1

Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic hazard - Category 2

* Data compared to the previous version altered.