

Safety data sheet according to UK REACH

Printing date 05.05.2025

Version: 6.01 (replaces version 6.00)

Revision: 13.04.2023

| | 20 Version | | <i>in 0.00)</i> | Nevision. 15.04.2025 |
|--|---|--------------------------------------|---------------------|----------------------------|
| SECTION 1: I | lentification of the | substance/mixtu | re and of the con | npany/undertaking |
| 1.1 Product iden | tifier | | | |
| Trade name: <u>SO</u> | NAX XTREME RichFoar | n Shampoo | | |
| <i>Application of th</i> Car care product Detergents Consumer uses: I Professional uses | M005-898E htified uses of the subs e substance / the mixtu Private households / gen | ıre eral public / consumeı | s | st |
| 1.3 Details of the Manufacturer/Su SONAX GmbH Münchener Straß D-86633 Neuburg Tel.: ++49 (0)843 | - - 75 (Donau) | data sheet | | |
| Product safety E-mail: erp@sona Phone: + +49 (0) <u>United Kingdom</u> Anglo American C | 8431 53 217 il Company Ltd Iolton Heath Trading Pa 01929 551557 | rk, Poole, Dorset, BH1 | 6 6LT | |
| European Union United Kingdom Members of Publi | Hephone number: +49 (0) 89 19240 (Pois 0344 892 0111 (UK NF c in England, Scotland a d, contact your local GP | PIS) | NHS 111/NHS 24 by c | lialling 111 |
| | la sa | | | |
| SECTION 2: F | azards identification | on | | |
| | of the substance or m cording to Regulation | | | |
| | Causes serious eye irrita | - | | |
| | ing to Regulation (EC) ssified and labelled acco | | egulation. | |
| Signal word War Hazard statemen H319 Causes sen Precautionary st P101 P102 P264 P280 P305+P351+P336 | ts ous eye irritation. | ildren. ⁄ after handling. | | |
| P337+P313 | present and easy to do If eye irritation persists. | . Continue rinsing. | | |
| 1 007 1 010 | n eye initation persists. | | | (Contd. on page 2) GB — |
| | | | | |



Safety data sheet according to UK REACH

Version: 6.01 (replaces version 6.00)

Revision: 13.04.2023

P501

(Contd. of page 1) Dispose of contents/container in accordance with local/regional/national/international regulations.

2.3 Other hazards

Results of PBT and vPvB assessment

PBT:

According to information provided in the supply chain, the mix contains less than 0.1% of any substances classified as PBT

vPvB:

According to information provided in the supply chain, the mix contains less than 0.1% of any substances classified as vPvB.

Determination of endocrine-disrupting properties

The substance/mixture does not contain components considered to have endocrine disrupting properties according to UK REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Description: Aqueous tenside solution.

| CAS: 68891-38-3 | alcohols, C12-14, ethoxylated, sulfates, sodium salts | 5-<10% |
|---------------------------------|---|-----------|
| NLP: 500-234-8 | 📀 Eye Dam. 1, H318; 🚸 Skin Irrit. 2, H315; Aquatic Chronic 3, | |
| Reg.nr.: 01-2119488639-16-xxxx | | |
| | Specific concentration limits: Eye Dam. 1; H318: C ≥ 10 % Eye Irrit. 2; H319: 5 % ≤ C < 10 % | |
| CAS: 112-34-5 | 2-(2-butoxyethoxy)ethanol | 1-<3% |
| EINECS: 203-961-6 | 🚯 Eye Irrit. 2, H319 | |
| Reg.nr.: 01-2119475104-44-xxxx | | |
| CAS: 308062-28-4 | Amines, C12-14 (even numbered)-alkyldimethyl, N-oxides | <0.25% |
| EC No 931-292-6 | Alternative CAS number: 70592-80-2 | |
| Reg.nr.: 01-2119490061-47-xxxx | Eye Dam. 1, H318; Aquatic Acute 1, H400 (M=1); Aquatic Chronic 2, H411; Acute Tox. 4, H302; Skin Irrit. 2, H315 | ; _ |
| CAS: 3811-73-2 | pyridine-2-thiol 1-oxide, sodium salt | <0.1% |
| EINECS: 223-296-5 | 🛞 Acute Tox. 3, H311; Acute Tox. 3, H331; 🚯 STOT RE 1, | |
| Reg.nr.: 01-2119493385-28-xxxx | H372; 🚯 Aquatic Acute 1, H400 (M=100); Aquatic Chronic 2, | |
| | H411; 🚯 Acute Tox. 4, H302; Skin Irrit. 2, H315; Eye Irrit. 2, | |
| | H319; Škin Sens. 1, H317, EUH070 | |
| Regulation (EC) No 648/2004 on | detergents / Labelling for contents | |
| anionic surfactants | | ≥5 - <15% |
| phenoxyethanol, perfumes (LINAL | OOL), sodium pyrithione | |

Additional information: For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

General information: Immediately remove any clothing soiled by the product.

After inhalation: No special measures required

After skin contact: Wash the areas of skin affected with water and a mild detergent.

After eye contact:

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

After swallowing:

Rinse out mouth and then drink plenty of water.

If symptoms persist consult doctor.

4.2 Most important symptoms and effects, both acute and delayed Eye irritation

4.3 Indication of any immediate medical attention and special treatment needed

Treatment in accordance with the doctor's assessment of the patient's condition. Symptomatic treatment.

(Contd. on page 3)

GB



Safety data sheet according to UK REACH

Version: 6.01 (replaces version 6.00)

Revision: 13.04.2023

(Contd. of page 2)

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing agents: Use fire extinguishing methods suitable to surrounding conditions.

5.2 Special hazards arising from the substance or mixture No further relevant information available. 5.3 Advice for firefighters

Protective equipment:

The normal measures for firefighting are to be taken.

Do not enter the hazardous area without a self-contained breathing apparatus. See Section 8 for information on personal protection equipment.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures Ensure adequate ventilation For non-emergency personnel

The usual precautionary measures are to be adhered to when handling chemicals.

For emergency responders Wear protective equipment. Keep unprotected persons away.

6.2 Environmental precautions:

Do not allow to penetrate the ground/soil.

Do not allow to enter sewers/ surface or ground water.

6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Dispose contaminated material as waste according to section 13.

6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

SECTION 7: Handling and storage

7.1 Precautions for safe handling No special precautions are necessary if used correctly. Information about fire - and explosion protection: No special measures required.

7.2 Conditions for safe storage, including any incompatibilities Storage:

Requirements to be met by storerooms and receptacles: Prevent any seepage into the ground. Information about storage in one common storage facility:

Store away from foodstuffs.

Observe local/state/federal regulations.

Further information about storage conditions:

Protect from frost.

Recommended storage temperature: 20 °C.

7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Ingredients with limit values that require monitoring at the workplace:

CAS: 112-34-5 2-(2-butoxyethoxy)ethanol

WEL (Great Britain) Short-term value: 101.2 mg/m³, 15 ppm Long-term value: 67.5 mg/m³, 10 ppm IOELV (EU) Short-term value: 101.2 mg/m³, 15 ppm Long-term value: 67.5 mg/m³, 10 ppm OEL (Ireland) Short-term value: 101.2 mg/m³, 15 ppm Long-term value: 67.5 mg/m³, 10 ppm IOELV

Regulatory information

WEL (Great Britain): EH40/2020 IOELV (EU): (EU) 2019/1831 OEL (Ireland): 2021 CoP for the Safety, Health and Welfare at Work

(Contd. on page 4)



Safety data sheet according to UK REACH

Printing date 05.05.2025

Version: 6.01 (replaces version 6.00)

Revision: 13.04.2023

| DNELs | | | |
|------------|---------|---|--|
| | 1-38-3 | alcohols, C12-14, ethoxylated, sulfates, sodium salts | |
| Oral | DNEL | 15 mg/kg (consumer/long-term) | |
| Dermal | DNEL | 1,650 mg/kg (consumer/long-term) | |
| | | 2,750 mg/kg (worker long-term) | |
| Inhalative | DNEL | 52 mg/m³ (consumer/long-term) | |
| | DNEL | 175 mg/m³ (worker long-term) | |
| CAS: 112- | 34-5 2- | (2-butoxyethoxy)ethanol | |
| Oral | DNEL | 5 mg/kg bw/day (consumer) (chronic systemic effect) | |
| Dermal | DNEL | 83 mg/bw/day (worker) (chronic systemic effect) | |
| | DNEL | 50 mg/kg bw/day (consumer) (chronic systemic effect) | |
| Inhalative | DNEL | 67.5 mg/m ³ (worker) (chronic systemic effect) | |
| | DNEL | 67.5 mg/m³ (worker) (chronic locale effects) | |
| | DNEL | 40.5 mg/m ³ (consumer) (chronic systemic effect) | |
| | DNEL | 40.5 mg/m³ (consumer) (chronic locale effects) | |
| CAS: 3080 | 62-28- | 4 Amines, C12-14 (even numbered)-alkyldimethyl, N-oxides | |
| Oral | DNEL | 0.44 mg/kg bw/day (consumer) (acute systematic effects) | |
| Dermal | DNEL | 5.5 mg/kg bw/day (consumer) (longterm systematic effects) | |
| | | 11 mg/kg bw/day (worker) (longterm systematic effects) | |
| Inhalative | DNEL | 3.8 mg/m³ (consumer) (longterm systematic effects) | |
| | | 15.5 mg/m ³ (worker) (longterm systematic effects) | |
| PNECs | | | |
| CAS: 6889 | 1-38-3 | alcohols, C12-14, ethoxylated, sulfates, sodium salts | |
| PNEC | C 10,0 | 00 mg/l (sewage plant) | |
| | 0.24 | mg/l (water (fresh water)) | |
| | 0.02 | 4 mg/l (water (sea water)) | |
| PNEC | C 7.5 r | ng/kg (gro) | |
| | 0.91 | 68 mg/kg (sediment (fresh water)) | |
| | 0.09 | 168 mg/kg (sediment (sea water)) | |
| CAS: 112- | 34-5 2- | -(2-butoxyethoxy)ethanol | |
| PNEC | 200 | mg/l (STP) | |
| | 11 m | ng/l (water) | |
| | 1.1 r | ng/l (water (fresh water)) | |
| | | mg/l (water (sea water)) | |
| PNEC | C 4.4 r | ng/kg (sediment (fresh water)) | |
| | 0.44 | mg/kg (sediment (sea water)) | |
| | 0.32 | mg/kg (soil) | |
| | | ng/kg (water) | |
| | | 4 Amines, C12-14 (even numbered)-alkyldimethyl, N-oxides | |
| | | mg/kg (food) | |
| PNEC | | ng/l (sewage plant) | |
| | | mg/l (water (intermittent release)) | |
| | | 35 mg/l (water (fresh water)) | |
| | | 335 mg/l (water (sea water)) | |
| PNEC | | mg/kg (sediment (fresh water)) | |
| | 0.52 | 4 mg/kg (sediment (sea water)) | |
| | 1.02 | mg/kg (soil) | |
| Additional | inform | nation: The lists valid during the making were used as basis. | |
| 8.2 Expos | ure co | ntrols | |
| | | | |
| | protec | ction measures, such as personal protective equipment | |

(Contd. on page 5)



Safety data sheet according to UK REACH

Version: 6.01 (replaces version 6.00)

Revision: 13.04.2023

(Contd. of page 4)

- GB

Keep away from foodstuffs, beverages and feed. Wash hands before breaks and at the end of work. **Respiratory protection:** Not required in normal cases **Hand protection** Not required in normal cases. **Eye/face protection** Safety glasses [EN 166]

SECTION 9: Physical and chemical properties

| 9.1 Information on basic physical and chemical pr | operties |
|--|---|
| General Information | |
| Physical state | Fluid |
| Colour: | Yellowish |
| Odour: | Fruit-like |
| Melting point/freezing point: | Undetermined. |
| Boiling point or initial boiling point and boiling | |
| range | ≥100 °C (CAS: 7732-18-5 water) |
| Flammability | Product is not flammable. |
| Lower and upper explosion limit | |
| Lower: | Not applicable |
| Upper: | Not applicable |
| Flash point: | Not applicable. |
| Decomposition temperature: | Not determined. |
| | 6.5 - 7.5 |
| pH at 20 °C Viscosity: | 0.0 - 7.0 |
| Viscosity: Kinomatic viscosity at 40 °C | $< 20.5 \text{ mm}^{2/c}$ |
| Kinematic viscosity at 40 °C | <20.5 mm²/s |
| Solubility | |
| water: | Fully miscible. |
| Partition coefficient n-octanol/water (log value) | Not determined. |
| Vapour pressure at 20 °C: | 23 hPa (CAS: 7732-18-5 water) |
| Density and/or relative density | |
| Density at 20 °C: | 1.02 - 1.03 g/cm³ |
| Relative density | Not determined. |
| Vapour density | Not determined. |
| 9.2 Other information | |
| Appearance: | |
| Form: | Fluid |
| - | Fluid |
| Important information on protection of health and | |
| environment, and on safety. | Braduct is not colfic miting |
| Ignition temperature: | Product is not selfigniting. |
| Explosive properties: | Product does not present an explosion hazard. |
| Change in condition | |
| Evaporation rate | Not determined. |
| Information with regard to physical hazard classes | 5 |
| Explosives | Void |
| Flammable gases | Void |
| Aerosols | Void |
| Oxidising gases | Void |
| Gases under pressure | Void |
| Flammable liquids | Void |
| Flammable solids | Void |
| Self-reactive substances and mixtures | Void |
| Pyrophoric liquids | Void |
| Pyrophoric solids | Void |
| Self-heating substances and mixtures | |
| | Void |
| Substances and mixtures, which emit flammable | Vaid |
| gases in contact with water | Void |
| Oxidising liquids | Void |
| Oxidising solids | Void |
| Organic peroxides | Void |
| | (Contd. on page 6) |
| | |



Safety data sheet according to UK REACH

Version: 6.01 (replaces version 6.00)

Revision: 13.04.2023

(Contd. of page 5)

Corrosive to metals Desensitised explosives Void Void

SECTION 10: Stability and reactivity

10.1 Reactivity No dangerous reactions known.

10.2 Chemical stability Stable under normal conditions.

10.3 Possibility of hazardous reactions No dangerous reactions known.

10.4 Conditions to avoid See Section 7 for information on safe handling.

10.5 Incompatible materials: No further relevant information available.

10.6 Hazardous decomposition products: No dangerous decomposition products known.

SECTION 11: Toxicological information 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008 Acute toxicity Based on available data, the classification criteria are not met. LD/LC50 values relevant for classification: CAS: 68891-38-3 alcohols, C12-14, ethoxylated, sulfates, sodium salts Oral LD50 >5,000 mg/kg (rat) Dermal LD 50 >5,000 mg/kg (rat) CAS: 112-34-5 2-(2-butoxyethoxy)ethanol Oral LD50 2,410 mg/kg (mouse) (ECHA) Dermal LD50 2,764 mg/kg (rabbit) (ECHA) CAS: 308062-28-4 Amines, C12-14 (even numbered)-alkyldimethyl, N-oxides Oral LD50 1,064 mg/kg (rat) (OECD 401) Dermal LD50 >2,000 mg/kg (rat) LC50 / 96 h 2.67 mg/l (Pimephales promelas) Skin corrosion/irritation Based on available data, the classification criteria are not met. Serious eye damage/irritation Causes serious eye irritation. Respiratory or skin sensitisation Based on available data, the classification criteria are not met. Germ cell mutagenicity Based on available data, the classification criteria are not met. Carcinogenicity Based on available data, the classification criteria are not met. Reproductive toxicity Based on available data, the classification criteria are not met. STOT-single exposure Based on available data, the classification criteria are not met. STOT-repeated exposure Based on available data, the classification criteria are not met. Aspiration hazard Based on available data, the classification criteria are not met. Additional toxicological information: Repeated dose toxicity CAS: 112-34-5 2-(2-butoxyethoxy)ethanol NOAEL Oral 250 mg/kg (rat) (ECHA) Inhalative NOAEC 0.094 mg/m3 (rat) (OECD 413) CAS: 308062-28-4 Amines, C12-14 (even numbered)-alkyldimethyl, N-oxides Oral NOAEL 90 d 2,000 mg/kg (rat) (OECD 451) NOAEL 2,000 mg/kg (rat) (OECD 451) 88 mg/kg (rabbit) (OECD 408) 25 mg/kg (rat) 11.2 Information on other hazards Endocrine disrupting properties The substance/mixture does not contain components considered to have endocrine disrupting properties according to UK REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

(Contd. on page 7)



Safety data sheet according to UK REACH

Version: 6.01 (replaces version 6.00)

Revision: 13.04.2023

(Contd. of page 6)

| | 12: Ecological information |
|---|---|
| | There are no ecotoxicological data available on this mixture. |
| Aquatic toxi | |
| | 38-3 alcohols, C12-14, ethoxylated, sulfates, sodium salts |
| LC 50 | >10-100 mg/l (Leuciscus idus) |
| EC0 | >100 mg/l (Pseudomonas putida) |
| EC50 | >100 mg/l (Scenedesmus subspicatus) |
| | >10-100 mg/l (Daphnia magna) |
| NOEC | >1-10 mg/l (Leuciscus idus) |
| | >0.1-1 mg/l (Daphnia magna) |
| | -5 2-(2-butoxyethoxy)ethanol |
| LC50 / 96h | 1,300 mg/l (Lepomis macrochirus) (OECD 203) |
| EC50 / 48h | >100 mg/l (Daphnia magna) (ECHA) |
| ErC50 | 1,101 mg/l (Pseudokirchneriella subcapitata) (ECHA) |
| | 2-28-4 Amines, C12-14 (even numbered)-alkyldimethyl, N-oxides |
| | 0.42 mg/l (Pimephales promelas) |
| EC10 / 18h | 24 mg/l (Pseudomonas putida) |
| EC50 / 48h | 3.1 mg/l (Daphnia magna) |
| EC50 / 72h | 0.143 mg/l (Pseudokirchneriella subcapitata) (OECD 201) |
| | 0.7 mg/l (Daphnia magna) (OECD 211) |
| NOEC / 28d | 0.067 mg/l (algae) |
| | 3-2 pyridine-2-thiol 1-oxide, sodium salt |
| LC50 / 96h EC 20 / 3h | 0.00767 mg/l (Danio rerio) |
| | 0.48 mg/l (sewage sludge) (OECD 209) |
| EC50/3h | 1.81 mg/l (sewage sludge) (OECD 209) |
| EC50 / 48h | 0.022 mg/l (daphnia) |
| EC50 / 72h | 0.46 mg/l (Selenastrum capricornutum) |
| | 0.08 mg/l (Selenastrum capricornutum) (OECD 201) |
| The surface-a | e nce and degradability active substances contained in the product meet the requirement of the EU Detregent Regulat 4) for ultimate biodegradability for surfactants in detergents. |
| CAS: 308062 | -28-4 Amines, C12-14 (even numbered)-alkyldimethyl, N-oxides |
| Biodegradatio | on 90 % |
| | 3-2 pyridine-2-thiol 1-oxide, sodium salt |
| Biodegradatio | on >70 % (activated sludge) (OECD 301 B) |
| | imulative potential |
| | -28-4 Amines, C12-14 (even numbered)-alkyldimethyl, N-oxides |
| log POW 2.7 | |
| - | 3-2 pyridine-2-thiol 1-oxide, sodium salt |
| | .09 ((n-Octanol/Wasser) OECD 107) |
| | in soil No further relevant information available. |
| PBT: | of PBT and vPvB assessment |
| According to classified as vPvB: | information provided in the supply chain, the mix conatins less than 0.1% of any substances PBT |
| classified as | |
| According to | ne disrupting properties the current state of scientific knowledge, there is no data for the product regarding endocrine incrtise with effects on the environment |
| aisrupting pro | perties with effects on the environment. (Contd. on pa |



Safety data sheet according to UK REACH

Printing date 05.05.2025

Version: 6.01 (replaces version 6.00)

Revision: 13.04.2023

(Contd. of page 7)

12.7 Other adverse effects

Additional ecological information:

General notes:

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Not classified as hazardous waste according to Annex III to Directive 2008/98/EC.

Recommendation Waste must be disposed of while observing the local, official regulations.

European waste catalogue

1) Disposal / product

2) Disposal / contaminated packaging

20 01 30 detergents other than those mentioned in 20 01 29

15 01 02 plastic packaging

Uncleaned packaging:

Recommendation: Disposal must be made according to official regulations.

SECTION 14: Transport information

| 14.1 UN number or ID number ADR/RID/ADN, IMDG, IATA | Void |
|---|-----------------|
| 14.2 UN proper shipping name ADR/RID/ADN, IMDG, IATA | Void |
| 14.3 Transport hazard class(es) | |
| ADR/RID/ADN, ADN, IMDG, IATA Class | Void |
| 14.4 Packing group ADR/RID/ADN, IMDG, IATA | Void |
| 14.5 Environmental hazards: Marine pollutant: | No |
| 14.6 Special precautions for user | Not applicable. |
| UN "Model Regulation": | Void |
| | |

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture European Directives: Directive 2010/75/EU (VOC) not subject to

Catégorie SEVESO (DIRECTIVE 2012/18/EU) not subject to

REGULATION (EU) 2019/1148

Annex I - RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3))

None of the ingredients is listed.

Annex II - REPORTABLE EXPLOSIVES PRECURSORS

None of the ingredients is listed.

National regulations:

Information about limitation of use:

Employment restrictions concerning juveniles must be observed. Employment restrictions concerning pregnant and lactating women must be observed.

Waterhazard class: Water hazard class 2 (Self-assessment): hazardous for water.

(Contd. on page 9)

GB



_

Safety data sheet according to UK REACH

Version: 6.01 (replaces version 6.00)

Revision: 13.04.2023

| SECTION 16: Other information This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship. This Stefty Data Sheets is in compliance with Regulation (EC) No 1907/2006, Article 31 as amended by Regulation (EU) 2020/878. Relevant phrases H311 Toxic in contact with skin. H315 Causes skin irritation. H316 Causes serious eye damage. H317 May cause an allergic skin reaction. H318 Causes serious eye damage. H317 Causes serious eye damage. H318 Causes serious eye damage. H317 Toxic to aquatic life with long lasting effects. H411 Toxic to aquatic life with long lasting effects. H411 Toxic to aquatic life with long lasting effects. EUH070 Toxic by eye contact. Causes damage/initiation Causes yearnage/initiation The classification of the mixture is generally based on the calculation method using substance data according to Regulation (EC) No 1272/2008. Date of previous version: 12.10.2022 Version number of previous version: 6.00 Abbewed Effect Lue Marking effect sc. M0EL > No Observed Effect Subatone Stotada according to Regulation (EC) No 1272/2008.< | 15.2 Ch | (Contd. of pag emical safety assessment: A Chemical Safety Assessment has not been carried out. |
|--|----------------------|---|
| This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship. This Safety Data Sheets is in compliance with Regulation (EC) No 1907/2006, Article 31 as amended by Regulation (EU) 2020/878. Relevant phrases H302 Harmful if swallowed. H311 Toxic in contact with skin. H315 Causes serious eye damage. H317 May cause an allergic skin reaction. H318 Causes serious eye damage. H317 May cause an allergic skin reaction. H318 Causes serious eye damage. H317 Toxic if inhaled. H317 Toxic if inhaled. H317 Toxic of aquatic life. H411 Toxic to aquatic life with long lasting effects. H411 Toxic to aquatic life with long lasting effects. H411 Toxic to aquatic life with long lasting effects. H411 Toxic to aquatic life with long lasting effects. H411 Toxic to aquatic life with long lasting effects. H411 Toxic by eye contact. Classification according to Regulation (EC) No 1272/2008 Serious eye damage.ITT Classification of the mixture is generally based on the calculation method using substance data according to Regulation (EC) No 1272/2008. Date of previous version: 12.10.2022 Version number of previous version: 6.00 Abbreviations and accomymas: N0EL = No Dosenved Effect Level N0EC = No Dosenved Effect Leve | | |
| This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship. This Safety Data Sheets is in compliance with Regulation (EC) No 1907/2006, Article 31 as amended by Regulation (EU) 2020/878. Relevant phrases H302 Harmful if swallowed. H311 Toxic in contact with skin. H315 Causes serious eye damage. H317 May cause an allergic skin reaction. H318 Causes serious eye damage. H317 May cause an allergic skin reaction. H318 Causes serious eye damage. H317 Toxic if inhaled. H317 Toxic if inhaled. H317 Toxic of aquatic life. H411 Toxic to aquatic life with long lasting effects. H411 Toxic to aquatic life with long lasting effects. H411 Toxic to aquatic life with long lasting effects. H411 Toxic to aquatic life with long lasting effects. H411 Toxic to aquatic life with long lasting effects. H411 Toxic by eye contact. Classification according to Regulation (EC) No 1272/2008 Serious eye damage.ITT Classification of the mixture is generally based on the calculation method using substance data according to Regulation (EC) No 1272/2008. Date of previous version: 12.10.2022 Version number of previous version: 6.00 Abbreviations and accomymas: N0EL = No Dosenved Effect Level N0EC = No Dosenved Effect Leve | OFOTI | |
| specific product features and shall not establish a legally valid contractual relationship. This Safety Data Sheets is in compliance with Regulation (EC) No 1907/2006, Article 31 as amended by Regulation (EU) 2020/878. Relevant phrases H302 Harmful if swallowed. H311 Toxic in contact with skin. H315 Causes skin irritation. H316 Causes serious eye damage. H317 May cause an allergic skin reaction. H318 Causes serious eye damage. H319 Causes serious eye damage. H319 Causes serious eye damage. H319 Causes serious eye damage. H319 Causes damage to organs through prolonged or repeated exposure. H410 Very toxic to aquatic life. H411 Toxic in fundadd. H412 Harmful to aquatic life with long lasting effects. H411 Toxic to aquatic life with long lasting effects. EUH070 Toxic by eye contact. Classification according to Regulation (EC) No 1272/2008 Serious eye damage/irritation The classification of the mixture is generally based on the calculation method using substance data according to Regulation (EC) No 1272/2008. Date of previous version: 12.10.2022 Version number of previous version: 6.00 Abbreviations and acronyms: NOEL = No Daswed Effect evel NOEL = No Daswed Effect evel NOEL = No Daswed Effect evel NOEL = No Daswed Effect evel ADR: Accord relatifier at the classification and Labelling of Chemicals ATF: acute toxicy estimate CE/S9 – International AF Transport Association EFF cacter Cavity estimate ADR: Accord relatifier at cover function EFF cacter Cavity estimate ADR: Accord relatifier at Cover function Coefficient CHS: Elobally Harmonized System of Classification and Labelling of Chemicals ATF: acute toxicy estimate ADR: Accord relatifier at Cover function Coefficient CHS: Elobally Attransport international des marchandises dangereuses par route (European Agreement Concerning the International CE elevel Concernitation EC elevel Concernitation EC elevel Concernitation (UK REACH) PUEL: Pedict Concernitation (UK REACH) PUEL: Pedict Evel elevel (UK REACH) PUEL: Ped | | |
| Relevant phrases H302 Harmful if swallowed. H311 Toxic in contact with skin. H315 Causes skin irritation. H317 May cause an allergic skin reaction. H318 Causes serious eye irritation. H319 Causes damage to organs through prolonged or repeated exposure. H400 Very toxic to aquatic life. H411 Toxic to aquatic life with long lasting effects. H412 Harmful to aquatic life with long lasting effects. EUH070 Toxic to aquatic life with long lasting effects. EUH070 Toxic to aquatic life with long lasting effects. EUH070 Toxic to aquatic life with long lasting effects. EUH070 Toxic to aquatic life with long lasting effects. EUH070 Toxic bay eye contact. Cassification according to Regulation (EC) No 1272/2008 Serious eye damage/irritation The classification of the mixture is generally based on the calculation method using substance data according to Regulation (EC) No 1272/2008. Date of previous version: 12.10.2022 Version number of previous version: 6.00 Abbreviations and acronyms: NDEL = No Observed Effect Level NDEC = No Observed Effect Level NDEC = No Observed Effect Level Level NDEC = No Observed Effect Level NDEC = No Observed Effect Concentration ECS0 = hall maximal effective concentration ECS0 = hall maximal effective concentration ECS0 = hall maximal effective concentration ECS1 = lead Concent | specific This Saf | product features and shall not establish a legally valid contractual relationship. fety Data Sheets is in compliance with Regulation (EC) No 1907/2006, Article 31 as amended by |
| H302 Harmful if swallowed. H311 Toxic in contact with skin. H315 Causes skin irritation. H316 Causes serious eye damage. H318 Causes serious eye damage. H319 Causes serious eye dimage. H319 Causes serious eye dimage. H319 Causes serious eye dimage. H319 Causes damage to organs through prolonged or repeated exposure. H310 Very toxic to aquatic life. H411 Toxic to aquatic life with long lasting effects. H411 Toxic to aquatic life with long lasting effects. H412 Harmful to aquatic life with long lasting effects. H412 Harmful to aquatic life with long lasting effects. H412 Harmful to aquatic life with long lasting effects. H412 Graves damage/irritation The classification of the mixture is generally based on the calculation method using substance data according to Regulation (EC) No 1272/2008 Date of previous version: 12.10.2022 Version number of previous version: 6.00 Abbreviations and acronyms: N0EC = No Deserved Effect Level N0EC = No Deserved Effect Concentration LC = leal Concentration LC = leal Concentration EC = 0 half mamorized System of Classification and Labelling of Chemicals ATE: acute toxicly estimate ATE: acute toxicly estimate Attem Tox 3: Acute toxicly estimation estimate Acut | - | |
| H311 Toxic in contact with skin. H315 Causes skin irritation. H317 May cause an allergic skin reaction. H318 Causes serious eye damage. H319 Causes serious eye irritation. H311 Toxic if inhaled. H321 Causes damage to organs through prolonged or repeated exposure. H400 Very toxic to aquatic life. H411 Toxic to aquatic life with long lasting effects. H412 Harmful to aquatic life with long lasting effects. EUH070 Toxic by eye contact. Classification according to Regulation (EC) No 1272/2008 Serious eye damage/irritation The classification of the mixture is generally based on the calculation method using substance data according to Regulation (EC) No 1272/2008. Date of previous version: 12.10.2022 Version number of previous version: 6.00 Abbreviations and acronyms: NOEL = No Deserved Effect Level NOEL = No Deserved Effect Level NOEL = No Deserved Effect Level NOEL = No Deserved International Lebelling of Chemicals Aff: eaute toxicly estimate Carriage of Dangerous Geods HA7: International Air Transport International Less diffication and Labelling of Chemicals AFF: eaute David y estimation action Chemical Substances ELINCS: European Inventory of Existing Commercial Chemical Substances ELINCS: European Ist of Natified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) DHEL: Derived No-Effect Level (UK REACH) LESS: European Ist of Natified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) DHEL: Derived No-Effect Concentration (UK REACH) LESS: European Ist of Natified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) DHEL: Derived No-Effect Level (UK REACH) LESS: European Ist of Natified Chemical Substances CA | | |
| H315 Causes skin irritation. H317 May causes an allergic skin reaction. H318 Causes serious eye damage. H319 Causes serious eye irritation. H311 Toxic if inhaled. H312 Causes damage to organs through prolonged or repeated exposure. H400 Very toxic to aquatic life. H411 Toxic to aquatic life with long lasting effects. H412 Harmful to aquatic life with long lasting effects. EUH070 Toxic by eye contact. Classification according to Regulation (EC) No 1272/2008 Serious eye damage/irritation The classification of the mixture is generally based on the calculation method using substance data according to Regulation (EC) No 1272/2008. Date of previous version: 12.10.2022 Version number of previous version: 6.00 Abbreviations and acronyms: NOEL = No Observed Effect Long NOEC = No Observed Effect Concentration Lorg OW of Color V water partition coefficient GH: environment of previous version: 6.00 Abbreviations and acronyms: NOEL = No Observed Effect Concentration Log OW of Color V water partition coefficient GH: environ V water partition coefficient GH: International Aur Transport international des marchandises dangereuses par route (European Agreement Concerning the International Carring of Dangerous Goods IATa: International Aur Transport international des marchandises dangereuses par route (European Agreement Concerning the International Coefficient (WK REACH) LINOS: European Inst of Natified Chemical Substances CAS: Chemical Abstracts Service (WX REACH) IEL: Derive No.Effect Concentration (UK REACH) LEV = and the Chemical Substances CAS: Chemical Abstracts Service (WX REACH) LEV: Derive No.Effect Concentration (UK REACH) LEV: | | |
| H317 May cause an allergic skin reaction. H318 Causes serious eye damage. H319 Causes serious eye irritation. H317 Toxic if inhaled. H327 Causes serious eye irritation. H331 Toxic if inhaled. H327 Causes and e to organs through prolonged or repeated exposure. H400 Very toxic to aquatic life. H411 Toxic to aquatic life with long lasting effects. EUH070 Toxic by eye contact. Classification according to Regulation (EC) No 1272/2008 Serious eye damage/irritation The classification of the mixture is generally based on the calculation method using substance data according to Regulation (EC) No 1272/2008. Date of previous version: 12.10.2022 Version number of previous version: 6.00 Abbreviations and acronyms: NOEL = No Observed Effect Level NOEL = No Observed Effect Concentration EG9 Four Outpath of the maximal effective concentration EG9 Four outpath according to the marchandises dangereuses par route (European Agreement Concerning the International Carring of Dangerous Goods IAT: International Air Transport Association UNDE: International Air Transport Association Chemical Abstracts Service (division of the American Chemical Society) DNE: Derived No-Effect Concentration (UK REACH) ELVE: Derived No-Effect Concentration (UK REACH) ELVE: Verived No-Effect Concentration (UK REACH) EVEV = Fredicted No-Effect Concentration (UK REACH) EVEV = Fredicted No-Effect Concentration (UK REACH) EVEV = Fredicte vecclusport 4 Acute Tox, | | |
| H318 Causes serious eye damage. H319 Causes serious eye inritation. H317 Toxic if inhaled. H327 Causes damage to organs through prolonged or repeated exposure. H400 Very toxic to aquatic life. H411 Toxic to aquatic life with long lasting effects. H412 Harmful to aquatic life with long lasting effects. EUH070 Toxic by eye contact. Classification according to Regulation (EC) No 1272/2008 Serious eye damage/irritation The classification of the mixture is generally based on the calculation method using substance data according to Regulation (EC) No 1272/2008. Date of previous version: 12.10.2022 Version number of previous version: 6.00 Abbreviations and acronyms: NOEL = No Observed Effect Concentration LCS + No Deserved Effect Concentration LCS + and mainal effective concentration LCS + and mainal effective concentration LCS + and mainal effective concentration LCS + and taxingle effective concentration LCS + European Inventory of Existing Commercial Chemical Substances ELINCS: European Inventory of Existing Commerc | | |
| H319 Causes serious eve irritation. H311 Toxic if inhaled. H312 Causes damage to organs through prolonged or repeated exposure. H400 Very toxic to aquatic life with long lasting effects. H411 Toxic to aquatic life with long lasting effects. EUH070 Toxic by eye contact. Classification according to Regulation (EC) No 1272/2008 Serious eye damage/irritation The classification of the mixture is generally based on the calculation method using substance data according to Regulation (EC) No 1272/2008. Date of previous version: 12.10.2022 Version number of previous version: 6.00 Abbreviations and acronyms: NOEC = No Observed Effect Level MOEC = No Observed Effect Level MOEC = No Observed Effect Level ADR: Accord relatifies of concentration Le detail Concentration ADR: Accord relatifies of the Dangerous Goods ADR: Accord relatifies of the Dangerous Goods by Road) MDC: International Arr Transport Association EINCS: European List of Notified Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstrast Service (division of the American Chemical Substances CAS: Chemical Abstrast Service (division of the American Chemical Substances CAS: Chemical Abstrast Service (division of the American Chemical Substances CAS: Chemical Abstrast Service (division of the American Chemical Substances CAS: Chemical Abstrast Service (division of the American Chemical Substances CAS: Chemical Abstrast Service (division of the American Chemical Substances CAS: Chemical Abstrast Service (division of the American Chemical Substances CAS: Chemical Abstrast Service (division of the American Chemical Substances CAS: Chemical Abstrast Service (division of the American Chemical Society) DHEL: Derive Level (UK REACH) CAS: Chemical Abst | | |
| H331 Toxic if inhaled. H372 Causes damage to organs through prolonged or repeated exposure. H472 Causes damage to organs through prolonged or repeated exposure. H471 Toxic to aquatic life with long lasting effects. H411 Toxic to aquatic life with long lasting effects. EUH070 Toxic by eye contact. Classification according to Regulation (EC) No 1272/2008 Serious eye damage/irritation The classification of the mixture is generally based on the calculation method using substance data according to Regulation (EC) No 1272/2008. Date of previous version: 12.10.2022 Version number of previous version: 6.00 Abbreviations and acronyms: NOEL = No Observed Effect Level NOEC = No Observed Effect Concentration LCS = hold maximal effective concentration LCS = hold concentration CS = hold concentration LCS = hold concentration and Labelling of Chemicals ATE: International Maritime Code for Dangerous Goods LTA: International Maritime Code for Dangerous Goods LTA: International Maritime Code for Dangerous Goods LTA: Concentation, Bold reperive (WK REACH) DNE: Derived No-Effect Level (UK REACH) DNE: Derived No-Effect Level (UK REACH) DNE: Derived No-Effect Level (UK REACH) LCS: European Inventory of the American Chemical Substances ELINCS: European Inventory of the American Chemical Society) </td <td></td> <td></td> | | |
| H372 Causes damage to organs through prolonged or repeated exposure. H400 Very toxic to aquatic life. H411 Toxic to aquatic life with long lasting effects. H412 Harmful to aquatic life with long lasting effects. EUH070 Toxic by eye contact. Classification according to Regulation (EC) No 1272/2008 Serious eye damage/irritation The classification of the mixture is generally based on the calculation method using substance data according to Regulation (EC) No 1272/2008. Date of previous version: 12.10.2022 Version number of previous version: 6.00 Abbreviations and acronyms: NOEL = No Observed Effect Level NOEL = No Observed Effect Concentration EC = Vo Observed Effect Concentration EC = Vo Observed Effect Concentration EC = Vo Control / water partition coefficient GH2: Soldenly Harmonized System of Classification and Labelling of Chemicals ATE: acute toxicity estimate ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Contentiation and Labelling of Chemicals ATE: acute toxicity estimate Carriage of Dangerous Goods by Road! IMGE: International Maritime Code for Dangerous Goods IATA: International Asstract Service (division of the American Chemical Society) DNEL: Derived No-Effect Level (UK REACH) PNEC: Predicted No-Effect Concentration (UK REACH) DNEC: Predicted No-Effect Concentration (UK REACH) DNEC: Predicted No-Effect Concentration (UK REACH) DNEC: Predicted No-Effect Concentration (UK REACH) Eve Dam. 1: Serious eye damage/eye initiation – Category 1 Acute Tox. 4: Acute toxi | | |
| H400 Very toxic to aquatic life. H411 Toxic to aquatic life with long lasting effects. H412 Harmful to aquatic life with long lasting effects. EUH070 Toxic by eye contact. Classification according to Regulation (EC) No 1272/2008 Serious eye damage/irritation The classification of the mixture is generally based on the calculation method using substance data according to Regulation (EC) No 1272/2008. Date of previous version: 12.10.2022 Version number of previous version: 6.00 Abbreviations and acronyms: NOEL = No Observed Effect Level NOEL = No Observed Effect Level Observed Effect concentration EC = No Observed Effect concentration EC = leat Concentration Glop POW = Octanl / water partition coefficient Globally Harmonized System of Classification and Labelling of Chemicals ATE: acute toxicity estimate ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road) IMDG: International Martime Code for Dangerous Goods IATA: International Martime Code for Dangerous Goods IATA: International Martime (UK REACH) PNEC: Predicat Notified Chemical Substances ELINCS: European Invertory of Existing Commercial Chemical Substances ELINCS: European Invertory of Existing Commercial Chemical Society) DNEL: Derived No-Effect Level (UK REACH) IDSC: Held concentration, 50 percent IDSC: Held concentration, 10/4 REACH) LCS0: Lethal concentration (LK REACH) IDSC: Predicative concentration - Category 2 Skin Intit. 2: Skin sonsistion - Category 1 Acute Tox, 4: Acute boxicity - Category 4 Acute Tox, 4: Acute boxicity - Category 1 Aquatic Acute soticity - Category 3 | | |
| H411 Toxic to aquatic life with long lasting effects. H412 Harmful to aquatic life with long lasting effects. EUH070 Toxic by eye contact. Classification according to Regulation (EC) No 1272/2008 Serious eye damage/irritation The classification of the mixture is generally based on the calculation method using substance data according to Regulation (EC) No 1272/2008. Date of previous version: 12.10.2022 Version number of previous version: 6.00 Abbreviations and acronyms: NOEC = No Observed Effect Concentration LC = lot Observed Effect Concentration LC = lot Observed Effect Concentration LG = No Observed Effect Concentration LG = Noticity estimate APR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Contraport Association IMDG: International Air Transport Association EINRCS: | | |
| H412 Harmful to aquatic life with long lasting effects. EUH070 Toxic by eye contact. Classification according to Regulation (EC) No 1272/2008 Serious eye damage/irritation The classification of the mixture is generally based on the calculation method using substance data according to Regulation (EC) No 1272/2008. Date of previous version: 12.10.2022 Version number of previous version: 6.00 Abbreviations and acconyms: NOEL = No Observed Effect Level NOEL = No Observed Effect Level RC = vel Observed Effect Level RC = vel Observed Effect Level RDS: doubly Harmonized System of Classification and Labelling of Chemicals ATE: acute toxicity estimate ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road) IMDG: International Air Transport Association EINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) DNEL: Derive No-Effect Concentration (UK REACH) LOS: Leuropean List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) DNEL: Derive No-Effect Level (UK REACH) LOS0: Lethal dose, 50 percent | | |
| EUH070 Toxic by eye contact. Classification according to Regulation (EC) No 1272/2008 Serious eye damage/irritation The classification of the mixture is generally based on the calculation method using substance data according to Regulation (EC) No 1272/2008. Date of previous version: 12.10.2022 Version number of previous version: 6.00 Abbreviations and acronyms: NOEL = No Observed Effect Level NOEC > No Observed Effect Concentration LC = letal Concentration ECS0 = half maximal effective concentration log POW = Octanol / water partition coefficient GHS: Globally Harmonized System of Classification and Labelling of Chemicals ATE: acute toxicity estimate ADR: Accord relatif au transport intermational des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road) IMDG: International Martime Code for Dangerous Goods LINA: International Martime Code for Dangerous Goods LINA: International Air Transport Association ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) DNEL: Derive No-Effect Level (UK REACH) LOS0: Lethal concentration, So percent LDS0: Lethal dose, So percent DS0: Lethal dose, So percent< | | |
| Classification according to Regulation (EC) No 1272/2008 Serious eye damage/irritation The classification of the mixture is generally based on the calculation method using substance data according to Regulation (EC) No 1272/2008. Date of previous version: 12.10.2022 Version number of previous version: 6.00 Abbreviations and acronyms: NOEC = No Observed Effect Level NOEC = No Observed Effect concentration LG = leal Concentration Bg POW = Octanol / weter partition coefficient GH2: Globally Harmonized System of Classification and Labelling of Chemicals ATE: acute toxicity estimate ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road) IMDG: International Anitime Code for Dangerous Goods IATA: International Anitime Code for Dangerous Internation of the American Chemical Society) DNEL: Derived No-Effect Level (UK REACH) DESC: Lethial dose, 50 percent LDSU: Lethid concentration (UK REACH) LSU: Lethid concentration - Category 1 Acute Tox. 4: Acute toxicity - Category 3 <td< td=""><td></td><td></td></td<> | | |
| Serious eye damage/irritation The classification of the mixture is generally based on the calculation method using substance data according to Regulation (EC) No 1272/2008. Date of previous version: 12.10.2022 Version number of previous version: 6.00 Abbreviations and acronyms: NOEL = No Observed Effect Level NOEL = No Observed Effect Concentration LG = leal Concentration Dg POW = Octanol / water partition coefficient GHS: Globally Harmonized System of Classification and Labelling of Chemicals ATE: acute toxicity estimate ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road) IMDG: International Anitime Code for Dangerous Goods IATA: International Ahr Transport Association ELINCS: European Inventory of Existing Commercial Chemical Substances ELINCS: European Ist of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) DNEL: Derived No-Effect Level (UK REACH) LESO: Lethal dose, 50 percent LDSU: Lethal dose, 50 percent LDSU: Lethal dose, 50 percent LDSU: Lethal concentration, Category 3 Skin Intri. 2: Skin corrosion/irritation – Category 1 Acute Tox. 3. A | | |
| using substance data according to Regulation (EC) No 1272/2008. Date of previous version: 12.10.2022 Version number of previous version: 6.00 Abbreviations and acronyms: NOEL = No Observed Effect Level NOEC = No Observed Effect Concentration EC = teal Concentration EC50 = half maximal effective concentration EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European Inventory of Existing Commercial Substances ELINCS: European Inventory of Existing Commercial Substances ELINCS: European Inventory of Existing Commercial Chemical Society) DNEL: Derived No-Effect Concentration (UK REACH) EC50 = Lethal concentration, 50 percent DD50: Lethal concentration, 50 percent DD50: Lethal concentration al exposure limit values Acute Tox. 4: Acute toxicity – Category 3 Skin Irrit. 2: Skin corrosion/irritation – Category 1 Eye Irrit. 2: Serious eye damage/eye irritation – Category 1 Eye Irrit. 2: Serious eye damage/eye irritation – Category 1 Eye Irrit. 2: Serious eye damage/eye irritation – Category 1 Aquatic Chronic 3: Hazardous to the aquatic envir | | · · · · |
| Date of previous version: 12.10.2022 Version number of previous version: 6.00 Abbreviations and acronyms: NOEC = No Observed Effect Level NOEC = No Observed Effect Concentration LC = letal Concentration EC50 = half maximal effective concentration By POW = Octanol / water partition coefficient GHS: Globally Harmonized System of Classification and Labelling of Chemicals ATE: acute toxicity estimate ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association EINECS: European List of Notified Chemical Substances ELINCS: European Inventory of Existing Commercial Chemical Society) DNEL: Derived No-Effect Concentration (UK REACH) LCS0: Lethal concentration, 50 percent LDS0: Lethal cose, 50 percent <td>Serious</td> <td>using substance data according to Regulation (EC) No 1272/2008.</td> | Serious | using substance data according to Regulation (EC) No 1272/2008. |
| Version number of previous version: 6.00 Abbreviations and acronyms: NOEC = No Observed Effect Level NOEC = No Observed Effect Concentration LC = letal Concentration EC50 = half maximal effective concentration log POW = Octanol / water partition coefficient GHS: Globally Harmonized System of Classification and Labelling of Chemicals ATE: acute toxicity estimate ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European Inventory of Existing Commercial Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) DNEL: Derived No-Effect Level (UK REACH) PNEC: Predicted No-Effect Concentration (UK REACH) LDS0: Lethal concentration, 50 percent LDS0: Lethal concentration, 50 percent LDS0: Lethal concentration, 50 percent LDS0: Lethal concentration apposure limit values Acute Tox. 3: Acute toxicity – Category 4 Acute Tox. 3: Acute toxicity – Category 2 Skin Inti. 2: Skin corrosion/irritation – Category 1 Eye Inti. 2: Serious eye damage/eye irritation – Category 1 Eye Inti. 2: Serious eye damage/eye irritation – Category 2 Skin Sens. 1: Skin sensitisation – Category 1 Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic hazard – Category 2 Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic hazard – Category 3 | Date of | previous version: 12.10.2022 |
| NOEL = No Observed Effect Level NOEC = No Observed Effect Concentration LC = letal Concentration ECS0 = half maximal effective concentration log POW = Octanol / water partition coefficient GHS: Globally Harmonized System of Classification and Labelling of Chemicals ATE: acute toxicity estimate ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IMT: International Maritime Code for Dangerous Goods IMT: International Maritime Code for Dangerous Goods IMT: International Maritime Code for Dangerous Goods CAS: Chemical Abstracts Service (division of the American Chemical Substances ELINCS: European Inventory of Existing Commercial Chemical Society) DNEL: Derived No-Effect Level (UK REACH) PNEC: Predicted No-Effect Concentration (UK REACH) LCS0: Lethal concentration, 50 percent LD50: Lethal concentration, Guerent LD50: Lethal concentration = Imit values Acute Tox. 3: Acute toxicity – Category 4 Acute Tox. 3: Acute toxicity – Category 2 Skin Sens. 1: Skin sensitisation – Category 1 Stor F1: Specific target organ toxicity (repeated exposure) – Category 1 Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard – Category 3 | Version | number of previous version: 6.00 |
| NOEC = No Observed Effect Concentration LC = letal Concentration log POW = Octanol / water partition coefficient GHS: Globally Harmonized System of Classification and Labelling of Chemicals ATE: acute toxicity estimate ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Maritime Code for Dangerous Goods IATA: International Air Transport Association EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European Inventory of Existing Commercial Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) DNEL: Derived No-Effect Level (UK REACH) PNEC: Predicted No-Effect Concentration (UK REACH) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent LD50: Lethal dose, 50 percent DOELV = indicative occupational exposure limit values Acute Tox. 4: Acute toxicity - Category 4 Acute Tox. 3: Acute toxicity - Category 2 Eye Dam. 1: Serious eye damage/eye irritation - Category 1 Eye Irrit. 2: Serious eye damage/eye irritation - Category 2 Skin Sens. 1: Skin sensitisation - Category 1 Stor RE 1: Specific target organ toxicity (repeated exposure) - Category 1 Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic hazard - Category 2 Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard - Category 3 | Abbrevi | iations and acronyms: |
| LC = letal Concentration EC50 = half maximal effective concentration Iog POW = Octanol / water partition coefficient GHS: Globally Harmonized System of Classification and Labelling of Chemicals ATE: acute toxicity estimate ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) DNEL: Derived No-Effect Level (UK REACH) PNEC: Predicted No-Effect Concentration (UK REACH) LC50: Lethal concentration, 50 percent LD50: Lethal concentration, 50 percent DDEL 'Derived to-Effect Carcegory 4 Acute Tox. 4: Acute toxicity - Category 3 Skin Irit: 2: Skin corrosion/irritation - Category 1 Eye Dam. 1: Serious eye damage/eye irritation - Category 1 Stin Sens. 1: Skin sensitisation - Category 1 STOT RE 1: Specific target organ toxicity (repeated exposure) - Category 1 Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic hazard - Category 2 Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard - Category 2 Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard - Category 3 | | |
| EC50 = half maximal effective concentration log POW = Octanol / water partition coefficient GHS: Globally Harmonized System of Classification and Labelling of Chemicals ATE: acute toxicity estimate ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) DNEL: Derived No-Effect Level (UK REACH) PNEC: Predicted No-Effect Concentration (UK REACH) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent ID5LV = indicative occupational exposure limit values Acute Tox. 3: Acute toxicity – Category 4 Acute Tox. 3: Acute toxicity – Category 2 Eye Dam. 1: Serious eye damage/eye irritation – Category 1 Eye Irrit. 2: Serious eye damage/eye irritation – Category 1 STOT RE 1: Specific target organ toxicit/ (repeated exposure) – Category 1 Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic hazard – Category 2 Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard – Category 3 | | |
| log POW = Octanol / water partition coefficient GHS: Globally Harmonized System of Classification and Labelling of Chemicals ATE: acute toxicity estimate ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) DNEL: Derived No-Effect Level (UK REACH) PNEC: Predicted No-Effect Concentration (UK REACH) ELSO: Lethal dose, 50 percent IOEL V = indicative occupational exposure limit values Acute Tox. 4: Acute toxicity – Category 4 Acute Tox. 4: Acute toxicity – Category 3 Skin Irrit. 2: Skin corrosion/irritation – Category 1 Eye Irrit. 2: Serious eye damage/eye irritation – Category 1 StroT RE 1: Specific target organ toxicity (repeated exposure) – Category 1 Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic hazard – Category 2 Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic hazard – Category 2 Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard – Category 2 | | |
| ATE: acute toxicity estimate ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Maritime Code for Dangerous Goods IATA: International Air Transport Association EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European Inventory of Existing Commercial Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) DNEL: Derived No-Effect Level (UK REACH) PNEC: Predicted No-Effect Concentration (UK REACH) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent Sin Sens. 1: Skin corrosion/irritation – Category 1 Skin Irrit. 2: Skin corrosion/irritation – Category 1 Skin Sens. 1: Skin sensitisation – Category 1 Stort RE 1: Specific target organ toxicity (repeated exposure) – Category 1 Aquatic Acute 1: Hazardous to the aquatic environment - long-term aquatic hazard – Category 2 Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic hazard – Category 3 | | |
| ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road) IMDG: International Airi Transport Association EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) DNEL: Derived No-Effect Level (UK REACH) PNEC: Predicted No-Effect Concentration (UK REACH) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent DOELV = indicative occupational exposure limit values Accute Tox. 4: Acute toxicity – Category 4 Acute Tox. 3: Acute toxicity – Category 3 Skin Irnit. 2: Skin corrosion/irritation – Category 1 Eye Jmm. 1: Serious eye damage/eye irritation – Category 2 Skin Sens. 1: Skin sensitisation – Category 1 STOT RE 1: Specific target organ toxicity (repeated exposure) – Category 1 Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic hazard – Category 2 Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard – Category 3 | | |
| Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) DNEL: Derived No-Effect Level (UK REACH) PNEC: Predicted No-Effect Concentration (UK REACH) LC50: Lethal concentration, 50 percent LD50: Lethal concentration, 50 percent ID51: Lethal dose, 50 percent ID52: Lethal dose, 50 percent ID54: a Acute Tox. 4: Acute toxicity – Category 4 Acute Tox. 3: Acute toxicity – Category 2 Eye Dam. 1: Serious eye damage/eye irritation – Category 1 Eye Init. 2: Skin corrosion/irritation – Category 2 Skin Sens. 1: Skin sensitisation – Category 1 STOT RE 1: Specific target organ toxicity (repeated exposure) – Category 1 Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic hazard – Category 2 Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard – Category 3 Acute Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard – Category 3 Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard – Category 3 | | |
| IATA: International Air Transport Association EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) DNEL: Derived No-Effect Level (UK REACH) PNEC: Predicted No-Effect Concentration (UK REACH) LC50: Lethal concentration, 50 percent LD50: Lethal concentration, 50 percent IDELV = indicative occupational exposure limit values Acute Tox. 4: Acute toxicity – Category 4 Acute Tox. 3: Acute toxicity – Category 2 Eye Dam. 1: Serious eye damage/eye irritation – Category 1 Eye Imit. 2: Serious eye damage/eye irritation – Category 2 Skin Sens. 1: Skin sensitisation – Category 1 STOT RE 1: Specific target organ toxicity (repeated exposure) – Category 1 Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic hazard – Category 2 Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard – Category 3 | | |
| EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) DNEL: Derived No-Effect Level (UK REACH) PNEC: Predicted No-Effect Concentration (UK REACH) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent DOELV = indicative occupational exposure limit values Acute Tox. 4: Acute toxicity – Category 4 Acute Tox. 3: Acute toxicity – Category 3 Skin Irrit. 2: Skin corrosion/irritation – Category 1 Eye Dam. 1: Serious eye damage/eye irritation – Category 1 Eye Irrit. 2: Serious eye damage/eye irritation – Category 2 Skin Sens. 1: Skin sensitisation – Category 1 STOT RE 1: Specific target organ toxicity (repeated exposure) – Category 1 Aquatic Chronic 2: Hazardous to the aquatic environment - acute aquatic hazard – Category 2 Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard – Category 3 | | |
| ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) DNEL: Derived No-Effect Level (UK REACH) PNEC: Predicted No-Effect Concentration (UK REACH) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent IOELV = indicative occupational exposure limit values Acute Tox. 4: Acute toxicity - Category 4 Acute Tox. 3: Acute toxicity - Category 2 Eye Dam. 1: Serious eye damage/eye irritation - Category 1 Eye Irrit. 2: Skin corrosion/irritation - Category 2 Skin Sens. 1: Skin sensitisation - Category 1 STOT RE 1: Specific target organ toxicity (repeated exposure) - Category 1 Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic hazard - Category 2 Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard - Category 3 | | |
| CAS: Chemical Abstracts Service (division of the American Chemical Society) DNEL: Derived No-Effect Level (UK REACH) PNEC: Predicted No-Effect Concentration (UK REACH) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent IDELV = indicative occupational exposure limit values Acute Tox. 4: Acute toxicity - Category 4 Acute Tox. 3: Acute toxicity - Category 3 Skin Irrit. 2: Skin corrosion/irritation - Category 1 Eye Irrit. 2: Skin corrosion/irritation - Category 1 Eye Irrit. 2: Serious eye damage/eye irritation - Category 2 Skin sens. 1: Skin sensitisation - Category 1 STOT RE 1: Specific target organ toxicity (repeated exposure) - Category 1 Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard - Category 2 Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic hazard - Category 2 Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard - Category 3 | | |
| PNEC: Predicted No-Effect Concentration (ÚK REACH) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent IOELV = indicative occupational exposure limit values Acute Tox. 4: Acute toxicity – Category 4 Acute Tox. 3: Acute toxicity – Category 3 Skin Irrit. 2: Skin corrosion/irritation – Category 2 Eye Dam. 1: Serious eye damage/eye irritation – Category 1 Eye Irrit. 2: Serious eye damage/eye irritation – Category 2 Skin Sens. 1: Skin sensitisation – Category 1 STOT RE 1: Specific target organ toxicity (repeated exposure) – Category 1 Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic hazard – Category 2 Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard – Category 3 | CAS: Cher | nical Abstracts Service (division of the American Chemical Society) |
| LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent IOELV = indicative occupational exposure limit values Acute Tox. 4: Acute toxicity - Category 4 Acute Tox. 3: Acute toxicity - Category 3 Skin Irrit. 2: Skin corrosion/irritation - Category 2 Eye Dam. 1: Serious eye damage/eye irritation - Category 1 Eye Irrit. 2: Serious eye damage/eye irritation - Category 2 Skin Sens. 1: Skin sensitisation - Category 1 STOT RE 1: Specific target organ toxicity (repeated exposure) - Category 1 Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard - Category 2 Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic hazard - Category 3 | | |
| LD50: Lethal dose, 50 percent IOELV = indicative occupational exposure limit values Acute Tox. 4: Acute toxicity - Category 4 Acute Tox. 3: Acute toxicity - Category 3 Skin Irrit. 2: Skin corrosion/irritation - Category 2 Eye Dam. 1: Serious eye damage/eye irritation - Category 1 Eye Irrit. 2: Serious eye damage/eye irritation - Category 2 Skin Sens. 1: Skin sensitisation - Category 1 STOT RE 1: Specific target organ toxicity (repeated exposure) - Category 1 Aquatic Chronic 2: Hazardous to the aquatic environment - acute aquatic hazard - Category 2 Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard - Category 3 | | |
| Acute Tox. 4: Acute toxicity – Category 4 Acute Tox. 3: Acute toxicity – Category 3 Skin Irrit. 2: Skin corrosion/irritation – Category 2 Eye Dam. 1: Serious eye damage/eye irritation – Category 1 Eye Irrit. 2: Serious eye damage/eye irritation – Category 2 Skin Sens. 1: Skin sensitisation – Category 1 STOT RE 1: Specific target organ toxicity (repeated exposure) – Category 1 Aquatic Acute 1: Hazardous to the aquatic environment - long-term aquatic hazard – Category 2 Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic hazard – Category 3 | LD50: Leth | nal dose, 50 percent |
| Acute Tox. 3: Acute toxicity – Category 3 Skin Irrit. 2: Skin corrosion/irritation – Category 2 Eye Dam. 1: Serious eye damage/eye irritation – Category 1 Eye Irrit. 2: Serious eye damage/eye irritation – Category 2 Skin Sens. 1: Skin sensitisation – Category 1 STOT RE 1: Specific target organ toxicity (repeated exposure) – Category 1 Aquatic Acute 1: Hazardous to the aquatic environment - long-term aquatic hazard – Category 2 Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic hazard – Category 3 | IOELV = in | ndicative occupational exposure limit values |
| Skin Irrit. 2: Skin corrosion/irritation – Category 2 Eye Dam. 1: Serious eye damage/eye irritation – Category 1 Eye Irrit. 2: Serious eye damage/eye irritation – Category 2 Skin Sens. 1: Skin sensitisation – Category 1 STOT RE 1: Specific target organ toxicity (repeated exposure) – Category 1 Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard – Category 1 Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic hazard – Category 2 Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard – Category 3 | | |
| Eye Dam. 1: Serious eye damage/eye irritation – Category 1 Eye Irrit. 2: Serious eye damage/eye irritation – Category 2 Skin Sens. 1: Skin sensitisation – Category 1 STOT RE 1: Specific target organ toxicity (repeated exposure) – Category 1 Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard – Category 1 Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic hazard – Category 2 Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard – Category 3 | | |
| Skin Sens. 1: Skin sensitisation – Category 1 STOT RE 1: Specific target organ toxicity (repeated exposure) – Category 1 Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard – Category 1 Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic hazard – Category 2 Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard – Category 3 | Eye Dam. | 1: Serious eye damage/eye irritation – Category 1 |
| STOT RE 1: Specific target organ toxicity (repeated exposure) – Category 1 Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard – Category 1 Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic hazard – Category 2 Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard – Category 3 | | |
| Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard – Category 1 Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic hazard – Category 2 Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard – Category 3 | | |
| Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic hazard – Category 2 Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard – Category 3 | | |
| | Aquatic Ch | nronic 2: Hazardous to the aquatic environment - long-term aquatic hazard – Category 2 |
| | | |