

Printing date 05.06.2023 Version: 1.00 Revision: 13.09.2022

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name: SONAX PROFILINE OS 02-06

Article number: 02470410, 02471410, 02473000

1.2 Relevant identified uses of the substance or mixture and uses advised against

Application of the substance / the mixture

Car care product

Consumer uses: Private households / general public / consumers

Professional uses

Uses advised against There is currently no information available on this.

1.3 Details of the supplier of the safety data sheet

Manufacturer/Supplier:

SONAX GmbH

Münchener Straße 75 D-86633 Neuburg (Donau) Tel.: ++49 (0)8431/53-0

Further information obtainable from:

Product safety

E-mail: erp@sonax.de

Phone: + +49 (0) 8431 53 217

United Kingdom:

Anglo American Oil Company Ltd

58 Holton Road, Holton Heath Trading Park, Poole, Dorset, BH16 6LT

Telephone: (+44) 01929 551557

Email: info@aaoil.co.uk

1.4 Emergency telephone number:

European Union: +49 (0) 89 19240 (Poison Centre Munich)

United Kingdom: 0344 892 0111 (UK NPIS)

Members of Public in England, Scotland and Wales can contact NHS 111/NHS 24 by dialling 111

In Northern Ireland, contact your local GP

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008

The product is not classified, according to the GB CLP regulation.

2.2 Label elements

Labelling according to Regulation (EC) No 1272/2008 Void

Hazard pictograms Void

Signal word Void

Hazard statements Void

Additional information:

EUH210 Safety data sheet available on request.

2.3 Other hazards

Results of PBT and vPvB assessment

PBT:

According to information provided in the supply chain, the mix contains less than 0.1% of any substances classified as PBT

vPvB:

According to information provided in the supply chain, the mix contains less than 0.1% of any substances classified as vPvB.

Determination of endocrine-disrupting properties

The substance/mixture does not contain components considered to have endocrine disrupting properties according to UK REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Description: Emulsion of solvents, abrasives and additives



Printing date 05.06.2023 Version: 1.00 Revision: 13.09.2022

Trade name: SONAX PROFILINE OS 02-06

	(Cor	ntd. of page 1
Dangerous components:		
	Hydrocarbons, C11-C12, isoalkanes, < 2% aromatics Alternative CAS numbers: 90622-57-4, 64742-48-9 Flam. Liq. 3, H226; Asp. Tox. 1, H304; Aquatic Chronic 4, H413	10-<15%
Reg.nr.: 01-2119827000-58-xxxx	Hydrocarbons, C15-C20, n-alkanes, isoalkanes, cyclics, < 0.03% aromatics Alternative CAS number: 64742-46-7 Asp. Tox. 1, H304	3-<5%
Reg.nr.: 01-2119826592-36-xxxx	Hydrocarbons, C13-C16, n-alkanes, isoalkanes, cyclics, < 0.03% aromatics Alternative CAS number: 64742-46-7 \$\infty\$ Asp. Tox. 1, H304	3-<5%
Reg.nr.: 01-2119453414-43-xxxx	Hydrocarbons, C12-C15, n-alkanes, isoalkanes, cyclics, < 2% aromatics Alternative CAS number: 64742-47-8 \$\infty\$ Asp. Tox. 1, H304, EUH066	3-<5%

SECTION 4: First aid measures

4.1 Description of first aid measures

General information: Remove soiled clothing

After inhalation: Supply fresh air; consult doctor in case of complaints.

After skin contact: Wash the areas of skin affected with water and a mild detergent.

After eye contact: Rinse opened eye for several minutes under running water.

After swallowing: Do not induce vomiting; call for medical help immediately.

4.2 Most important symptoms and effects, both acute and delayed

Additional information: For the wording of the listed hazard phrases refer to section 16.

No further relevant information available.

4.3 Indication of any immediate medical attention and special treatment needed

Treatment in accordance with the doctor's assessment of the patient's condition. Symptomatic treatment.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing agents: Use fire extinguishing methods suitable to surrounding conditions.

5.2 Special hazards arising from the substance or mixture No further relevant information available.

5.3 Advice for firefighters

Protective equipment:

The normal measures for firefighting are to be taken.

Do not enter the hazardous area without a self-contained breathing apparatus.

See Section 8 for information on personal protection equipment.

Additional information

Collect contaminated fire fighting water separately. It must not enter the sewage system.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures Ensure adequate ventilation For non-emergency personnel

The usual precautionary measures are to be adhered to when handling chemicals.

For emergency responders Wear protective equipment. Keep unprotected persons away.

6.2 Environmental precautions:

Do not allow to penetrate the ground/soil.

Do not allow to enter sewers/ surface or ground water.

6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

6.4 Reference to other sections

See Section 7 for information on safe handling.

(Contd. on page 3)



Printing date 05.06.2023 Version: 1.00 Revision: 13.09.2022

Trade name: SONAX PROFILINE OS 02-06

(Contd. of page 2)

See Section 8 for information on personal protection equipment. See Section 13 for disposal information.

SECTION 7: Handling and storage

7.1 Precautions for safe handling No special precautions are necessary if used correctly. **Information about fire - and explosion protection:** No special measures required.

7.2 Conditions for safe storage, including any incompatibilities

Storage

Requirements to be met by storerooms and receptacles: Provide solvent resistant, sealed floor.

Information about storage in one common storage facility:

Store away from foodstuffs.

Observe local/state/federal regulations.

Further information about storage conditions:

Store receptacle in a well ventilated area.

Protect from frost.

Protect from heat and direct sunlight. Recommended storage temperature: 20 °C.

7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Ingredients with limit values that require monitoring at the workplant
--

Hydrocarbons, C13-C16, n-alkanes, isoalkanes, cyclics, < 0.03% aromatics

GERMAN RCP-METHOD (EU) Long-term value: 300 mg/m³

2 (II) / AGW (German TRGS 900)

Hydrocarbons, C12-C15, n-alkanes, isoalkanes, cyclics, < 2% aromatics

GERMAN RCP-METHOD (EU) Long-term value: 300 mg/m³

2 (II) / AGW (German TRGS 900)

Additional information: The lists valid during the making were used as basis.

8.2 Exposure controls

Suitable technical control devices

Ensure good ventilation. This can be achieved by localised extraction or general ventilation. If this is not sufficient to keep the concentration below the occupational exposure limit, suitable breathing protection is to be worn.

Individual protection measures, such as personal protective equipment

General protective and hygienic measures:

The usual precautionary measures are to be adhered to when handling chemicals.

Keep away from foodstuffs, beverages and feed.

Wash hands before breaks and at the end of work.

Respiratory protection:

Not required in normal cases

Ensure good ventilation/exhaustion at the workplace.

Hand protection Not required in normal cases.

Eye/face protection Not required in normal cases

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

General Information

Physical stateFluidColour:BeigeOdour:WoodenMelting point/freezing point:Undetermined.

(Contd. on page 4)



Version: 1.00 Printing date 05.06.2023 Revision: 13.09.2022

Trade name: SONAX PROFILINE OS 02-06

(Contd. of page 3)

Boiling point or initial boiling point and boiling

100-280 °C range

Flammability Product is not flammable.

Lower and upper explosion limit

Lower: 0.5 Vol % (Hydrocarbons, C11-C12, isoalkanes, < 2%

aromatics)

Upper: 6 Vol % (Hydrocarbons, C11-C12, isoalkanes, < 2%

aromatics)

Flash point: Not applicable. Decomposition temperature: Not determined. Not determined.

Viscosity:

Kinematic viscosity at 40 °C >20.5 mm²/s

Solubility

water: Partly miscible.

Partition coefficient n-octanol/water (log value) Not determined. Vapour pressure at 20 °C: 23 hPa (CAS: 7732-18-5 water)

Density and/or relative density

Density at 20 °C: 0.91-0.93 g/cm3 Vapour density Not determined.

9.2 Other information

Appearance:

Form: Emulsion

Important information on protection of health and

environment, and on safety.

Ignition temperature: Product is not selfigniting.

Explosive properties: Product does not present an explosion hazard.

Change in condition

Evaporation rate Not determined.

Information with regard to physical hazard classes

Explosives Void Flammable gases Void **Aerosols** Void Oxidising gases Void Gases under pressure Void Flammable liquids Void Flammable solids Void Self-reactive substances and mixtures Void **Pyrophoric liquids** Void Pyrophoric solids Void Self-heating substances and mixtures Void

Substances and mixtures, which emit flammable

gases in contact with water Void **Oxidising liquids** Void Oxidising solids Void Organic peroxides Void Corrosive to metals Void Desensitised explosives Void

SECTION 10: Stability and reactivity

10.1 Reactivity No dangerous reactions known.

10.2 Chemical stability Stable under normal conditions.

Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.

10.3 Possibility of hazardous reactions No dangerous reactions known.

10.4 Conditions to avoid See Section 7 for information on safe handling.

10.5 Incompatible materials: strong oxidizing agents

(Contd. on page 5)



Printing date 05.06.2023 Version: 1.00 Revision: 13.09.2022

Trade name: SONAX PROFILINE OS 02-06

(Contd. of page 4)

10.6 Hazardous decomposition products: No dangerous decomposition products known.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008 Acute toxicity Based on available data, the classification criteria are not met.

	•	
LD/LC50	values rele	vant for classification:
Hydrocar	bons, C11-	C12, isoalkanes, < 2% aromatics
Oral	LD50	>5,000 mg/kg (rat) (OECD 401)
Dermal	LD50	>5,000 mg/kg (rabbit) (OECD 402)
Inhalative	LC50 / 4h	>5,000 mg/m³ (rat) (OECD 403)
Hydrocar	bons, C15-	C20, n-alkanes, isoalkanes, cyclics, < 0.03% aromatics
Oral	LD50	>5,000 mg/kg (rat) (OECD 401)
Dermal	LD50	>3,160 mg/kg (rabbit) (OECD 402)
Inhalative	LC50 / 4h	>5.266 mg/m³ (rat) (OECD 403)
Hydrocar	bons, C13-	C16, n-alkanes, isoalkanes, cyclics, < 0.03% aromatics
Oral	LD50	>5,000 mg/kg (rat) (OECD 401)
Dermal	LD50	>3,160 mg/kg (rabbit) (OECD 402)
Inhalative	LC50 / 4h	>5.266 mg/m³ (rat) (OECD 403)
Hydrocar	bons, C12-	C15, n-alkanes, isoalkanes, cyclics, < 2% aromatics
Oral	LD50	>5,000 mg/kg (rat) (OECD 401)
Dermal	LD50	>5,000 mg/kg (rabbit) (OECD 402)
Inhalative	LC50 / 4h	>5.6 mg/m³ (rat) (OECD 403)

Skin corrosion/irritation Based on available data, the classification criteria are not met.

Serious eye damage/irritation Based on available data, the classification criteria are not met.

Respiratory or skin sensitisation Based on available data, the classification criteria are not met.

Germ cell mutagenicity Based on available data, the classification criteria are not met.

Carcinogenicity Based on available data, the classification criteria are not met.

Reproductive toxicity Based on available data, the classification criteria are not met.

STOT-single exposure Based on available data, the classification criteria are not met.

STOT-repeated exposure Based on available data, the classification criteria are not met.

Aspiration hazard

Viscosity: > 20,5mm²/s (40°C)

Based on available data, the classification criteria are not met.

11.2 Information on other hazards

Endocrine disrupting properties

According to the current state of scientific knowledge, there is no data for the product regarding endocrine disrupting properties with health effects.

None of the ingredients is listed.

SECTION 12: Ecological information

12.1 Toxicity There are no ecotoxicological data available on this mixture.

Aquatic toxic	city:
Hydrocarboi	ns, C11-C12, isoalkanes, < 2% aromatics
LLO 96 h	1,000 mg/l (Oncorhynchus mykiss)
NOELR 72 h	>1,000 mg/l (Pseudokirchneriella subcapitata)
NOELR 21d	≥1 mg/l (Daphnia magna)
NOEC / 28d	0.209 mg/l (Oncorhynchus mykiss)

(Contd. on page 6)



Printing date 05.06.2023 Version: 1.00 Revision: 13.09.2022

Trade name: SONAX PROFILINE OS 02-06

ELO 48 h			(Contd. of page 5
Hydrocarbons, C15-C20, n-alkanes, isoalkanes, cyclics, < 0.03% aromatics	ELO 48 h	>1,000 mg/l (Daphnia magna)	
LC50 / 4 d	ELO 72 h	>1,000 mg/l (Pseudokirchneriella subcapitata)	
LC50 48h	Hydrocarbo	ns, C15-C20, n-alkanes, isoalkanes, cyclics, < 0.03% aromatics	
NOEC / 21 d >1,000 mg/l (Daphnia magna) NOEC / 28d >1,000 mg/l (Skeletonema costatum) Hydrocarbons, C13-C16, n-alkanes, isoalkanes, cyclics, < 0.03% aromatics LC50 / 2 d >3,193 mg/l (Acartia tonsa) LC50 / 4 d >1,008 mg/l (Scophtalamus maximus) (OECD 203) NOEC / 21 d >1,000 mg/l (Daphnia magna) NOEC / 28d >1,000 mg/l (Daphnia magna) NOEC / 28d >10,000 mg/l (Skeletonema costatum) Hydrocarbons, C12-C15, n-alkanes, isoalkanes, cyclics, < 2% aromatics LC50 / 2 d >1,000 mg/l (Daphnia magna) (OECD 202) LC50 / 4 d >1,000 mg/l (Daphnia magna) (OECD 203) NOEC / 21 d >1,000 mg/l (Oncorhynchus mykiss) (OECD 203) NOEC / 21 d >1,000 mg/l (Daphnia magna) NOEC / 28d >1,000 mg/l (Oncorhynchus mykiss) OECD 203) NOEC / 28d >1,000 mg/l (Oncorhynchus mykiss) >1,000 mg/l (Pseudokirchneriella subcapitata) (OECD 201) 12.2 Persistence and degradability Hydrocarbons, C15-C20, n-alkanes, isoalkanes, cyclics, < 0.03% aromatics Biodegradation 74 % Hydrocarbons, C13-C16, n-alkanes, isoalkanes, cyclics, < 2% aromatics Biodegradation 74 % Hydrocarbons, C12-C15, n-alkanes, isoalkanes, cyclics, < 2% aromatics	LC50 / 4 d	>1,028 mg/l (Scophtalamus maximus) (OECD 203)	
NOEC / 28d	LC50 / 48h	>3,193 mg/l (Acartia tonsa)	
LC50 / 3 d >10,000 mg/l (Skeletonema costatum)	NOEC / 21 d	>1,000 mg/l (Daphnia magna)	
Hydrocarbons, C13-C16, n-alkanes, isoalkanes, cyclics, < 0.03% aromatics LC50 / 2 d	NOEC / 28d	>1,000 mg/l (Oncorhynchus mykiss)	
LC50 / 2 d	LC50/3d	>10,000 mg/l (Skeletonema costatum)	
LC50 / 4 d >1,028 mg/l (Scophtalamus maximus) (OECD 203) NOEC / 21 d >1,000 mg/l (Daphnia magna) NOEC / 28d >1,000 mg/l (Oncorhynchus mykiss) EC50 / 3 d >10,000 mg/l (Skeletonema costatum) Hydrocarbons, C12-C15, n-alkanes, isoalkanes, cyclics, < 2% aromatics LC50 / 2 d >1,000 mg/l (Daphnia magna) (OECD 202) LC50 / 4 d >1,000 mg/l (Oncorhynchus mykiss) (OECD 203) NOEC / 21 d >1,000 mg/l (Daphnia magna) NOEC / 28d >1,000 mg/l (Oncorhynchus mykiss) EC50 / 3 d >1,000 mg/l (Pseudokirchneriella subcapitata) (OECD 201) 12.2 Persistence and degradability Hydrocarbons, C15-C20, n-alkanes, isoalkanes, cyclics, < 0.03% aromatics Biodegradation 74 % Hydrocarbons, C12-C15, n-alkanes, isoalkanes, cyclics, < 2% aromatics Biodegradation 74 % Hydrocarbons, C12-C15, n-alkanes, isoalkanes, cyclics, < 2% aromatics	Hydrocarbo	ns, C13-C16, n-alkanes, isoalkanes, cyclics, < 0.03% aromatics	
NOEC / 21 d >1,000 mg/l (Daphnia magna) >1,000 mg/l (Oncorhynchus mykiss) >10,000 mg/l (Skeletonema costatum) Hydrocarbons, C12-C15, n-alkanes, isoalkanes, cyclics, < 2% aromatics LC50 / 2 d >1,000 mg/l (Daphnia magna) (OECD 202) LC50 / 4 d >1,000 mg/l (Oncorhynchus mykiss) (OECD 203) NOEC / 21 d >1,000 mg/l (Daphnia magna) >1,000 mg/l (Daphnia magna) >1,000 mg/l (Oncorhynchus mykiss) >1,000 mg/l (Oncorhynchus mykiss) >1,000 mg/l (Pseudokirchneriella subcapitata) (OECD 201) 12.2 Persistence and degradability Hydrocarbons, C15-C20, n-alkanes, isoalkanes, cyclics, < 0.03% aromatics Biodegradation 74 % Hydrocarbons, C13-C16, n-alkanes, isoalkanes, cyclics, < 2% aromatics Biodegradation 74 % Hydrocarbons, C12-C15, n-alkanes, isoalkanes, cyclics, < 2% aromatics Siodegradation 74 % Hydrocarbons, C12-C15, n-alkanes, isoalkanes, cyclics, < 2% aromatics	LC50 / 2 d	>3,193 mg/l (Acartia tonsa)	
NOEC / 28d >1,000 mg/l (Oncorhynchus mykiss) EC50 / 3 d >10,000 mg/l (Skeletonema costatum) Hydrocarbons, C12-C15, n-alkanes, isoalkanes, cyclics, < 2% aromatics LC50 / 2 d >1,000 mg/l (Daphnia magna) (OECD 202) LC50 / 4 d >1,000 mg/l (Oncorhynchus mykiss) (OECD 203) NOEC / 21 d >1,000 mg/l (Daphnia magna) NOEC / 28d >1,000 mg/l (Oncorhynchus mykiss) EC50 / 3 d >1,000 mg/l (Pseudokirchneriella subcapitata) (OECD 201) 12.2 Persistence and degradability Hydrocarbons, C15-C20, n-alkanes, isoalkanes, cyclics, < 0.03% aromatics Biodegradation 74 % Hydrocarbons, C13-C16, n-alkanes, isoalkanes, cyclics, < 2% aromatics Biodegradation 74 % Hydrocarbons, C12-C15, n-alkanes, isoalkanes, cyclics, < 2% aromatics	LC50 / 4 d	>1,028 mg/l (Scophtalamus maximus) (OECD 203)	
### Hydrocarbons, C12-C15, n-alkanes, isoalkanes, cyclics, < 2% aromatics LC50 / 2 d	NOEC / 21 d	>1,000 mg/l (Daphnia magna)	
Hydrocarbons, C12-C15, n-alkanes, isoalkanes, cyclics, < 2% aromatics LC50 / 2 d	NOEC / 28d	>1,000 mg/l (Oncorhynchus mykiss)	
LC50 / 2 d	EC50 / 3 d	>10,000 mg/l (Skeletonema costatum)	
LC50 / 4 d	Hydrocarbo	ns, C12-C15, n-alkanes, isoalkanes, cyclics, < 2% aromatics	
NOEC / 21 d	LC50 / 2 d	>1,000 mg/l (Daphnia magna) (OECD 202)	
NOEC / 28d	LC50 / 4 d	>1,000 mg/l (Oncorhynchus mykiss) (OECD 203)	
EC50 / 3 d >1,000 mg/l (Pseudokirchneriella subcapitata) (OECD 201) 12.2 Persistence and degradability Hydrocarbons, C15-C20, n-alkanes, isoalkanes, cyclics, < 0.03% aromatics Biodegradation 74 % Hydrocarbons, C13-C16, n-alkanes, isoalkanes, cyclics, < 0.03% aromatics Biodegradation 74 % Hydrocarbons, C12-C15, n-alkanes, isoalkanes, cyclics, < 2% aromatics	NOEC / 21 d	>1,000 mg/l (Daphnia magna)	
12.2 Persistence and degradability Hydrocarbons, C15-C20, n-alkanes, isoalkanes, cyclics, < 0.03% aromatics Biodegradation 74 % Hydrocarbons, C13-C16, n-alkanes, isoalkanes, cyclics, < 0.03% aromatics Biodegradation 74 % Hydrocarbons, C12-C15, n-alkanes, isoalkanes, cyclics, < 2% aromatics	NOEC / 28d	>1,000 mg/l (Oncorhynchus mykiss)	
Hydrocarbons, C15-C20, n-alkanes, isoalkanes, cyclics, < 0.03% aromatics Biodegradation 74 % Hydrocarbons, C13-C16, n-alkanes, isoalkanes, cyclics, < 0.03% aromatics Biodegradation 74 % Hydrocarbons, C12-C15, n-alkanes, isoalkanes, cyclics, < 2% aromatics	EC50 / 3 d	>1,000 mg/l (Pseudokirchneriella subcapitata) (OECD 201)	
Biodegradation 74 % Hydrocarbons, C13-C16, n-alkanes, isoalkanes, cyclics, < 0.03% aromatics Biodegradation 74 % Hydrocarbons, C12-C15, n-alkanes, isoalkanes, cyclics, < 2% aromatics	12.2 Persiste	ence and degradability	
Hydrocarbons, C13-C16, n-alkanes, isoalkanes, cyclics, < 0.03% aromatics Biodegradation 74 % Hydrocarbons, C12-C15, n-alkanes, isoalkanes, cyclics, < 2% aromatics	Hydrocarbo	ns, C15-C20, n-alkanes, isoalkanes, cyclics, < 0.03% aromatics	
Biodegradation 74 % Hydrocarbons, C12-C15, n-alkanes, isoalkanes, cyclics, < 2% aromatics	Biodegradation	on 74 %	
Hydrocarbons, C12-C15, n-alkanes, isoalkanes, cyclics, < 2% aromatics	Hydrocarbo	ns, C13-C16, n-alkanes, isoalkanes, cyclics, < 0.03% aromatics	
	_		
Biodegradation 67.6 %	1 -	· · · · · · · · · · · · · · · · · · ·	
	Biodegradation	on 67.6 %	

- **12.3 Bioaccumulative potential** No further relevant information available.
- 12.4 Mobility in soil No further relevant information available.

12.5 Results of PBT and vPvB assessment

PBT:

According to information provided in the supply chain, the mix conatins less than 0.1% of any substances classified as PBT

vPvB:

According to information provided in the supply chain, the mix conatins less than 0.1% of any substances classified as vPvB

12.6 Endocrine disrupting properties

According to the current state of scientific knowledge, there is no data for the product regarding endocrine disrupting properties with effects on the environment.

12.7 Other adverse effects

Additional ecological information:

General notes:

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Not classified as hazardous waste according to Annex III to Directive 2008/98/EC.

Recommendation Waste must be disposed of while observing the local, official regulations.

European waste catalogue

- 1) Disposal / product
- 2) Disposal / contaminated packaging

12 01 99	wastes not otherwise specified
15 01 02	plastic packaging

(Contd. on page



Printing date 05.06.2023 Version: 1.00 Revision: 13.09.2022

Trade name: SONAX PROFILINE OS 02-06

(Contd. of page 6)

Uncleaned packaging:

Recommendation: Disposal must be made according to official regulations.

Recommended cleansing agents: Water, if necessary together with cleansing agents.

14.1 UN number or ID number	West	
ADR/RID/ADN, IMDG, IATA	Void	
14.2 UN proper shipping name	Maid	
ADR/RID/ADN, IMDG, IATA	Void	
14.3 Transport hazard class(es)		
ADR/RID/ADN, ADN, IMDG, IATA		
Class	Void	
14.4 Packing group		
ADR/RID/ADN, IMDG, IATA	Void	
14.5 Environmental hazards:		
Marine pollutant:	No	
14.6 Special precautions for user	Not applicable.	
14.7 Maritime transport in bulk according	to IMO	
instruments	Not applicable.	

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture European Directives:

Directive 2010/75/EU (VOC) 14.90 %

Catégorie SEVESO (DIRECTIVE 2012/18/EU) not subject to

REGULATION (EU) 2019/1148

Annex I - RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3))

None of the ingredients is listed.

Annex II - REPORTABLE EXPLOSIVES PRECURSORS

None of the ingredients is listed.

National regulations:

Information about limitation of use:

Employment restrictions concerning juveniles must be observed.

Employment restrictions concerning pregnant and lactating women must be observed.

15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Relevant phrases

H226 Flammable liquid and vapour.

H304 May be fatal if swallowed and enters airways.

May cause long lasting harmful effects to aquatic life.

EUH066 Repeated exposure may cause skin dryness or cracking.

Abbreviations and acronyms:

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail) ICAO: International Civil Aviation Organisation

(Contd. on page 8)



Printing date 05.06.2023 Version: 1.00 Revision: 13.09.2022

Trade name: SONAX PROFILINE OS 02-06

(Contd. of page 7)

ADN: Accord européen relatif au transport international des marchandises dangereuses par voie de navigation intérieure NOEL = No Observed Effect Level NOEC = No Observed Effect Concentration

LC = letal Concentration
EC50 = half maximal effective concentration
log POW = Octanol / water partition coefficient

GHS: Globally Harmonized System of Classification and Labelling of Chemicals

ATE: acute toxicity estimate

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)
IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

IOELV = indicative occupational exposure limit values
Flam. Liq. 3: Flammable liquids – Category 3
Asp. Tox. 1: Aspiration hazard – Category 1
Aquatic Chronic 4: Hazardous to the aquatic environment - long-term aquatic hazard – Category 4