

## SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

### **1.1 Product identifier:** Fresso Car Perfume Gentleman

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against:

Relevant uses: Car Perfumes

Uses advised against: All uses not specified in this section or in section 7.3

## **1.3** Details of the supplier of the safety data sheet:

FRISTO Damian Figarski ul. Panny Wodnej 46/48 lok. 21 04-862 Warszawa tel. +48 799 27 27 26 E- mail osoby odpowiedzialnej za kartę charakterystyki: biuro@fresso.pl

#### **1.4 Emergency telephone number:** 112 (24/7)

### SECTION 2: HAZARDS IDENTIFICATION

### 2.1 Classification of the substance or mixture:

## CLP Regulation (EC) No 1272/2008:

Classification of this product has been carried out in accordance with CLP Regulation (EC) No 1272/2008.

Aquatic Chronic 2: Hazardous to the aquatic environment, long-term hazard, Category 2, H411 Eye Irrit. 2: Eye irritation, Category 2, H319 Flam. Liq. 2: Flammable liquids, Category 2, H225 Skin Sens. 1B: Sensitisation, skin, Category 1B, H317

### 2.2 Label elements:

## CLP Regulation (EC) No 1272/2008:

Danger



#### Hazard statements:

Aquatic Chronic 2: H411 - Toxic to aquatic life with long lasting effects Eye Irrit. 2: H319 - Causes serious eye irritation Flam. Liq. 2: H225 - Highly flammable liquid and vapour Skin Sens. 1B: H317 - May cause an allergic skin reaction

## Precautionary statements:

P101: If medical advice is needed, have product container or label at hand
P102: Keep out of reach of children
P210: Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking
P273: Avoid release to the environment
P280: Wear protective gloves/protective clothing/eye protection/face protection
P302+P352: IF ON SKIN: Wash with plenty of water
P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing
P333+P313: If skin irritation or rash occurs: Get medical advice/attention
P501: Dispose of contents/container according to the separated collection system used in your municipality

### Supplementary information:

EUH208: Contains 1,2,3,5,6,7-hexahydro-1,1,2,3,3-pentamethyl-4h-inden-4-one, Cedryl methyl ketone, Linalyl acetate, Reaction mass of cis-1methyl-1-(4-methylcyclohexyl) ethyl acetate and trans-1-methyl-1-(4-methylcyclohexyl) ethyl acetate and cis- 4-isopropyl-1-methylcyclohexyl acetate and trans-4-isopropyl-1-methylcyclohexyl acetate. May produce an allergic reaction

### Substances that contribute to the classification

1-(1,2,3,4,5,6,7,8-octahydro-2,3,8,8-tetramethyl-2-naphthyl)ethan-1-one (CAS: 54464-57-2); Nopyl acetate (CAS: 128-51-8); Linalool (CAS: 78-70-6)

### 2.3 Other hazards:

Product fails to meet PBT/vPvB criteria



# SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

## 3.1 Substance:

Non-applicable

## 3.2 Mixture:

Chemical description: Odoriferous mixture based on natural and/or synthetic ingredients

## Components:

In accordance with Annex II of Regulation (EC) No 1907/2006 (point 3), the product contains:

Identification	Chemical name/Classification				
CAS: 64-17-5 EC: 200-578-6 Index: 603-002-00-5 REACH: 01-2119457610-43-XXXX	Ethanol <sup>(1)</sup> Self-classified           Regulation 1272/2008         Eye Irrit. 2: H319; Flam. Liq. 2: H225 - Danger	57 – 76 %			
CAS: 54464-57-2 EC: 259-174-3 Index: Non-applicable REACH: Non-applicable	1-(1,2,3,4,5,6,7,8-octahydro-2,3,8,8-tetramethyl-2-naphthyl)ethan-1-one <sup>(1)</sup> Self-classified         Regulation 1272/2008       Aquatic Acute 1: H400; Aquatic Chronic 1: H410; Skin Irrit. 2: H315; Skin Sens. 1B: H317 - Warning	2,7 - 3,6 %			
CAS: 78-93-3 EC: 201-159-0 Index: 606-002-00-3 REACH: 01-2119457290-43-XXXX	2-butanone <sup>(1)</sup> ATP CLP00           Regulation 1272/2008         Eye Irrit. 2: H319; Flam. Liq. 2: H225; STOT SE 3: H336; EUH066 - Danger	0,76 – 1,9 %			
CAS: 67-63-0 EC: 200-661-7 Index: 603-117-00-0 REACH: 01-2119457558-25-XXXX	Propan-2-ol <sup>(1)</sup> ATP CLP00           Regulation 1272/2008         Eye Irrit. 2: H319; Flam. Liq. 2: H225; STOT SE 3: H336 - Danger	0,76 – 1,9 %			
CAS: 128-51-8 EC: 204-891-9 Index: Non-applicable REACH: Non-applicable	Nopyl acetate <sup>(1)</sup> Self-classified           Regulation 1272/2008         Aquatic Chronic 2: H411; Eye Irrit. 2: H319; Skin Sens. 1B: H317 - Warning	0,9 – 1,35 %			
CAS: 28219-61-6 EC: 248-908-8 Index: Non-applicable REACH: 01-2119529224-45-XXXX	2-ethyl-4-(2,2,3-trimethyl-3-cyclopenten-1-yl)-2-buten-1-ol <sup>(1)</sup> Self-classified         Regulation 1272/2008       Aquatic Acute 1: H400; Aquatic Chronic 1: H410; Eye Irrit. 2: H319 - Warning	0,9 – 1,35 %			
CAS: 78-70-6 EC: 201-134-4 Index: 603-235-00-2 REACH: 01-2119474016-42-XXXX	Linalool <sup>(1)</sup> Self-classified           Regulation 1272/2008         Eye Irrit. 2: H319; Skin Irrit. 2: H315; Skin Sens. 1B: H317 - Warning	0,9 – 1,35 %			
CAS: 32388-55-9 EC: 251-020-3 Index: Non-applicable REACH: 01-2119969651-28-XXXX	Cedryl methyl ketone <sup>(1)</sup> Self-classified           Regulation 1272/2008         Aquatic Acute 1: H400; Aquatic Chronic 1: H410; Skin Sens. 1B: H317 - Warning	<1 %			
CAS: 115-95-7 EC: 204-116-4 Index: Non-applicable REACH: 01-2119454789-19-XXXX	Linalyl acetate <sup>(1)</sup> Self-classified           Regulation 1272/2008         Eye Irrit. 2: H319; Skin Irrit. 2: H315; Skin Sens. 1: H317 - Warning	<1 %			
CAS: Non-applicable EC: 939-728-7 Index: Non-applicable REACH: 01-2119983293-30-XXXX	Reaction mass of cis-1-methyl-1-(4-methylcyclohexyl) ethyl acetate and trans-1-methyl-1-(4-methylcyclohexyl) ethyl acetate and cis- 4-isopropyl-1-methylcyclohexyl acetate and trans-4-isopropyl-1-methylcyclohexyl acetate       Self-classified         Regulation 1272/2008       Aquatic Chronic 2: H411; Eye Irrit. 2: H319; Skin Sens. 1B: H317 - Warning	<1 %			
CAS: 34902-57-3 EC: Non-applicable Index: Non-applicable REACH: 01-0000016883-62-XXXX	(3E)-Oxacyclohexadec-3-en-2-one <sup>(1)</sup> Self-classified       Regulation 1272/2008     Aquatic Acute 1: H400; Aquatic Chronic 1: H410 - Warning	<1 %			
CAS: 33704-61-9 EC: 251-649-3 Index: Non-applicable REACH: 01-2119977131-40-XXXX	1,2,3,5,6,7-hexahydro-1,1,2,3,3-pentamethyl-4h-inden-4-one <sup>(1)</sup> Self-classified         Regulation 1272/2008       Aquatic Chronic 2: H411; Eye Irrit. 2: H319; Skin Irrit. 2: H315; Skin Sens. 1B: H317 - Warning	<1 %			

<sup>(1)</sup> Substances presenting a health or environmental hazard which meet criteria laid down in Regulation (EU) No. 2015/830

To obtain more information on the hazards of the substances consult sections 8, 11, 12, 15 and 16.

### Other information:

Identification	Specific concentration limit
Ethanol	% (w/w) >=50: Eye Irrit. 2 - H319
CAS: 64-17-5	
EC: 200-578-6	



## SECTION 4: FIRST AID MEASURES

### 4.1 Description of first aid measures:

The symptoms resulting from intoxication can appear after exposure, therefore, in case of doubt, seek medical attention for direct exposure to the chemical product or persistent discomfort, showing the SDS of this product.

## By inhalation:

This product is not classified as hazardous through inhalation. However, in case of intoxication symptoms it is recommended to remove the person affected from the area of exposure, provide clean air and keep at rest. Request medical attention if symptoms persist.

### By skin contact:

Remove contaminated clothing and footwear, rinse skin or shower the person affected if appropriate with plenty of cold water and neutral soap. In serious cases see a doctor. If the product causes burns or freezing, clothing should not be removed as this could worsen the injury caused if it is stuck to the skin. If blisters form on the skin, these should never be burst as this will increase the risk of infection.

#### By eye contact:

Rinse eyes thoroughly with water for at least 15 minutes. If the injured person uses contact lenses, these should be removed unless they are stuck to the eyes, in which case removal could cause further damage. In all cases, after cleaning, a doctor should be consulted as quickly as possible with the SDS for the product.

#### By ingestion/aspiration:

Do not induce vomiting, but if it does happen keep the head down to avoid aspiration. Keep the person affected at rest. Rinse out the mouth and throat, as they may have been affected during ingestion.

### 4.2 Most important symptoms and effects, both acute and delayed:

Acute and delayed effects are indicated in sections 2 and 11.

#### 4.3 Indication of any immediate medical attention and special treatment needed:

Non-applicable

## SECTION 5: FIREFIGHTING MEASURES

#### 5.1 Extinguishing media:

If possible use polyvalent powder fire extinguishers (ABC powder), alternatively use foam or carbon dioxide extinguishers ( $CO_2$ ). IT IS RECOMMENDED NOT to use tap water as an extinguishing agent.

### 5.2 Special hazards arising from the substance or mixture:

As a result of combustion or thermal decomposition reactive sub-products are created that can become highly toxic and, consequently, can present a serious health risk.

### 5.3 Advice for firefighters:

Depending on the magnitude of the fire it may be necessary to use full protective clothing and self-contained breathing apparatus (SCBA). Minimum emergency facilities and equipment should be available (fire blankets, portable first aid kit,...) in accordance with Directive 89/654/EC.

#### Additional provisions:

Act in accordance with the Internal Emergency Plan and the Information Sheets on actions to take after an accident or other emergencies. Eliminate all sources of ignition. In case of fire, cool the storage containers and tanks for products susceptible to combustion, explosion or BLEVE as a result of high temperatures. Avoid spillage of the products used to extinguish the fire into an aqueous medium.

### SECTION 6: ACCIDENTAL RELEASE MEASURES

## 6.1 Personal precautions, protective equipment and emergency procedures:

Isolate leaks provided that there is no additional risk for the people performing this task. Evacuate the area and keep out those without protection. Personal protection equipment must be used against potential contact with the spilt product (See section 8). Above all prevent the formation of any vapour-air flammable mixtures, through either ventilation or the use of an inert medium. Destroy any source of ignition. Eliminate electrostatic charges by interconnecting all the conductive surfaces on which static electricity could form, and also ensuring that all surfaces are connected to the ground.

### 6.2 Environmental precautions:

Avoid at all cost any type of spillage into an aqueous medium. Contain the product absorbed appropriately in hermetically sealed containers. Notify the relevant authority in case of exposure to the general public or the environment.

## 6.3 Methods and material for containment and cleaning up:

It is recommended:

Absorb the spillage using sand or inert absorbent and move it to a safe place. Do not absorb in sawdust or other combustible absorbents. For any concern related to disposal consult section 13.



# SECTION 6: ACCIDENTAL RELEASE MEASURES (continued)

## 6.4 Reference to other sections:

See sections 8 and 13.

## SECTION 7: HANDLING AND STORAGE

#### 7.1 Precautions for safe handling:

A.- Precautions for safe manipulation

Comply with the current legislation concerning the prevention of industrial risks. Keep containers hermetically sealed. Control spills and residues, destroying them with safe methods (section 6). Avoid leakages from the container. Maintain order and cleanliness where dangerous products are used.

B.- Technical recommendations for the prevention of fires and explosions

Transfer in well ventilated areas, preferably through localized extraction. Fully control sources of ignition (mobile phones, sparks,...) and ventilate during cleaning operations. Avoid the existence of dangerous atmospheres inside containers, applying inertization systems where possible. Transfer at a slow speed to avoid the creation of electrostatic charges. Against the possibility of electrostatic charges: ensure a perfect equipotential connection, always use groundings, do not wear work clothes made of acrylic fibres, preferably wearing cotton clothing and conductive footwear. Comply with the essential security requirements for equipment and systems defined in Directive 94/9/EC (ATEX 100) and with the minimum requirements for protecting the security and health of workers under the selection criteria of Directive 1999/92/EC (ATEX 137). Consult section 10 for conditions and materials that should be avoided.

C.- Technical recommendations to prevent ergonomic and toxicological risks

Do not eat or drink during the process, washing hands afterwards with suitable cleaning products.

D.- Technical recommendations to prevent environmental risks

Due to the danger of this product for the environment it is recommended to use it within an area containing contamination control barriers in case of spillage, as well as having absorbent material in close proximity.

## 7.2 Conditions for safe storage, including any incompatibilities:

A	Technical I	measures for storage	ge
	Minimum	Temp.:	5 ºC

•	
Maximum Temp.:	30 ºC
Maximum time:	12 Months

B.- General conditions for storage

Avoid sources of heat, radiation, static electricity and contact with food. For additional information see subsection 10.5

### 7.3 Specific end use(s):

Except for the instructions already specified it is not necessary to provide any special recommendation regarding the uses of this product.

## SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

### 8.1 Control parameters:

Substances whose occupational exposure limits have to be monitored in the workplace

Identification	Environmental limits		
2-butanone	IOELV (8h)	200 ppm	600 mg/m <sup>3</sup>
CAS: 78-93-3 EC: 201-159-0	IOELV (STEL)	300 ppm	900 mg/m <sup>3</sup>

#### DNEL (Workers):

		Short	exposure	Long	exposure
Identification		Systemic	Local	Systemic	Local
Ethanol	Oral	Non-applicable	Non-applicable	Non-applicable	Non-applicable
CAS: 64-17-5	Dermal	Non-applicable	Non-applicable	343 mg/kg	Non-applicable
EC: 200-578-6	Inhalation	Non-applicable	1900 mg/m <sup>3</sup>	950 mg/m <sup>3</sup>	Non-applicable
2-butanone	Oral	Non-applicable	Non-applicable	Non-applicable	Non-applicable
CAS: 78-93-3	Dermal	Non-applicable	Non-applicable	1161 mg/kg	Non-applicable
EC: 201-159-0	Inhalation	Non-applicable	Non-applicable	600 mg/m <sup>3</sup>	Non-applicable
Propan-2-ol	Oral	Non-applicable	Non-applicable	Non-applicable	Non-applicable
CAS: 67-63-0	Dermal	Non-applicable	Non-applicable	888 mg/kg	Non-applicable
EC: 200-661-7	Inhalation	Non-applicable	Non-applicable	500 mg/m <sup>3</sup>	Non-applicable



# SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION (continued)

		Short	Short exposure		exposure
Identification		Systemic	Local	Systemic	Local
2-ethyl-4-(2,2,3-trimethyl-3-cyclopenten-1-yl)-2-buten-1-ol	Oral	Non-applicable	Non-applicable	Non-applicable	Non-applicable
CAS: 28219-61-6	Dermal	6 mg/kg	Non-applicable	1,4 mg/kg	Non-applicable
EC: 248-908-8	Inhalation	7 mg/m <sup>3</sup>	Non-applicable	7 mg/m³	Non-applicable
Linalool	Oral	Non-applicable	Non-applicable	Non-applicable	Non-applicable
CAS: 78-70-6	Dermal	5 mg/kg	Non-applicable	2,5 mg/kg	Non-applicable
EC: 201-134-4	Inhalation	16,5 mg/m <sup>3</sup>	Non-applicable	2,8 mg/m <sup>3</sup>	Non-applicable
Cedryl methyl ketone	Oral	Non-applicable	Non-applicable	Non-applicable	Non-applicable
CAS: 32388-55-9	Dermal	Non-applicable	Non-applicable	0,333 mg/kg	Non-applicable
EC: 251-020-3	Inhalation	Non-applicable	Non-applicable	1,175 mg/m <sup>3</sup>	Non-applicable
Linalyl acetate	Oral	Non-applicable	Non-applicable	Non-applicable	Non-applicable
CAS: 115-95-7	Dermal	Non-applicable	Non-applicable	2,5 mg/kg	Non-applicable
EC: 204-116-4	Inhalation	Non-applicable	Non-applicable	2,75 mg/m <sup>3</sup>	Non-applicable
1,2,3,5,6,7-hexahydro-1,1,2,3,3-pentamethyl-4h-inden-4-one	Oral	Non-applicable	Non-applicable	Non-applicable	Non-applicable
CAS: 33704-61-9	Dermal	Non-applicable	Non-applicable	0,42 mg/kg	Non-applicable
EC: 251-649-3	Inhalation	Non-applicable	Non-applicable	1,47 mg/m <sup>3</sup>	Non-applicable

## DNEL (General population):

		Short	Short exposure		Long exposure	
Identification		Systemic	Local	Systemic	Local	
Ethanol	Oral	Non-applicable	Non-applicable	87 mg/kg	Non-applicable	
CAS: 64-17-5	Dermal	Non-applicable	Non-applicable	206 mg/kg	Non-applicable	
EC: 200-578-6	Inhalation	Non-applicable	950 mg/m <sup>3</sup>	114 mg/m <sup>3</sup>	Non-applicable	
2-butanone	Oral	Non-applicable	Non-applicable	31 mg/kg	Non-applicable	
CAS: 78-93-3	Dermal	Non-applicable	Non-applicable	412 mg/kg	Non-applicable	
EC: 201-159-0	Inhalation	Non-applicable	Non-applicable	106 mg/m <sup>3</sup>	Non-applicable	
Propan-2-ol	Oral	Non-applicable	Non-applicable	26 mg/kg	Non-applicable	
CAS: 67-63-0	Dermal	Non-applicable	Non-applicable	319 mg/kg	Non-applicable	
EC: 200-661-7	Inhalation	Non-applicable	Non-applicable	89 mg/m <sup>3</sup>	Non-applicable	
2-ethyl-4-(2,2,3-trimethyl-3-cyclopenten-1-yl)-2-buten-1-ol	Oral	3 mg/kg	Non-applicable	0,5 mg/kg	Non-applicable	
CAS: 28219-61-6	Dermal	3 mg/kg	Non-applicable	0,5 mg/kg	Non-applicable	
EC: 248-908-8	Inhalation	1,5 mg/m <sup>3</sup>	Non-applicable	1,5 mg/m <sup>3</sup>	Non-applicable	
Linalool	Oral	1,2 mg/kg	Non-applicable	0,2 mg/kg	Non-applicable	
CAS: 78-70-6	Dermal	2,5 mg/kg	Non-applicable	1,25 mg/kg	Non-applicable	
EC: 201-134-4	Inhalation	4,1 mg/m <sup>3</sup>	Non-applicable	0,7 mg/m <sup>3</sup>	Non-applicable	
Cedryl methyl ketone	Oral	Non-applicable	Non-applicable	0,166 mg/kg	Non-applicable	
CAS: 32388-55-9	Dermal	Non-applicable	Non-applicable	0,166 mg/kg	Non-applicable	
EC: 251-020-3	Inhalation	Non-applicable	Non-applicable	0,289 mg/m <sup>3</sup>	Non-applicable	
Linalyl acetate	Oral	Non-applicable	Non-applicable	0,2 mg/kg	Non-applicable	
CAS: 115-95-7	Dermal	Non-applicable	Non-applicable	1,25 mg/kg	Non-applicable	
EC: 204-116-4	Inhalation	Non-applicable	Non-applicable	0,68 mg/m <sup>3</sup>	Non-applicable	
1,2,3,5,6,7-hexahydro-1,1,2,3,3-pentamethyl-4h-inden-4-one	Oral	Non-applicable	Non-applicable	0,25 mg/kg	Non-applicable	
CAS: 33704-61-9	Dermal	Non-applicable	Non-applicable	0,25 mg/kg	Non-applicable	
EC: 251-649-3	Inhalation	Non-applicable	Non-applicable	0,44 mg/m <sup>3</sup>	Non-applicable	
NEC:						
Identification						
Ethanol	STP	580 mg/L	Fresh water		0,96 mg/L	
CAS: 64-17-5	Soil	Non-applicable	Marine water		0,79 mg/L	
EC: 200-578-6	Intermittent	2,75 mg/L	Sediment (Fresh v	vater)	3,6 mg/kg	

Oral

720 g/kg

Non-applicable

Sediment (Marine water)



## SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION (continued)

Identification				
2-butanone	STP	709 mg/L	Fresh water	55,8 mg/L
CAS: 78-93-3	Soil	22,5 mg/kg	Marine water	55,8 mg/L
EC: 201-159-0	Intermittent	55,8 mg/L	Sediment (Fresh water)	284,74 mg/kg
	Oral	1000 g/kg	Sediment (Marine water)	284,7 mg/kg
Propan-2-ol	STP	2251 mg/L	Fresh water	140,9 mg/L
CAS: 67-63-0	Soil	28 mg/kg	Marine water	140,9 mg/L
EC: 200-661-7	Intermittent	140,9 mg/L	Sediment (Fresh water)	552 mg/kg
	Oral	160 g/kg	Sediment (Marine water)	552 mg/kg
2-ethyl-4-(2,2,3-trimethyl-3-cyclopenten-1-yl)-2-buten-1-ol	STP	1 mg/L	Fresh water	0,00063 mg/L
CAS: 28219-61-6	Soil	0,00839 mg/kg	Marine water	0,000063 mg/L
EC: 248-908-8	Intermittent	Non-applicable	Sediment (Fresh water)	0,04379 mg/kg
	Oral	1 g/kg	Sediment (Marine water)	Non-applicable
Linalool	STP	10 mg/L	Fresh water	0,2 mg/L
CAS: 78-70-6	Soil	0,327 mg/kg	Marine water	0,02 mg/L
EC: 201-134-4	Intermittent	2 mg/L	Sediment (Fresh water)	2,22 mg/kg
	Oral	7,8 g/kg	Sediment (Marine water)	0,222 mg/kg
Cedryl methyl ketone	STP	10 mg/L	Fresh water	0,00174 mg/L
CAS: 32388-55-9	Soil	4,87 mg/kg	Marine water	0,000174 mg/L
EC: 251-020-3	Intermittent	0,0086 mg/L	Sediment (Fresh water)	24,4 mg/kg
	Oral	Non-applicable	Sediment (Marine water)	2,44 mg/kg
Linalyl acetate	STP	10 mg/L	Fresh water	0,011 mg/L
CAS: 115-95-7	Soil	0,115 mg/kg	Marine water	0,0011 mg/L
EC: 204-116-4	Intermittent	0,11 mg/L	Sediment (Fresh water)	0,609 mg/kg
	Oral	Non-applicable	Sediment (Marine water)	0,0609 mg/kg
1,2,3,5,6,7-hexahydro-1,1,2,3,3-pentamethyl-4h-inden-4-one	STP	10 mg/L	Fresh water	0,004 mg/L
CAS: 33704-61-9	Soil	0,0174 mg/kg	Marine water	0,0004 mg/L
EC: 251-649-3	Intermittent	Non-applicable	Sediment (Fresh water)	0,0991 mg/kg
	Oral	1,11 g/kg	Sediment (Marine water)	0,00991 mg/kg

## 8.2 Exposure controls:

A.- General security and hygiene measures in the work place

As a preventative measure it is recommended to use basic Personal Protective Equipment, with the corresponding <<CE marking>> in accordance with Directive 89/686/EC. For more information on Personal Protective Equipment (storage, use, cleaning, maintenance, class of protection,...) consult the information leaflet provided by the manufacturer. For more information see subsection 7.1. All information contained herein is a recommendation which needs some specification from the labour risk prevention services as it is not known whether the company has additional measures at its disposal.

B.- Respiratory protection

The use of protection equipment will be necessary if a mist forms or if the occupational exposure limits are exceeded.

- C.- Specific protection for the hands
  - Non-applicable
- D.- Ocular and facial protection

Non-applicable

E.- Body protection

Non-applicable

F.- Additional emergency measures

It is not necessary to take additional emergency measures.

### Environmental exposure controls:

In accordance with the community legislation for the protection of the environment it is recommended to avoid environmental spillage of both the product and its container. For additional information see subsection 7.1.D

### Volatile organic compounds:

With regard to Directive 2010/75/EU, this product has the following characteristics:

V.O.C. (Supply): 89,2 % weight



# SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION (continued)

V.O.C. density at 20 ºC:	715,23 kg/m³ (715,23 g/L)
Average carbon number:	2,18
Average molecular weight:	48,59 g/mol

## SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1	Information on basic physical and chemical properties:					
	For complete information see the product datasheet.					
	Appearance:					
	Physical state at 20 ºC:	Liquid				
	Appearance:	Fluid				
	Colour:	Several				
	Odour:	Pleasant				
	Odour threshold:	Non-applicable *				
	Volatility:					
	Boiling point at atmospheric pressure:	85 ºC				
	Vapour pressure at 20 ºC:	6430 Pa				
	Vapour pressure at 50 °C:	225,11 (30,01 kPa)				
	Evaporation rate at 20 ºC:	Non-applicable *				
	Product description:					
	Density at 20 °C:	801,8 kg/m³				
	Relative density at 20 ºC:	0,802				
	Dynamic viscosity at 20 ºC:	1,16 cP				
	Kinematic viscosity at 20 ºC:	1,45 cSt				
	Kinematic viscosity at 40 ºC:	Non-applicable *				
	Concentration:	Non-applicable *				
	pH:	Non-applicable *				
	Vapour density at 20 ºC:	Non-applicable *				
	Partition coefficient n-octanol/water 20 ºC:	Non-applicable *				
	Solubility in water at 20 °C:	Non-applicable *				
	Solubility properties:	Non-applicable *				
	Decomposition temperature:	Non-applicable *				
	Melting point/freezing point:	Non-applicable *				
	Explosive properties:	Non-applicable *				
	Oxidising properties:	Non-applicable *				
	Flammability:					
	Flash Point:	12 ºC				
	Flammability (solid, gas):	Non-applicable *				
	Autoignition temperature:	235 ºC				
	Lower flammability limit:	Not available				
	Upper flammability limit:	Not available				
	Explosive:					
	Lower explosive limit:	Non-applicable *				
	Upper explosive limit:	Non-applicable *				
9.2	Other information:					
	*Not relevant due to the nature of the product, not providing information property of its hazards.					



## SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES (continued)

Surface tension at 20 °C:

Non-applicable \*

Refraction index:

Non-applicable \*

\*Not relevant due to the nature of the product, not providing information property of its hazards.

## SECTION 10: STABILITY AND REACTIVITY

### 10.1 Reactivity:

No hazardous reactions are expected because the product is stable under recommended storage conditions. See section 7.

#### 10.2 Chemical stability:

Chemically stable under the conditions of storage, handling and use.

### 10.3 Possibility of hazardous reactions:

Under the specified conditions, hazardous reactions that lead to excessive temperatures or pressure are not expected.

#### 10.4 Conditions to avoid:

Applicable for handling and storage at room temperature:

Shock and friction	Contact with air	Increase in temperature	Sunlight	Humidity
Not applicable	Not applicable	Risk of combustion	Avoid direct impact	Not applicable

### 10.5 Incompatible materials:

Acids	Water	Oxidising materials	Combustible materials	Others
Avoid strong acids	Not applicable	Avoid direct impact	Not applicable	Avoid alkalis or strong bases

### 10.6 Hazardous decomposition products:

See subsection 10.3, 10.4 and 10.5 to find out the specific decomposition products. Depending on the decomposition conditions, complex mixtures of chemical substances can be released: carbon dioxide (CO2), carbon monoxide and other organic compounds.

## SECTION 11: TOXICOLOGICAL INFORMATION

### 11.1 Information on toxicological effects:

The experimental information related to the toxicological properties of the product itself is not available

#### Dangerous health implications:

In case of exposure that is repetitive, prolonged or at concentrations higher than the recommended occupational exposure limits, adverse effects on health may result, depending on the means of exposure:

- A- Ingestion (acute effect):
  - Acute toxicity : Based on available data, the classification criteria are not met, as it does not contain substances classified as dangerous for consumption. For more information see section 3.
  - Corrosivity/Irritability: Based on available data, the classification criteria are not met. However, it does contain substances classified as dangerous for this effect. For more information see section 3.
- B- Inhalation (acute effect):
  - Acute toxicity : Based on available data, the classification criteria are not met, as it does not contain substances classified as dangerous for inhalation. For more information see section 3.
  - Corrosivity/Irritability: Based on available data, the classification criteria are not met, as it does not contain substances classified as dangerous for this effect. For more information see section 3.
- C- Contact with the skin and the eyes (acute effect):
  - Contact with the skin: Based on available data, the classification criteria are not met. However, it contains substances classified as dangerous for skin contact. For more information see section 3.
     Contact with the eyes: Produces eye damage after contact.
- D- CMR effects (carcinogenicity, mutagenicity and toxicity to reproduction):



## SECTION 11: TOXICOLOGICAL INFORMATION (continued)

- Carcinogenicity: Based on available data, the classification criteria are not met, as it does not contain substances classified as dangerous for the effects mentioned. For more information see section 3.
- IARC: Propan-2-ol (3)
- Mutagenicity: Based on available data, the classification criteria are not met, as it does not contain substances classified as dangerous for this effect. For more information see section 3.
- Reproductive toxicity: Based on available data, the classification criteria are not met, as it does not contain substances classified as dangerous for this effect. For more information see section 3.
- E- Sensitizing effects:
  - Respiratory: Based on available data, the classification criteria are not met, as it does not contain substances classified as dangerous with sensitising effects. For more information see section 3.
  - Cutaneous: Prolonged contact with the skin can result in episodes of allergic contact dermatitis.
- F- Specific target organ toxicity (STOT) single exposure:

Based on available data, the classification criteria are not met. However, it contains substances classified as dangerous for inhalation. For more information see section 3.

G- Specific target organ toxicity (STOT)-repeated exposure:

- Specific target organ toxicity (STOT)-repeated exposure: Based on available data, the classification criteria are not met, as it does not contain substances classified as dangerous for this effect. For more information see section 3.

- Skin: Remove contaminated clothing and footwear, rinse skin or shower the person affected if appropriate with plenty of cold water and neutral soap. In serious cases see a doctor. If the product causes burns or freezing, clothing should not be removed as this could worsen the injury caused if it is stuck to the skin. If blisters form on the skin, these should never be burst as this will increase the risk of infection.

H- Aspiration hazard:

Based on available data, the classification criteria are not met, as it does not contain substances classified as dangerous for this effect. For more information see section 3.

### Other information:

Non-applicable

#### Specific toxicology information on the substances:

Identification		Acute toxicity	
2-butanone	LD50 oral	4000 mg/kg	Rat
CAS: 78-93-3	LD50 dermal	6400 mg/kg	Rabbit
EC: 201-159-0	LC50 inhalation	23,5 mg/L (4 h)	Rat
Propan-2-ol	LD50 oral	5280 mg/kg	Rat
CAS: 67-63-0	LD50 dermal	12800 mg/kg	Rat
EC: 200-661-7	LC50 inhalation	72,6 mg/L (4 h)	Rat
Ethanol	LD50 oral	6200 mg/kg	Rat
CAS: 64-17-5	LD50 dermal	20000 mg/kg	Rabbit
EC: 200-578-6	LC50 inhalation	124,7 mg/L (4 h)	Rat
Linalool	LD50 oral	3000 mg/kg	Rat
CAS: 78-70-6	LD50 dermal	5610 mg/kg	Rabbit
EC: 201-134-4	LC50 inhalation	Non-applicable	
Nopyl acetate	LD50 oral	2940 mg/kg	Rat
CAS: 128-51-8	LD50 dermal	Non-applicable	
EC: 204-891-9	LC50 inhalation	Non-applicable	
2-ethyl-4-(2,2,3-trimethyl-3-cyclopenten-1-yl)-2-buten-1-ol	LD50 oral	5500 mg/kg	Rat
CAS: 28219-61-6	LD50 dermal	Non-applicable	
EC: 248-908-8	LC50 inhalation	Non-applicable	
Linalyl acetate	LD50 oral	14500 mg/kg	Rat
CAS: 115-95-7	LD50 dermal	5610 mg/kg	Rabbit
EC: 204-116-4	LC50 inhalation	Non-applicable	
1,2,3,5,6,7-hexahydro-1,1,2,3,3-pentamethyl-4h-inden-4-one	LD50 oral	2900 mg/kg	Rat
CAS: 33704-61-9	LD50 dermal	Non-applicable	
EC: 251-649-3	LC50 inhalation	Non-applicable	

## Safety data sheet According to 1907/2006/EC (REACH), 2015/830/EU

## Fresso Car Perfume Gentleman



# SECTION 11: TOXICOLOGICAL INFORMATION (continued)

	ATE mix	
Oral	>2000 mg/kg (Calculation method)	Non-applicable
Dermal	>2000 mg/kg (Calculation method)	Non-applicable
Inhalation	>20 mg/L (4 h) (Calculation method)	Non-applicable

## SECTION 12: ECOLOGICAL INFORMATION

The experimental information related to the eco-toxicological properties of the product itself is not available

## 12.1 Toxicity:

Identification		Acute toxicity	Species	Genus
Ethanol	LC50	11000 mg/L (96 h)	Alburnus alburnus	Fish
CAS: 64-17-5	EC50	9268 mg/L (48 h)	Daphnia magna	Crustacear
EC: 200-578-6	EC50	1450 mg/L (192 h)	Microcystis aeruginosa	Algae
1-(1,2,3,4,5,6,7,8-octahydro-2,3,8,8-tetramethyl-2-naphthyl)ethan-1-one	LC50	0.1 - 1 mg/L (96 h)		Fish
CAS: 54464-57-2	EC50	0.1 - 1 mg/L		Crustacear
EC: 259-174-3	EC50	0.1 - 1 mg/L		Algae
2-butanone	LC50	3220 mg/L (96 h)	Pimephales promelas	Fish
CAS: 78-93-3	EC50	5091 mg/L (48 h)	Daphnia magna	Crustacear
EC: 201-159-0	EC50	4300 mg/L (168 h)	Scenedesmus quadricauda	Algae
Propan-2-ol	LC50	9640 mg/L (96 h)	Pimephales promelas	Fish
CAS: 67-63-0	EC50	13299 mg/L (48 h)	Daphnia magna	Crustacear
EC: 200-661-7	EC50	1000 mg/L (72 h)	Scenedesmus subspicatus	Algae
Nopyl acetate	LC50	1 - 10 mg/L (96 h)		Fish
CAS: 128-51-8	EC50	1 - 10 mg/L		Crustacear
EC: 204-891-9	EC50	1 - 10 mg/L		Algae
2-ethyl-4-(2,2,3-trimethyl-3-cyclopenten-1-yl)-2-buten-1-ol	LC50	1.1 mg/L (96 h)	Lepomis macrochirus	Fish
CAS: 28219-61-6	EC50	0.63 mg/L (48 h)	Daphnia magna	Crustacear
EC: 248-908-8	EC50	2.5 mg/L (96 h)	Selenastrum capricornutum	Algae
Linalool	LC50	27.8 mg/L (96 h)	Oncorhynchus mykiss	Fish
CAS: 78-70-6	EC50	59 mg/L (48 h)	Daphnia magna	Crustacear
EC: 201-134-4	EC50	88.3 mg/L (96 h)	Scenedesmus subspicatus	Algae
Cedryl methyl ketone	LC50	0.1 - 1 mg/L (96 h)		Fish
CAS: 32388-55-9	EC50	0.1 - 1 mg/L		Crustacear
EC: 251-020-3	EC50	0.1 - 1 mg/L		Algae
Linalyl acetate	LC50	11 mg/L (96 h)	Cyprinus carpio	Fish
CAS: 115-95-7	EC50	15 mg/L (48 h)	Daphnia magna	Crustacear
EC: 204-116-4	EC50	62 mg/L (72 h)	Desmodesmus subspicatus	Algae
Reaction mass of cis-1-methyl-1-(4-methylcyclohexyl) ethyl acetate and trans-1-methyl-1-(4-methylcyclohexyl) ethyl acetate and cis- 4-isopropyl-1-methylcyclohexyl acetate and trans-4-isopropyl-1-methylcyclohexyl acetate	LC50	2.27 mg/L (96 h)	Danio rerio	Fish
CAS: Non-applicable	EC50	4.6 mg/L (48 h)	Daphnia magna	Crustacear
EC: 939-728-7	EC50	2.7 mg/L (72 h)	Pseudokirchneriella subcapitata	Algae
(3E)-Oxacyclohexadec-3-en-2-one	LC50	0.1 - 1 mg/L (96 h)		Fish
CAS: 34902-57-3	EC50	0.1 - 1 mg/L		Crustacear
EC: Non-applicable	EC50	0.1 - 1 mg/L		Algae
1,2,3,5,6,7-hexahydro-1,1,2,3,3-pentamethyl-4h-inden-4-one	LC50	2.12 mg/L (96 h)	Oryzias latipes	Fish
CAS: 33704-61-9	EC50	1.5 mg/L (48 h)	Daphnia magna	Crustacear
EC: 251-649-3	EC50	10 mg/L (72 h)	Desmodesmus subspicatus	Algae

# 12.2 Persistence and degradability:

Identification	Degradability		Biodegradability	
Ethanol	BOD5	Non-applicable	Concentration	100 mg/L
CAS: 64-17-5	COD	Non-applicable	Period	14 days
EC: 200-578-6	BOD5/COD	0.57	% Biodegradable	89 %



# SECTION 12: ECOLOGICAL INFORMATION (continued)

Identification	Deg	gradability	Biode	Biodegradability		
2-butanone	BOD5	2.03 g O2/g	Concentration	Non-applicable		
CAS: 78-93-3	COD	2.31 g O2/g	Period	20 days		
EC: 201-159-0	BOD5/COD	0.88	% Biodegradable	89 %		
Propan-2-ol	BOD5	1.19 g O2/g	Concentration	100 mg/L		
CAS: 67-63-0	COD	2.23 g O2/g	Period	14 days		
EC: 200-661-7	BOD5/COD	0.53	% Biodegradable	86 %		
2-ethyl-4-(2,2,3-trimethyl-3-cyclopenten-1-yl)-2-buten-1-ol	BOD5	Non-applicable	Concentration	100 mg/L		
CAS: 28219-61-6	COD	Non-applicable	Period	28 days		
EC: 248-908-8	BOD5/COD	Non-applicable	% Biodegradable	0 %		
Linalool	BOD5	Non-applicable	Concentration	100 mg/L		
CAS: 78-70-6	COD	Non-applicable	Period	28 days		
EC: 201-134-4	BOD5/COD	0.55	% Biodegradable	90 %		
Linalyl acetate	BOD5	Non-applicable	Concentration	81 mg/L		
CAS: 115-95-7	COD	Non-applicable	Period	28 days		
EC: 204-116-4	BOD5/COD	Non-applicable	% Biodegradable	80 %		
Reaction mass of cis-1-methyl-1-(4-methylcyclohexyl) ethyl acetate and trans-1-methyl-1-(4-methylcyclohexyl) ethyl acetate and cis- 4-isopropyl-1-methylcyclohexyl acetate and trans-4- isopropyl-1-methylcyclohexyl acetate	BOD5	Non-applicable	Concentration	2 mg/L		
CAS: Non-applicable	COD	Non-applicable	Period	28 days		
EC: 939-728-7	BOD5/COD	Non-applicable	% Biodegradable	85 %		
1,2,3,5,6,7-hexahydro-1,1,2,3,3-pentamethyl-4h-inden-4-one	BOD5	Non-applicable	Concentration	100 mg/L		
CAS: 33704-61-9	COD	Non-applicable	Period	28 days		
EC: 251-649-3	BOD5/COD	Non-applicable	% Biodegradable	0 %		

## 12.3 Bioaccumulative potential:

Identification	DI	oaccumulation potential
Ethanol	BCF	3
CAS: 64-17-5	Pow Log	-0.31
EC: 200-578-6	Potential	Low
2-butanone	BCF	3
CAS: 78-93-3	Pow Log	0.29
EC: 201-159-0	Potential	Low
Propan-2-ol	BCF	3
CAS: 67-63-0	Pow Log	0.05
EC: 200-661-7	Potential	Low
2-ethyl-4-(2,2,3-trimethyl-3-cyclopenten-1-yl)-2-buten-1-ol	BCF	65
CAS: 28219-61-6	Pow Log	4.4
EC: 248-908-8	Potential	Moderate
Linalool	BCF	39
CAS: 78-70-6	Pow Log	2.97
EC: 201-134-4	Potential	Moderate
Linalyl acetate	BCF	174
CAS: 115-95-7	Pow Log	3.9
EC: 204-116-4	Potential	High
Reaction mass of cis-1-methyl-1-(4-methylcyclohexyl) ethyl acetate and trans-1-methyl-1-(4-methylcyclohexyl) ethyl acetate and cis- 4-isopropyl-1-methylcyclohexyl acetate and trans-4-isopropyl-1-methylcyclohexyl acetate	BCF	300
CAS: Non-applicable	Pow Log	4.17
EC: 939-728-7	Potential	High
1,2,3,5,6,7-hexahydro-1,1,2,3,3-pentamethyl-4h-inden-4-one	BCF	82
CAS: 33704-61-9	Pow Log	4.2
EC: 251-649-3	Potential	Moderate



## SECTION 12: ECOLOGICAL INFORMATION (continued)

Identification	Absorption/desorption		Volatility		
Ethanol	Кос	1	Henry	4,61E-1 Pa·m³/mol	
CAS: 64-17-5	Conclusion	Very High	Dry soil	Yes	
EC: 200-578-6	Surface tension	2,339E-2 N/m (25 ºC)	Moist soil	Yes	
2-butanone	Кос	30	Henry	5,77 Pa·m³/mol	
CAS: 78-93-3	Conclusion	Very High	Dry soil	Yes	
EC: 201-159-0	Surface tension	2,396E-2 N/m (25 ºC)	Moist soil	Yes	
Propan-2-ol	Кос	1.5	Henry	8,207E-1 Pa·m³/mo	
CAS: 67-63-0	Conclusion	Very High	Dry soil	Yes	
EC: 200-661-7	Surface tension	2,24E-2 N/m (25 ºC)	Moist soil	Yes	
2-ethyl-4-(2,2,3-trimethyl-3-cyclopenten-1-yl)-2-buten-1-ol	Кос	870	Henry	Non-applicable	
CAS: 28219-61-6	Conclusion	Low	Dry soil	Non-applicable	
EC: 248-908-8	Surface tension	Non-applicable	Moist soil	Non-applicable	
Linalyl acetate	Кос	518	Henry	177 Pa·m³/mol	
CAS: 115-95-7	Conclusion	Low	Dry soil	Yes	
EC: 204-116-4	Surface tension	Non-applicable	Moist soil	Yes	
Reaction mass of cis-1-methyl-1-(4-methylcyclohexyl) ethyl acetate and trans-1-methyl-1-(4-methylcyclohexyl) ethyl acetate and cis- 4-isopropyl-1-methylcyclohexyl acetate and trans-4- isopropyl-1-methylcyclohexyl acetate	Кос	1644	Henry	Non-applicable	
CAS: Non-applicable	Conclusion	Low	Dry soil	Non-applicable	
EC: 939-728-7	Surface tension	Non-applicable	Moist soil	Non-applicable	
1,2,3,5,6,7-hexahydro-1,1,2,3,3-pentamethyl-4h-inden-4-one	Кос	200	Henry	Non-applicable	
CAS: 33704-61-9	Conclusion	Moderate	Dry soil	Non-applicable	
EC: 251-649-3	Surface tension	Non-applicable	Moist soil	Non-applicable	

## 12.5 Results of PBT and vPvB assessment:

Product fails to meet PBT/vPvB criteria

## 12.6 Other adverse effects:

Not described

## SECTION 13: DISPOSAL CONSIDERATIONS

### 13.1 Waste treatment methods:

Code	Description	Waste class (Regulation (EU) No 1357/2014)
07 01 04*	other organic solvents, washing liquids and mother liquors	Dangerous

## Type of waste (Regulation (EU) No 1357/2014):

HP14 Ecotoxic, HP3 Flammable, HP4 Irritant — skin irritation and eye damage

### Waste management (disposal and evaluation):

Consult the authorized waste service manager on the assessment and disposal operations in accordance with Annex 1 and Annex 2 (Directive 2008/98/EC). As under 15 01 (2014/955/EC) of the code and in case the container has been in direct contact with the product, it will be processed the same way as the actual product. Otherwise, it will be processed as non-dangerous residue. We do not recommended disposal down the drain. See paragraph 6.2.

#### Regulations related to waste management:

In accordance with Annex II of Regulation (EC) No 1907/2006 (REACH) the community or state provisions related to waste management are stated

Community legislation: Directive 2008/98/EC, 2014/955/EU, Regulation (EU) No 1357/2014

## SECTION 14: TRANSPORT INFORMATION

## Transport of dangerous goods by land:

With regard to ADR 2019 and RID 2019:



IN 14. INANSPURT IN	IFORMATION (continued)	
14	.1 UN number:	UN1993
14 ¥2	.2 UN proper shipping name:	FLAMMABLE LIQUID, N.O.S. (Ethanol; 1-(1,2,3,4,5,6,7,8-octahydro-2,3,8, tetramethyl-2-naphthyl)ethan-1-one)
14	.3 Transport hazard class(es):	3
	Labels:	3
14	.4 Packing group:	II
14	.5 Environmental hazards:	Yes
14	.6 Special precautions for user	
	Special regulations:	274, 640D
	Tunnel restriction code:	D/E
	Physico-Chemical properties:	see section 9
	Limited quantities:	1L
14	7 Transport in bulk according to Annex II of Marpol and the IBC Code:	Non-applicable
Transport of dangerou	s goods by sea:	
With regard to IMDG 3		
14		UN1993
¥. <sup>14</sup>	.2 UN proper shipping name:	FLAMMABLE LIQUID, N.O.S. (Ethanol; 1-(1,2,3,4,5,6,7,8-octahydro-2,3,8, tetramethyl-2-naphthyl)ethan-1-one)
14	.3 Transport hazard class(es):	3
$\checkmark$ $\checkmark$	Labels:	3
14	.4 Packing group:	II
14	.5 Environmental hazards:	Yes
14	.6 Special precautions for user	
	Special regulations:	274
	EmS Codes:	F-E, S-E
	Physico-Chemical properties:	see section 9
	Limited quantities:	1 L
	Segregation group:	Non-applicable
14	.7 Transport in bulk according to Annex II of Marpol and the IBC Code:	Non-applicable
Transport of dangerou	s goods by air:	
With regard to IATA/IC	AO 2019:	
14	.1 UN number:	UN1993
14	.2 UN proper shipping name:	FLAMMABLE LIQUID, N.O.S. (Ethanol; 1-(1,2,3,4,5,6,7,8-octahydro-2,3,8, tetramethyl-2-naphthyl)ethan-1-one)
14	.3 Transport hazard class(es):	3
	Labels:	3
14	.4 Packing group:	II
14	.5 Environmental hazards:	Yes
14	.6 Special precautions for user	
	Physico-Chemical properties:	see section 9
14	.7 Transport in bulk according to Annex II of Marpol and the IBC	Non-applicable

## SECTION 15: REGULATORY INFORMATION

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture:

Regulation (EC) No 528/2012: contains a preservative to protect the initial properties of the treated article. Contains Ethanol.

Candidate substances for authorisation under the Regulation (EC) No 1907/2006 (REACH): Non-applicable

Substances included in Annex XIV of REACH ("Authorisation List") and sunset date: Non-applicable



## SECTION 15: REGULATORY INFORMATION (continued)

Regulation (EC) No 1005/2009, about substances that deplete the ozone layer: Non-applicable

Article 95, REGULATION (EU) No 528/2012: Ethanol (Product-type 1, 2, 4, 6) ; Propan-2-ol (Product-type 1, 2, 4)

REGULATION (EU) No 649/2012, in relation to the import and export of hazardous chemical products: Non-applicable

## Seveso III:

Section	Description	Lower-tier requirements	Upper-tier requirements
P5c		5000	50000
E2		200	500

Limitations to commercialisation and the use of certain dangerous substances and mixtures (Annex XVII REACH, etc ....):

Non-applicable

#### Specific provisions in terms of protecting people or the environment:

It is recommended to use the information included in this safety data sheet as a basis for conducting workplace-specific risk assessments in order to establish the necessary risk prevention measures for the handling, use, storage and disposal of this product.

## Other legislation:

The product could be affected by sectorial legislation

#### 15.2 Chemical safety assessment:

The supplier has not carried out evaluation of chemical safety.

## SECTION 16: OTHER INFORMATION

#### Legislation related to safety data sheets:

This safety data sheet has been designed in accordance with ANNEX II-Guide to the compilation of safety data sheets of Regulation (EC) No 1907/2006 (Regulation (EC) No 2015/830)

Modifications related to the previous Safety Data Sheet which concerns the ways of managing risks.:

Non-applicable

### Texts of the legislative phrases mentioned in section 2:

H411: Toxic to aquatic life with long lasting effects

H317: May cause an allergic skin reaction

H225: Highly flammable liquid and vapour

H319: Causes serious eye irritation

## Texts of the legislative phrases mentioned in section 3:

The phrases indicated do not refer to the product itself; they are present merely for informative purposes and refer to the individual components which appear in section 3

## CLP Regulation (EC) No 1272/2008:

Aquatic Acute 1: H400 - Very toxic to aquatic life Aquatic Chronic 1: H410 - Very toxic to aquatic life with long lasting effects Aquatic Chronic 2: H411 - Toxic to aquatic life with long lasting effects Eye Irrit. 2: H319 - Causes serious eye irritation Flam. Liq. 2: H225 - Highly flammable liquid and vapour Skin Irrit. 2: H315 - Causes skin irritation Skin Sens. 1: H317 - May cause an allergic skin reaction Skin Sens. 1B: H317 - May cause an allergic skin reaction STOT SE 3: H336 - May cause drowsiness or dizziness

#### **Classification procedure:**

Aquatic Chronic 2: Calculation method Skin Sens. 1B: Calculation method Flam. Liq. 2: Calculation method (2.6.4.3) Eye Irrit. 2: Calculation method

#### Advice related to training:

Minimal training is recommended in order to prevent industrial risks for staff using this product and to facilitate their comprehension and interpretation of this safety data sheet, as well as the label on the product.

#### Principal bibliographical sources:

http://echa.europa.eu

http://eur-lex.europa.eu

Abbreviations and acronyms:



# SECTION 16: OTHER INFORMATION (continued)

ADR: European agreement concerning the international carriage of dangerous goods by road IMDG: International maritime dangerous goods code IATA: International Air Transport Association ICAO: International Civil Aviation Organisation COD: Chemical Oxygen Demand BOD5: 5-day biochemical oxygen demand BCF: Bioconcentration factor LD50: Lethal Dose 50 LC50: Lethal Concentration 50 EC50: Effective concentration 50 Log-POW: Octanol-water partition coefficient Koc: Partition coefficient of organic carbon