Printing date 02.04.2019

Revision: 02.04.2019

| 1.                          | 1 Product identifier  |  |
|-----------------------------|---|--|
| Tr                          | rade name: <u>GLAZE</u>   |  |
| 1.<br>Se<br>Sl              | rticle number: 641-123070<br>2 Relevant identified uses of the substance or mixture and uses advised against<br>ector of Use<br>U3 Industrial uses: Uses of substances as such or in preparations at industrial sites<br>U21 Consumer uses: Private households / general public / consumers<br>oplication of the substance / the mixture Car Polish |  |
| Ma<br>Sa<br>6 I<br>Sl       | <b>3 Details of the supplier of the safety data sheet<br/>anufacturer/Supplier:</b><br>am's Detailing<br>Blackburn Road<br>heffield<br>61 2DR   |  |
| he<br>Te<br><b>1.</b><br>he | urther information obtainable from:<br>ello@samsdetailing.co.uk<br>el: 0114 383 0709<br><b>4 Emergency telephone number:</b><br>ello@samsdetailing.co.uk<br>el: 0114 383 0709   |  |
| S                           | ECTION 2: Hazards identification  |  |

#### · 2.2 Label elements

- · Labelling according to Regulation (EC) No 1272/2008 Void
- · Hazard pictograms Void
- · Signal word Void
- · Hazard statements Void
- Additional information: EUH066 Repeated exposure may cause skin dryness or cracking. Keep out of the reach of children
- · 2.3 Other hazards
- Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · **vPvB:** Not applicable.

# SECTION 3: Composition/information on ingredients

· 3.2 Chemical characterisation: Mixtures

· Description: Mixture of substances listed below with nonhazardous additions.

Dangerous components:

| Dangerous components.          |  |             |
|--------------------------------|--|-------------|
| CAS: 64742-48-9                | Hydrocarbons, C9-C11,n-                          |             |
| EINECS: 265-150-3              | alkanes,isoalkanes,cyclics,<2%aromatics. Benzene |             |
| Reg.nr.: 01-2119463258-33-0002 |  |             |
|                                | 🚸 Flam. Liq. 3, H226                             |             |
|                                | 🚸 Asp. Tox. 1, H304                              |             |
|                                | 🚯 STOT SE 3, H336                                |             |
| CAS: 64742-47-8                | Distillates (petroleum), hydrotreated light      | 5-10%       |
| EC number: 926-141-6           | (contains <0.1%benzene)                          |             |
| Reg.nr.: 01-2119456620-43-xxxx | 🚸 Asp. Tox. 1, H304                              |             |
|                                | (Contd   | . on page 2 |

----- GB

Printing date 02.04.2019

Revision: 02.04.2019

### Trade name: GLAZE

|   | (Conto  | l. of page 1) |
|---|---|---------------|
| CAS: 541-02-6<br>EINECS: 208-764-9<br>Reg.nr.: 01-2119511367-43-0000      | Decamethylcyclopentasiloxane<br>substance with a Community workplace exposure limit | 0-2.5%        |
| CAS: 64771-72-8<br>EC number: 929-018-5<br>Reg.nr.: 01-2119475608-26-xxxx | Hydrocarbons, C10-C13,n-alkanes,<2% aromatics                                       | 0-2.5%        |
| ·SVHC   |   |               |

541-02-6 Decamethylcyclopentasiloxane

• Additional information For the wording of the listed hazard phrases refer to section 16.

# SECTION 4: First aid measures

- · 4.1 Description of first aid measures
- · General information Immediately remove any clothing soiled by the product.
- After inhalation Supply fresh air; consult doctor in case of complaints.
- · After skin contact Immediately wash with water and soap and rinse thoroughly.
- · After eye contact
- Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor. After swallowing
- Do not induce vomiting; call for medical help immediately. Rinse out mouth and then drink plenty of water.
- **4.2 Most important symptoms and effects, both acute and delayed** No further relevant information available.
- **4.3 Indication of any immediate medical attention and special treatment needed** If swallowed or in case of vomiting, danger of entering the lungs

# **SECTION 5: Firefighting measures**

- · 5.1 Extinguishing media
- <sup>•</sup> Suitable extinguishing agents

CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

- 5.2 Special hazards arising from the substance or mixture
- No further relevant information available.
- 5.3 Advice for firefighters
- · Protective equipment: No special measures required.

## SECTION 6: Accidental release measures

- · 6.1 Personal precautions, protective equipment and emergency procedures Not required.
- **6.2 Environmental precautions:** Dilute with plenty of water.

Do not allow to enter sewers /surface or ground water drains.

- · 6.3 Methods and material for containment and cleaning up:
- Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders).
- 6.4 Reference to other sections No dangerous substances are released.

# **SECTION 7: Handling and storage**

- **7.1 Precautions for safe handling** No special precautions are necessary if used correctly. • **Information about fire - and explosion protection:** No special measures required.
- 7.2 Conditions for safe storage, including any incompatibilities
- · Storage
- Requirements to be met by storerooms and receptacles: No special requirements.

(Contd. on page 3)

*Printing date 02.04.2019* 

Revision: 02.04.2019

(Contd. of page 2)

Trade name: GLAZE

- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions: None.

• 7.3 Specific end use(s) No further relevant information available.

### **SECTION 8: Exposure controls/personal protection**

· Additional information about design of technical facilities: No further data; see item 7.

· 8.1 Control parameters

· Ingredients with limit values that require monitoring at the workplace:

64742-48-9 Hydrocarbons, C9-C11,n-alkanes,isoalkanes,cyclics,<2%aromatics. Benzene concentration is <0.1%

OEL Short-term value: 600 mg/m<sup>3</sup>, 100 ppm Long-term value: 300 mg/m<sup>3</sup>, 50 ppm

#### 64742-47-8 Distillates (petroleum), hydrotreated light (contains <0.1%benzene)

TWA Long-term value: 200 mg/m<sup>3</sup>

541-02-6 Decamethylcyclopentasiloxane

TWA Long-term value: 10 ppm

64771-72-8 Hydrocarbons, C10-C13,n-alkanes,<2% aromatics

OEL Short-term value: 600 mg/m<sup>3</sup>

· DNELs

64742-48-9 Hydrocarbons, C9-C11,n-alkanes,isoalkanes,cyclics,<2%aromatics. Benzene concentration is <0.1%

Oral LD50 >5,000 mg/kg (rat)

Dermal LD50 >3,000 mg/kg (rab)

• Additional information: The lists valid during the making were used as basis.

- · 8.2 Exposure controls
- Personal protective equipment
- General protective and hygienic measures

The usual precautionary measures are to be adhered to when handling chemicals.

- · Respiratory protection: Not required.
- Protection of hands: Rubber gloves
- · Material of gloves Natural rubber, NR
- · Penetration time of glove material

The determined penetration times according to EN 374 part III are not performed under practical conditions. Therefore a maximum wearing time, which corresponds to 50% of the penetration time, is recommended.

· Eye protection: Safety glasses

#### SECTION 9: Physical and chemical properties · 9.1 Information on basic physical and chemical properties General Information • Appearance: Form: Viscous Colour: White · Odour: Characteristic · pH-value at 20 °C: 9 · Change in condition Melting point/freezing point: undetermined (Contd. on page 4) GB

Printing date 02.04.2019

Revision: 02.04.2019

#### Trade name: GLAZE

|   | (Contd. of page 3  |
|---|--|
| Initial boiling point and boiling i   | range: 100 °C  |
| · Flash point:  | 64 °C  |
| · Ignition temperature:   | 230.0 °C   |
| · Auto-ignition temperature:  | Product is not selfigniting.                             |
| · Explosive properties:   | Product does not present an explosion hazard.            |
| · Explosion limits:<br>Lower:<br>Upper:   | 0.9 Vol %<br>8.0 Vol %                                   |
| · Vapour pressure at 20 °C:   | 23.0 hPa   |
| · Density at 20 °C:   | 0.997 g/cm³  |
| <ul> <li>Solubility in / Miscibility with<br/>Water:</li> </ul>                     | Partly miscible  |
| <ul> <li>Viscosity:<br/>dynamic at 20 °C:</li> <li>9.2 Other information</li> </ul> | 20000 mPas<br>No further relevant information available. |

### SECTION 10: Stability and reactivity

- · 10.1 Reactivity No further relevant information available.
- · 10.2 Chemical stability
- **Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.
- 10.3 Possibility of hazardous reactions No dangerous reactions known
- · 10.4 Conditions to avoid No further relevant information available.
- 10.5 Incompatible materials: No further relevant information available.
- · 10.6 Hazardous decomposition products: No dangerous decomposition products known

## **SECTION 11: Toxicological information**

- · 11.1 Information on toxicological effects
- Acute toxicity Based on available data, the classification criteria are not met.
- Primary irritant effect:
- · Skin corrosion/irritation Based on available data, the classification criteria are not met.
- Serious eye damage/irritation Based on available data, the classification criteria are not met.
- · Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
- · CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)
- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- Carcinogenicity Based on available data, the classification criteria are not met.
- · Reproductive toxicity Based on available data, the classification criteria are not met.

• STOT-single exposure Based on available data, the classification criteria are not met.

• STOT-repeated exposure Based on available data, the classification criteria are not met.

Aspiration hazard Based on available data, the classification criteria are not met.

## **SECTION 12: Ecological information**

- · 12.1 Toxicity
- · Aquatic toxicity: No further relevant information available.
- 12.2 Persistence and degradability No further relevant information available.
- **12.3 Bioaccumulative potential** No further relevant information available.
- · 12.4 Mobility in soil No further relevant information available.

(Contd. on page 5)

GB

Printing date 02.04.2019

Revision: 02.04.2019

(Contd. of page 4)

#### Trade name: GLAZE

### · Additional ecological information:

· General notes:

Water danger class 3 (German Regulation) (Self-assessment): extremely hazardous for water. Do not allow product to reach ground water, water course or sewage system, even in small quantities.

Danger to drinking water if even extremely small quantities leak into the ground.

- 12.5 Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- vPvB: Not applicable.
- · 12.6 Other adverse effects No further relevant information available.

### **SECTION 13: Disposal considerations**

- · 13.1 Waste treatment methods
- **Recommendation** Do not allow product to reach ground water or water course.
- · Uncleaned packaging:
- Recommendation: Disposal must be made according to official regulations.
- Recommended cleansing agents: Water, if necessary together with cleansing agents.

| SECTION 14: Transport information  |                           |  |  |
|--|---------------------------|--|--|
| · 14.1 UN-Number<br>· ADR, ADN, IMDG, IATA   | Void                      |  |  |
| <ul> <li>14.2 UN proper shipping name</li> <li>ADR</li> <li>ADN, IMDG, IATA</li> </ul>     | Void<br>Void              |  |  |
| · 14.3 Transport hazard class(es)  |                           |  |  |
| · ADR, ADN, IMDG, IATA<br>· Class  | Void                      |  |  |
| · 14.4 Packing group<br>· ADR, IMDG, IATA  | Void                      |  |  |
| <ul> <li>14.5 Environmental hazards:</li> <li>Marine pollutant:</li> </ul>                 | No                        |  |  |
| · 14.6 Special precautions for user  | Not applicable.           |  |  |
| <ul> <li>14.7 Transport in bulk according to Anr<br/>of Marpol and the IBC Code</li> </ul> | nex II<br>Not applicable. |  |  |
| · UN "Model Regulation":   | Void                      |  |  |

# **SECTION 15: Regulatory information**

- · 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Labelling according to Regulation (EC) No 1272/2008 Void
- · Hazard pictograms Void
- Signal word Void
- · Hazard statements Void
- REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 70
- National regulations
- · Waterhazard class: Water danger class 3 (Self-assessment): extremely hazardous for water.

(Contd. on page 6)

Printing date 02.04.2019

Revision: 02.04.2019

### Trade name: GLAZE

(Contd. of page 5)

| 15.2 Chemical safety assessme   | nt: A Chemical Safety Assessment has been carried out.   |
|---|--|
| SECTION 16: Other inform  | ation  |
|   | present knowledge. However, this shall not constitute a guaran<br>nd shall not establish a legally valid contractual relationship.   |
| <b>Relevant phrases</b><br>H226 Flammable liquid and vapou<br>H304 May be fatal if swallowed an<br>H336 May cause drowsiness or di  | d enters airways.  |
| Department issuing SDS: Techn   | ical Department.   |
| Abbreviations and acronyms:<br>ADR: Accord européen sur le transport de<br>International Carriage of Dangerous Good.<br>IMDG: International Maritime Code for Dar<br>IATA: International Air Transport Associati<br>GHS: Globally Harmonised System of Class<br>EINECS: European Inventory of Existing C<br>ELINCS: European List of Notified Chemic<br>CAS: Chemical Abstracts Service (division<br>DNEL: Derived No-Effect Level (REACH)<br>PBT: Persistent, Bioaccumulative and Tox<br>SVHC: Substances of Very High Concern<br>vPvB: very Persistent and very Bioaccumu<br>Flam. Liq. 3: Flammable liquids – Category<br>STOT SE 3: Specific target organ toxicity (<br>Asp. Tox. 1: Aspiration hazard – Category | ngerous Goods<br>on<br>ssification and Labelling of Chemicals<br>Commercial Chemical Substances<br>al Substances<br>of the American Chemical Society)<br>ric<br>ulative<br>y 3<br>(single exposure) – Category 3 |