

This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any country-specific legislation



Fresso Car Perfume Signature Man

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1 Product identifier: Fresso Car Perfume Signature Man

Other means of identification:

Non-applicable

1.2 Relevant identified uses of the substance or mixture and uses advised against:

Relevant uses: Air freshener

Uses advised against: All uses not specified in this section or in section 7.3

1.3 Details of the supplier of the safety data sheet:

FRISTO Damian Figarski Panny Wodnej 46/48 lok. 21 04-862 Warszawa - Polska Phone: +48 799 27 27 26

biuro@fresso.pl www.fresso.eu

1.4 Emergency telephone number: +48 799 27 27 26 (8-16)

112 (24/7)

SECTION 2: HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture:

CLP Regulation (EC) No 1272/2008:

Classification of this product has been carried out in accordance with CLP Regulation (EC) No 1272/2008.

Aquatic Chronic 2: Hazardous to the aquatic environment, long-term hazard, Category 2, H411

Eye Irrit. 2: Eye irritation, Category 2, H319

Flam. Liq. 2: Flammable liquids, Category 2, H225

2.2 Label elements:

CLP Regulation (EC) No 1272/2008:

Danger







Hazard statements:

Aquatic Chronic 2: H411 - Toxic to aquatic life with long lasting effects.

Eye Irrit. 2: H319 - Causes serious eye irritation.

Flam. Liq. 2: H225 - Highly flammable liquid and vapour.

Precautionary statements:

P101: If medical advice is needed, have product container or label at hand.

P102: Keep out of reach of children.

P210: Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

P273: Avoid release to the environment.

P302+P352: IF ON SKIN: Wash with plenty of water.

P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P333+P313: If skin irritation or rash occurs: Get medical advice/attention.

P501: Dispose of contents/container according to the separated collection system used in your municipality.

Supplementary information:

EUH208: Contains (E)-1-(2,6,6-trimethyl-2-cyclohexen-1-yl)-2-buten-1-one, (r)-p-mentha-1,8-diene, 1-(1,2,3,4,5,6,7,8-octahydro-2,3,8,8-tetramethyl-2-naphthyl)ethan-1-one, 1,2,3,5,6,7-hexahydro-1,1,2,3,3-pentamethyl-4H-inden-4-one, a-methyl-1,3-benzodioxole-5-propionaldehyde, Cedryl methyl ketone, Cineole, Citral, Citronellol, Coumarin, Geranyl acetate, Linalool, Linalyl acetate, Methyl 2,4-dihydroxy-3,6-dimethylbenzoate, Para-anisyl propanal, Pin-2(10)-ene, Pin-2(3)-ene. May produce an allergic reaction.



This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any country-specific legislation



Page 2/25

Fresso Car Perfume Signature Man

SECTION 2: HAZARDS IDENTIFICATION (continued)

2.3 Other hazards:

Product fails to meet PBT/vPvB criteria

Endocrine-disrupting properties: The product fails to meet the criteria.

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.1 Substance:

Non-applicable

3.2 Mixture:

Chemical description: Odoriferous mixture based on natural and/or synthetic ingredients

Components:

In accordance with Annex II of Regulation (EC) No 1907/2006 (point 3), the product contains:

| Identification | | Chemical name/Classification | Concentration |
|--|---|---|---------------|
| CAS: 64-17-5 EC: 200-578-6 Index: 603-002-00-5 REACH: 01-2119457610-43- XXXX | ethanol ⁽¹⁾ Regulation 1272/2008 | Self-classified Eye Irrit. 2: H319; Flam. Liq. 2: H225 - Danger | 30 - <50 % |
| CAS: 18479-58-8 EC: 242-362-4 Index: Non-applicable REACH: 01-2119457274-37- | 2,6-dimethyloct-7-en-2- | ol(1) Self-classified Eye Irrit. 2: H319; Skin Irrit. 2: H315 - Warning | 1,5 - <3 % |
| XXXX CAS: 28219-61-6 | 2-ethyl-4-(2,2,3-trimethy | yl-3-cyclopenten-1-yl)-2-buten-1-ol ⁽¹⁾ Self-classified | |
| EC: 248-908-8 Index: Non-applicable REACH: Non-applicable | Regulation 1272/2008 | Aquatic Chronic 2: H411; Eye Irrit. 2: H319; Skin Irrit. 2: H315 - Warning | 0,75 - <1,5 % |
| CAS: 115-95-7 | Linalyl acetate (1) | Self-classified | |
| EC: 204-116-4 Index: Non-applicable REACH: 01-2119454789-19- XXXX | Regulation 1272/2008 | Eye Irrit. 2: H319; Skin Irrit. 2: H315; Skin Sens. 1B: H317 - Warning | 0,5 - <1 % |
| CAS: 54464-57-2 | 1-(1,2,3,4,5,6,7,8-octah | ydro-2,3,8,8-tetramethyl-2-naphthyl)ethan-1-one ⁽¹⁾ Self-classified | |
| EC: 259-174-3 Index: Non-applicable REACH: Non-applicable | Regulation 1272/2008 | Aquatic Chronic 1: H410; Skin Irrit. 2: H315; Skin Sens. 1B: H317 - Warning | 0,5 - <1 % |
| CAS: 32388-55-9 | Cedryl methyl ketone ⁽¹⁾ | Self-classified | |
| EC: 251-020-3 Index: Non-applicable REACH: 01-2119969651-28- XXXX | Regulation 1272/2008 | Aquatic Acute 1: H400; Aquatic Chronic 1: H410; Skin Sens. 1B: H317 - Warning | 0,5 - <1 % |
| CAS: 78-70-6 | Linalool ⁽¹⁾ | Self-classified | |
| EC: 201-134-4 Index: 603-235-00-2 REACH: 01-2119474016-42- XXXX | Regulation 1272/2008 | Eye Irrit. 2: H319; Skin Irrit. 2: H315; Skin Sens. 1B: H317 - Warning | 0,5 - <1 % |
| CAS: 5989-27-5 | (r)-p-mentha-1,8-diene | n Self-classified | |
| EC: 227-813-5 Index: Non-applicable REACH: 01-2119529223-47- XXXX | Regulation 1272/2008 | Aquatic Acute 1: H400; Aquatic Chronic 1: H410; Asp. Tox. 1: H304; Flam. Liq. 3: H226; Skin Irrit. 2: H315; Skin Sens. 1: H317 - Danger | 0,5 - <1 % |
| CAS: 106-22-9 | Citronellol ⁽¹⁾ | Self-classified | |
| EC: 203-375-0 Index: Non-applicable REACH: 01-2119453995-23- XXXX | Regulation 1272/2008 | Eye Irrit. 2: H319; Skin Irrit. 2: H315; Skin Sens. 1B: H317 - Warning | 0,1 - <0,75 % |
| CAS: 4707-47-5 | Methyl 2,4-dihydroxy-3, | 6-dimethylbenzoate⁽¹⁾ Self-classified | |
| EC: 225-193-0 Index: Non-applicable REACH: 01-2120762759-36- XXXX | Regulation 1272/2008 | Skin Sens. 1B: H317 - Warning | 0,1 - <0,75 % |
| | | | |

⁽¹⁾ Substances presenting a health or environmental hazard which meet criteria laid down in Regulation (EU) No. 2020/878

- CONTINUED ON NEXT PAGE -

⁽²⁾ Voluntarily-listed substance failing to meet any of the criteria set out in Regulation (EU) No. 2020/878

⁽³⁾ Substance with a Union workplace exposure limit









Fresso Car Perfume Signature Man

| Identification | Chemical name/Classification | Concer | | | |
|--|---|---------------------------|--|--|--|
| CAS: 67-63-0 | propan-2-ol ⁽²⁾ ATP CLI | P00 | | | |
| EC: 200-661-7 Index: 603-117-00-0 REACH: 01-2119457558-25- XXXX | Regulation 1272/2008 Eye Irrit. 2: H319; Flam. Liq. 2: H225; STOT SE 3: H336 - Danger | 1.0,1 - < | | | |
| CAS: 78-93-3 | Butanone ⁽³⁾ ATP CLI | P00 | | | |
| EC: 201-159-0 Index: 606-002-00-3 REACH: 01-2119457290-43- XXXX | Regulation 1272/2008 Eye Irrit. 2: H319; Flam. Liq. 2: H225; STOT SE 3: H336; EUH066 - Danger a-methyl-1,3-benzodioxole-5-propionaldehyde ⁽¹⁾ Self-classified | | | | |
| CAS: 1205-17-0 | a-methyl-1,3-benzodioxole-5-propionaldehyde ⁽¹⁾ Self-class | ssified | | | |
| EC: 214-881-6 Index: Non-applicable REACH: 01-2120740119-58- XXXX | Regulation 1272/2008 Aquatic Chronic 2: H411; Repr. 2: H361; Skin Sens. 1B: H317 - Warning | \$ \(\frac{1}{2}\) | | | |
| CAS: 33704-61-9 | 1,2,3,5,6,7-hexahydro-1,1,2,3,3-pentamethyl-4H-inden-4-one ⁽¹⁾ Self-class | ssified | | | |
| EC: 251-649-3 Index: Non-applicable REACH: 01-2119977131-40- XXXX | Aquatia Chronia 2: H444: Eva Irrit 2: H240: Skin Irrit 2: H245: Skin Sana 4D: H247 | <u>(1)</u> (2) | | | |
| CAS: 127-91-3 | Pin-2(10)-ene ⁽¹⁾ Self-class | ssified | | | |
| EC: 204-872-5 Index: Non-applicable REACH: 01-2119519230-54- XXXX | Regulation 1272/2008 Aquatic Acute 1: H400; Aquatic Chronic 1: H410; Asp. Tox. 1: H304; Flam. Liq. 3: H226; Skin Irrit. 2: H315; Skin Sens. 1B: H317 - Danger | \$ \(\frac{1}{2}\) | | | |
| CAS: 5392-40-5 | Citral ⁽¹⁾ Self-clas | ssified | | | |
| EC: 226-394-6 Index: 605-019-00-3 REACH: 01-2119462829-23- XXXX | Regulation 1272/2008 Eye Irrit. 2: H319; Skin Irrit. 2: H315; Skin Sens. 1: H317 - Warning | <u>(1)</u> | | | |
| CAS: 128-37-0 | 2,6-di-tert-butyl-p-cresol ⁽¹⁾ Self-class | ssified | | | |
| EC: 204-881-4 Index: Non-applicable REACH: 01-2119565113-46- XXXX | Regulation 1272/2008 Aquatic Acute 1: H400; Aquatic Chronic 1: H410 - Warning | <0,2 | | | |
| CAS: 105-87-3 | Geranyl acetate ⁽¹⁾ Self-classified | | | | |
| EC: 203-341-5 Index: Non-applicable REACH: 01-2119973480-35- XXXX | Regulation 1272/2008 Aquatic Chronic 3: H412; Skin Irrit. 2: H315; Skin Sens. 1B: H317 - Warning | <0,2 | | | |
| CAS: 80-56-8 | Pin-2(3)-ene ⁽¹⁾ Self-class | ssified | | | |
| EC: 201-291-9 Index: Non-applicable REACH: 01-2119519223-49- XXXX | Regulation 1272/2008 Acute Tox. 4: H302; Aquatic Acute 1: H400; Aquatic Chronic 1: H410; Asp. Tox. 1: H304; Flam. Liq. 3: H226; Skin Irrit. 2: H315; Skin Sens. 1B: H317 - Danger | \$ \(\frac{1}{2}\) | | | |
| CAS: 5462-06-6 | Para-anisyl propanal ⁽¹⁾ Self-class | | | | |
| EC: 226-749-5 Index: Non-applicable REACH: 01-2120629103-67- XXXX | Regulation 1272/2008 Skin Sens. 1B: H317 - Warning | <0,2 | | | |
| CAS: 470-82-6 | Cineole ⁽¹⁾ Self-clas | ssified | | | |
| EC: 207-431-5 Index: Non-applicable REACH: 01-2119967772-24- XXXX | | <u>1</u> <0,2 | | | |
| CAS: 24720-09-0 | (E)-1-(2,6,6-trimethyl-2-cyclohexen-1-yl)-2-buten-1-one ⁽¹⁾ Self-clas | ssified | | | |
| EC: 246-430-4 Index: Non-applicable REACH: 01-2120105799-47- XXXX | Regulation 1272/2008 Acute Tox. 4: H302; Aquatic Chronic 2: H411; Skin Sens. 1B: H317 - Warning | <u>(1)</u> (2),2 | | | |
| CAS: 91-64-5 | Coumarin ⁽¹⁾ Self-class | | | | |
| CAS: 91-64-5 EC: 202-086-7 Index: Non-applicable | Acute Tox. 4: H302; Skin Sens. 1B: H317 - Warning | <0,2 | | | |

⁽¹⁾ Substances presenting a health or environmental hazard which meet criteria laid down in Regulation (EU) No. 2020/878

⁽²⁾ Voluntarily-listed substance failing to meet any of the criteria set out in Regulation (EU) No. 2020/878

⁽³⁾ Substance with a Union workplace exposure limit



This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any country-specific legislation







Fresso Car Perfume Signature Man

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS (continued)

| | Identification | | Chemical name/Classification | Concentration |
|------------------------|--|-------------------------|---|---------------|
| CAS: | 99-85-4 | p-mentha-1,4-diene(1) | Self-classified | |
| EC: Index: REACH | 202-794-6 Non-applicable : 01-2120780478-40- XXXX | Regulation 1272/2008 | Asp. Tox. 1: H304; Flam. Liq. 3: H226; Repr. 2: H361 - Danger | <0,25 % |
| CAS: | 52475-86-2 | 1-methyl-4-(4-methyl-3- | pentenyl)cyclohex-3-ene-1-carbaldehyde ⁽¹⁾ Self-classified | |
| EC: Index: REACH | 257-942-2 Non-applicable : Non-applicable | Regulation 1272/2008 | Aquatic Acute 1: H400; Aquatic Chronic 1: H410 - Warning | <0,25 % |

⁽¹⁾ Substances presenting a health or environmental hazard which meet criteria laid down in Regulation (EU) No. 2020/878

To obtain more information on the hazards of the substances consult sections 11, 12 and 16.

Other information:

| Identification | Specific concentration limit |
|--|-----------------------------------|
| ethanol CAS: 64-17-5 EC: 200-578-6 | % (w/w) >=50: Eye Irrit. 2 - H319 |

SECTION 4: FIRST AID MEASURES

4.1 Description of first aid measures:

The symptoms resulting from intoxication can appear after exposure, therefore, in case of doubt, seek medical attention for direct exposure to the chemical product or persistent discomfort, showing the SDS of this product.

By inhalation:

This product is not classified as hazardous through inhalation. However, in case of intoxication symptoms it is recommended to remove the person affected from the area of exposure, provide clean air and keep at rest. Request medical attention if symptoms persist.

By skin contact:

Remove contaminated clothing and footwear, rinse skin or shower the person affected if appropriate with plenty of cold water and neutral soap. In serious cases see a doctor. If the product causes burns or freezing, clothing should not be removed as this could worsen the injury caused if it is stuck to the skin. If blisters form on the skin, these should never be burst as this will increase the risk of infection.

By eye contact:

Rinse eyes thoroughly with water for at least 15 minutes. If the injured person uses contact lenses, these should be removed unless they are stuck to the eyes, in which case removal could cause further damage. In all cases, after cleaning, a doctor should be consulted as quickly as possible with the SDS for the product.

By ingestion/aspiration:

Do not induce vomiting, but if it does happen keep the head down to avoid aspiration. Keep the person affected at rest. Rinse out the mouth and throat, as they may have been affected during ingestion.

4.2 Most important symptoms and effects, both acute and delayed:

Acute and delayed effects are indicated in sections 2 and 11.

4.3 Indication of any immediate medical attention and special treatment needed:

Non-applicable

SECTION 5: FIREFIGHTING MEASURES

5.1 Extinguishing media:

Suitable extinguishing media:

If possible use polyvalent powder fire extinguishers (ABC powder), alternatively use foam or carbon dioxide extinguishers (CO₂).

Unsuitable extinguishing media:

Page 4/25 Date of compilation: 06/06/2022 Version: 1

⁽²⁾ Voluntarily-listed substance failing to meet any of the criteria set out in Regulation (EU) No. 2020/878

⁽³⁾ Substance with a Union workplace exposure limit



This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any country-specific legislation







Fresso Car Perfume Signature Man

SECTION 5: FIREFIGHTING MEASURES (continued)

IT IS RECOMMENDED NOT to use full jet water as an extinguishing agent.

5.2 Special hazards arising from the substance or mixture:

As a result of combustion or thermal decomposition reactive sub-products are created that can become highly toxic and, consequently, can present a serious health risk.

5.3 Advice for firefighters:

Depending on the magnitude of the fire it may be necessary to use full protective clothing and self-contained breathing apparatus (SCBA). Minimum emergency facilities and equipment should be available (fire blankets, portable first aid kit,...) in accordance with Directive 89/654/EC.

Additional provisions:

Act in accordance with the Internal Emergency Plan and the Information Sheets on actions to take after an accident or other emergencies. Eliminate all sources of ignition. In case of fire, cool the storage containers and tanks for products susceptible to combustion, explosion or BLEVE as a result of high temperatures. Avoid spillage of the products used to extinguish the fire into an aqueous medium.

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures:

For non-emergency personnel:

Isolate leaks provided that there is no additional risk for the people performing this task. Evacuate the area and keep out those without protection. Personal protection equipment must be used against potential contact with the spilt product (See section 8). Above all prevent the formation of any vapour-air flammable mixtures, through either ventilation or the use of an inert medium. Remove any source of ignition. Eliminate electrostatic charges by interconnecting all the conductive surfaces on which static electricity could form, and also ensuring that all surfaces are connected to the ground.

For emergency responders:

See section 8.

6.2 **Environmental precautions:**

Avoid at all cost any type of spillage into an aqueous medium. Contain the product absorbed appropriately in hermetically sealed containers. Notify the relevant authority in case of exposure to the general public or the environment.

Methods and material for containment and cleaning up:

It is recommended:

Absorb the spillage using sand or inert absorbent and move it to a safe place. Do not absorb in sawdust or other combustible absorbents. For any concern related to disposal consult section 13.

6.4 Reference to other sections:

See sections 8 and 13.

SECTION 7: HANDLING AND STORAGE

7.1 Precautions for safe handling:

A.- General precautions for safe use

Comply with the current legislation concerning the prevention of industrial risks. Keep containers hermetically sealed. Control spills and residues, destroying them with safe methods (section 6). Avoid leakages from the container. Maintain order and cleanliness where dangerous products are used.

B.- Technical recommendations for the prevention of fires and explosions

Transfer in well ventilated areas, preferably through localized extraction. Fully control sources of ignition (mobile phones, sparks,...) and ventilate during cleaning operations. Avoid the existence of dangerous atmospheres inside containers, applying inertization systems where possible. Transfer at a slow speed to avoid the creation of electrostatic charges. Against the possibility of electrostatic charges: ensure a perfect equipotential connection, always use groundings, do not wear work clothes made of acrylic fibres, preferably wearing cotton clothing and conductive footwear. Comply with the essential security requirements for equipment and systems defined in Directive 2014/34/EC (ATEX 100) and with the minimum requirements for protecting the security and health of workers under the selection criteria of Directive 1999/92/EC (ATEX 137). Consult section 10 for conditions and materials that should be avoided.



This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any country-specific legislation

! ¥≥ <



SECTION 7: HANDLING AND STORAGE (continued)

C.- Technical recommendations on general occupational hygiene

Do not eat or drink during the process, washing hands afterwards with suitable cleaning products.

D.- Technical recommendations to prevent environmental risks

Due to the danger of this product for the environment it is recommended to use it within an area containing contamination control barriers in case of spillage, as well as having absorbent material in close proximity.

7.2 Conditions for safe storage, including any incompatibilities:

A.- Technical measures for storage

Store in a cool, dry, well-ventilated location

B.- General conditions for storage

Avoid sources of heat, radiation, static electricity and contact with food. For additional information see subsection 10.5

7.3 Specific end use(s):

Except for the instructions already specified it is not necessary to provide any special recommendation regarding the uses of this product.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 Control parameters:

Substances whose occupational exposure limits have to be monitored in the workplace (European OEL, not country-specific legislation):

Directive (EU) 2000/39, Directive 2004/37/EC, Directive (EU) 2006/15, Directive (EU) 2009/161, Directive (EU) 2017/164, Directive (EU) 2019/1831:

| | Identification | Occupa | ational exposure li | mits |
|--------------|----------------|--------------|---------------------|-----------|
| Butanone | | IOELV (8h) | 200 ppm | 600 mg/m³ |
| CAS: 78-93-3 | EC: 201-159-0 | IOELV (STEL) | 300 ppm | 900 mg/m³ |

DNEL (Workers):

| | | Short e | exposure | Long e | exposure |
|---------------------------|------------|----------------|----------------|----------------|----------------|
| Identification | | Systemic | Local | Systemic | Local |
| ethanol | Oral | Non-applicable | Non-applicable | Non-applicable | Non-applicable |
| CAS: 64-17-5 | Dermal | Non-applicable | Non-applicable | 343 mg/kg | Non-applicable |
| EC: 200-578-6 | Inhalation | Non-applicable | Non-applicable | 950 mg/m³ | Non-applicable |
| 2,6-dimethyloct-7-en-2-ol | Oral | Non-applicable | Non-applicable | Non-applicable | Non-applicable |
| CAS: 18479-58-8 | Dermal | Non-applicable | Non-applicable | 20,8 mg/kg | Non-applicable |
| EC: 242-362-4 | Inhalation | Non-applicable | Non-applicable | 73,5 mg/m³ | Non-applicable |
| Linalyl acetate | Oral | Non-applicable | Non-applicable | Non-applicable | Non-applicable |
| CAS: 115-95-7 | Dermal | Non-applicable | Non-applicable | 2,5 mg/kg | Non-applicable |
| EC: 204-116-4 | Inhalation | Non-applicable | Non-applicable | 2,75 mg/m³ | Non-applicable |
| Cedryl methyl ketone | Oral | Non-applicable | Non-applicable | Non-applicable | Non-applicable |
| CAS: 32388-55-9 | Dermal | Non-applicable | Non-applicable | 0,333 mg/kg | Non-applicable |
| EC: 251-020-3 | Inhalation | Non-applicable | Non-applicable | 1,17 mg/m³ | Non-applicable |
| Linalool | Oral | Non-applicable | Non-applicable | Non-applicable | Non-applicable |
| CAS: 78-70-6 | Dermal | Non-applicable | Non-applicable | 3,5 mg/kg | Non-applicable |
| EC: 201-134-4 | Inhalation | Non-applicable | Non-applicable | 24,58 mg/m³ | Non-applicable |
| (r)-p-mentha-1,8-diene | Oral | Non-applicable | Non-applicable | Non-applicable | Non-applicable |
| CAS: 5989-27-5 | Dermal | Non-applicable | Non-applicable | 9,5 mg/kg | Non-applicable |
| EC: 227-813-5 | Inhalation | Non-applicable | Non-applicable | 66,7 mg/m³ | Non-applicable |
| Citronellol | Oral | Non-applicable | Non-applicable | Non-applicable | Non-applicable |
| CAS: 106-22-9 | Dermal | Non-applicable | Non-applicable | 327,4 mg/kg | Non-applicable |
| EC: 203-375-0 | Inhalation | Non-applicable | 10 mg/m³ | 161,6 mg/m³ | 10 mg/m³ |
| propan-2-ol | Oral | Non-applicable | Non-applicable | Non-applicable | Non-applicable |
| CAS: 67-63-0 | Dermal | Non-applicable | Non-applicable | 888 mg/kg | Non-applicable |
| EC: 200-661-7 | Inhalation | Non-applicable | Non-applicable | 500 mg/m³ | Non-applicable |

Date of compilation: 06/06/2022 Version: 1



SEC

Safety data sheet
This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any country-specific legislation







Fresso Car Perfume Signature Man

| | | Short e | exposure | Long e | exposure |
|--|------------|----------------|----------------|----------------|----------------|
| Identification | | Systemic | Local | Systemic | Local |
| Butanone | Oral | Non-applicable | Non-applicable | Non-applicable | Non-applicable |
| CAS: 78-93-3 | Dermal | Non-applicable | Non-applicable | 1161 mg/kg | Non-applicable |
| EC: 201-159-0 | Inhalation | Non-applicable | Non-applicable | 600 mg/m³ | Non-applicable |
| a-methyl-1,3-benzodioxole-5-propionaldehyde | Oral | Non-applicable | Non-applicable | Non-applicable | Non-applicable |
| CAS: 1205-17-0 | Dermal | Non-applicable | Non-applicable | 0,17 mg/kg | Non-applicable |
| EC: 214-881-6 | Inhalation | Non-applicable | Non-applicable | 1,2 mg/m³ | Non-applicable |
| 1,2,3,5,6,7-hexahydro-1,1,2,3,3-pentamethyl-4H-inden-4- one | Oral | Non-applicable | Non-applicable | Non-applicable | Non-applicable |
| CAS: 33704-61-9 | Dermal | Non-applicable | Non-applicable | 0,42 mg/kg | Non-applicable |
| EC: 251-649-3 | Inhalation | Non-applicable | Non-applicable | 1,47 mg/m³ | Non-applicable |
| Pin-2(10)-ene | Oral | Non-applicable | Non-applicable | Non-applicable | Non-applicable |
| CAS: 127-91-3 | Dermal | Non-applicable | Non-applicable | 0,8 mg/kg | Non-applicable |
| EC: 204-872-5 | Inhalation | Non-applicable | Non-applicable | 5,69 mg/m³ | Non-applicable |
| Citral | Oral | Non-applicable | Non-applicable | Non-applicable | Non-applicable |
| CAS: 5392-40-5 | Dermal | Non-applicable | Non-applicable | 1,7 mg/kg | Non-applicable |
| EC: 226-394-6 | Inhalation | Non-applicable | Non-applicable | 9 mg/m³ | Non-applicable |
| 2,6-di-tert-butyl-p-cresol | Oral | Non-applicable | Non-applicable | Non-applicable | Non-applicable |
| CAS: 128-37-0 | Dermal | Non-applicable | Non-applicable | 0,5 mg/kg | Non-applicable |
| EC: 204-881-4 | Inhalation | Non-applicable | Non-applicable | 3,5 mg/m³ | Non-applicable |
| Geranyl acetate | Oral | Non-applicable | Non-applicable | Non-applicable | Non-applicable |
| CAS: 105-87-3 | Dermal | Non-applicable | Non-applicable | 35,5 mg/kg | Non-applicable |
| EC: 203-341-5 | Inhalation | Non-applicable | Non-applicable | 62,59 mg/m³ | Non-applicable |
| Pin-2(3)-ene | Oral | Non-applicable | Non-applicable | Non-applicable | Non-applicable |
| CAS: 80-56-8 | Dermal | Non-applicable | Non-applicable | 0,542 mg/kg | Non-applicable |
| EC: 201-291-9 | Inhalation | Non-applicable | Non-applicable | 3,8 mg/m³ | Non-applicable |
| Para-anisyl propanal | Oral | Non-applicable | Non-applicable | Non-applicable | Non-applicable |
| CAS: 5462-06-6 | Dermal | Non-applicable | Non-applicable | 1,8 mg/kg | Non-applicable |
| EC: 226-749-5 | Inhalation | Non-applicable | Non-applicable | 6,35 mg/m³ | Non-applicable |
| Cineole | Oral | Non-applicable | Non-applicable | Non-applicable | Non-applicable |
| CAS: 470-82-6 | Dermal | Non-applicable | Non-applicable | 2 mg/kg | Non-applicable |
| EC: 207-431-5 | Inhalation | Non-applicable | Non-applicable | 7,05 mg/m³ | Non-applicable |
| E)-1-(2,6,6-trimethyl-2-cyclohexen-1-yl)-2-buten-1-one | Oral | Non-applicable | Non-applicable | Non-applicable | Non-applicable |
| CAS: 24720-09-0 | Dermal | Non-applicable | Non-applicable | 0,78 mg/kg | Non-applicable |
| EC: 246-430-4 | Inhalation | Non-applicable | Non-applicable | 2,74 mg/m³ | Non-applicable |
| Coumarin | Oral | Non-applicable | Non-applicable | Non-applicable | Non-applicable |
| CAS: 91-64-5 | Dermal | Non-applicable | Non-applicable | 0,79 mg/kg | Non-applicable |
| EC: 202-086-7 | Inhalation | Non-applicable | Non-applicable | 6,78 mg/m³ | Non-applicable |
| o-mentha-1,4-diene | Oral | Non-applicable | Non-applicable | Non-applicable | Non-applicable |
| CAS: 99-85-4 | Dermal | Non-applicable | Non-applicable | 0,833 mg/kg | Non-applicable |
| EC: 202-794-6 | Inhalation | Non-applicable | Non-applicable | 2,939 mg/m³ | Non-applicable |

DNEL (General population):

| | | Short e | xposure | Long e | xposure |
|---------------------------|------------|----------------|----------------|------------|----------------|
| Identification | | Systemic | Local | Systemic | Local |
| ethanol | Oral | Non-applicable | Non-applicable | 87 mg/kg | Non-applicable |
| CAS: 64-17-5 | Dermal | Non-applicable | Non-applicable | 206 mg/kg | Non-applicable |
| EC: 200-578-6 | Inhalation | Non-applicable | Non-applicable | 114 mg/m³ | Non-applicable |
| 2,6-dimethyloct-7-en-2-ol | Oral | Non-applicable | Non-applicable | 12,5 mg/kg | Non-applicable |
| CAS: 18479-58-8 | Dermal | Non-applicable | Non-applicable | 12,5 mg/kg | Non-applicable |
| EC: 242-362-4 | Inhalation | Non-applicable | Non-applicable | 21,7 mg/m³ | Non-applicable |









Fresso Car Perfume Signature Man

| | | Short e | exposure | Long exposure | |
|--|------------|----------------|----------------|----------------|----------------|
| Identification | | Systemic | Local | Systemic | Local |
| Linalyl acetate | Oral | Non-applicable | Non-applicable | 0,2 mg/kg | Non-applicable |
| CAS: 115-95-7 | Dermal | Non-applicable | Non-applicable | 1,25 mg/kg | Non-applicable |
| EC: 204-116-4 | Inhalation | Non-applicable | Non-applicable | 0,68 mg/m³ | Non-applicable |
| Cedryl methyl ketone | Oral | Non-applicable | Non-applicable | 0,167 mg/kg | Non-applicable |
| CAS: 32388-55-9 | Dermal | Non-applicable | Non-applicable | 0,167 mg/kg | Non-applicable |
| EC: 251-020-3 | Inhalation | Non-applicable | Non-applicable | 0,29 mg/m³ | Non-applicable |
| Linalool | Oral | Non-applicable | Non-applicable | 2,49 mg/kg | Non-applicable |
| CAS: 78-70-6 | Dermal | Non-applicable | Non-applicable | 1,25 mg/kg | Non-applicable |
| EC: 201-134-4 | Inhalation | Non-applicable | Non-applicable | 4,33 mg/m³ | Non-applicable |
| (r)-p-mentha-1,8-diene | Oral | Non-applicable | Non-applicable | 4,8 mg/kg | Non-applicable |
| CAS: 5989-27-5 | Dermal | Non-applicable | Non-applicable | 4,8 mg/kg | Non-applicable |
| EC: 227-813-5 | Inhalation | Non-applicable | Non-applicable | 16,6 mg/m³ | Non-applicable |
| Citronellol | Oral | Non-applicable | Non-applicable | 13,8 mg/kg | Non-applicable |
| CAS: 106-22-9 | Dermal | Non-applicable | Non-applicable | 196,4 mg/kg | Non-applicable |
| EC: 203-375-0 | Inhalation | Non-applicable | 10 mg/m³ | 47,8 mg/m³ | 10 mg/m³ |
| propan-2-ol | Oral | Non-applicable | Non-applicable | 26 mg/kg | Non-applicable |
| CAS: 67-63-0 | Dermal | Non-applicable | Non-applicable | 319 mg/kg | Non-applicable |
| EC: 200-661-7 | Inhalation | Non-applicable | Non-applicable | 89 mg/m³ | Non-applicable |
| Butanone | Oral | Non-applicable | Non-applicable | 31 mg/kg | Non-applicable |
| CAS: 78-93-3 | Dermal | Non-applicable | Non-applicable | 412 mg/kg | Non-applicable |
| EC: 201-159-0 | Inhalation | Non-applicable | Non-applicable | 106 mg/m³ | Non-applicable |
| a-methyl-1,3-benzodioxole-5-propionaldehyde | Oral | Non-applicable | Non-applicable | 0,17 mg/kg | Non-applicable |
| CAS: 1205-17-0 | Dermal | Non-applicable | Non-applicable | 0,083 mg/kg | Non-applicable |
| EC: 214-881-6 | Inhalation | Non-applicable | Non-applicable | 0,29 mg/m³ | Non-applicable |
| 1,2,3,5,6,7-hexahydro-1,1,2,3,3-pentamethyl-4H-inden-4-one | Oral | Non-applicable | Non-applicable | 0,25 mg/kg | Non-applicable |
| CAS: 33704-61-9 | Dermal | Non-applicable | Non-applicable | 0,25 mg/kg | Non-applicable |
| EC: 251-649-3 | Inhalation | Non-applicable | Non-applicable | 0,44 mg/m³ | Non-applicable |
| Pin-2(10)-ene | Oral | Non-applicable | Non-applicable | 0,3 mg/kg | Non-applicable |
| CAS: 127-91-3 | Dermal | Non-applicable | Non-applicable | 0,3 mg/kg | Non-applicable |
| EC: 204-872-5 | Inhalation | Non-applicable | Non-applicable | 1 mg/m³ | Non-applicable |
| Citral | Oral | Non-applicable | Non-applicable | 0,6 mg/kg | Non-applicable |
| CAS: 5392-40-5 | Dermal | Non-applicable | Non-applicable | 1 mg/kg | Non-applicable |
| EC: 226-394-6 | Inhalation | Non-applicable | Non-applicable | 2,7 mg/m³ | Non-applicable |
| 2,6-di-tert-butyl-p-cresol | Oral | Non-applicable | Non-applicable | Non-applicable | Non-applicable |
| CAS: 128-37-0 | Dermal | Non-applicable | Non-applicable | 0,25 mg/kg | Non-applicable |
| EC: 204-881-4 | Inhalation | Non-applicable | Non-applicable | 0,86 mg/m³ | Non-applicable |
| Geranyl acetate | Oral | Non-applicable | Non-applicable | 8,9 mg/kg | Non-applicable |
| CAS: 105-87-3 | Dermal | Non-applicable | Non-applicable | 17,75 mg/kg | Non-applicable |
| EC: 203-341-5 | Inhalation | Non-applicable | Non-applicable | 15,4 mg/m³ | Non-applicable |
| Pin-2(3)-ene | Oral | Non-applicable | Non-applicable | 0,225 mg/kg | Non-applicable |
| CAS: 80-56-8 | Dermal | Non-applicable | Non-applicable | 0,225 mg/kg | Non-applicable |
| EC: 201-291-9 | Inhalation | Non-applicable | Non-applicable | 0,674 mg/m³ | Non-applicable |
| Para-anisyl propanal | Oral | Non-applicable | Non-applicable | 1,08 mg/kg | Non-applicable |
| CAS: 5462-06-6 | Dermal | Non-applicable | Non-applicable | 1,08 mg/kg | Non-applicable |
| EC: 226-749-5 | Inhalation | Non-applicable | Non-applicable | 1,88 mg/m³ | Non-applicable |
| Cineole | Oral | Non-applicable | Non-applicable | 600 mg/kg | Non-applicable |
| CAS: 470-82-6 | Dermal | Non-applicable | Non-applicable | 1 mg/kg | Non-applicable |
| EC: 207-431-5 | Inhalation | Non-applicable | Non-applicable | 1,74 mg/m³ | Non-applicable |
| (E)-1-(2,6,6-trimethyl-2-cyclohexen-1-yl)-2-buten-1-one | Oral | Non-applicable | Non-applicable | 0,39 mg/kg | Non-applicable |
| | | | | | |

Page 8/25 Date of compilation: 06/06/2022 Version: 1









Fresso Car Perfume Signature Man

| CTION 8: EXPOSURE CONTROLS | S/PERSONAL PROTE | CTION (contin | nued) | | |
|----------------------------|------------------|----------------|----------------|-------------|----------------|
| | | Short e | exposure | Long | exposure |
| Identification | | Systemic | Local | Systemic | Local |
| Coumarin | Oral | Non-applicable | Non-applicable | 0,39 mg/kg | Non-applicable |
| CAS: 91-64-5 | Dermal | Non-applicable | Non-applicable | 0,39 mg/kg | Non-applicable |
| EC: 202-086-7 | Inhalation | Non-applicable | Non-applicable | 1,69 mg/m³ | Non-applicable |
| p-mentha-1,4-diene | Oral | Non-applicable | Non-applicable | 0,417 mg/kg | Non-applicable |
| CAS: 99-85-4 | Dermal | Non-applicable | Non-applicable | 0,417 mg/kg | Non-applicable |
| EC: 202-794-6 | Inhalation | Non-applicable | Non-applicable | 0,725 mg/m³ | Non-applicable |

| Identification | | | | |
|---|--------------|----------------|-------------------------|---------------|
| ethanol | STP | 580 mg/L | Fresh water | 0,96 mg/L |
| CAS: 64-17-5 | Soil | 0,63 mg/kg | Marine water | 0,79 mg/L |
| EC: 200-578-6 | Intermittent | 2,75 mg/L | Sediment (Fresh water) | 3,6 mg/kg |
| | Oral | 0,38 g/kg | Sediment (Marine water) | 2,9 mg/kg |
| 2,6-dimethyloct-7-en-2-ol | STP | 10 mg/L | Fresh water | 0,0278 mg/L |
| CAS: 18479-58-8 | Soil | 0,103 mg/kg | Marine water | 0,00278 mg/L |
| EC: 242-362-4 | Intermittent | 0,278 mg/L | Sediment (Fresh water) | 0,594 mg/kg |
| | Oral | 0,111 g/kg | Sediment (Marine water) | 0,059 mg/kg |
| Linalyl acetate | STP | 1 mg/L | Fresh water | 0,011 mg/L |
| CAS: 115-95-7 | Soil | 0,115 mg/kg | Marine water | 0,001 mg/L |
| EC: 204-116-4 | Intermittent | 0,11 mg/L | Sediment (Fresh water) | 0,609 mg/kg |
| | Oral | Non-applicable | Sediment (Marine water) | 0,061 mg/kg |
| Cedryl methyl ketone | STP | 10 mg/L | Fresh water | 0,00174 mg/L |
| CAS: 32388-55-9 | Soil | 4,87 mg/kg | Marine water | 0,000174 mg/L |
| EC: 251-020-3 | Intermittent | 0,0086 mg/L | Sediment (Fresh water) | 24,4 mg/kg |
| | Oral | Non-applicable | Sediment (Marine water) | 2,44 mg/kg |
| Linalool | STP | 10 mg/L | Fresh water | 0,2 mg/L |
| CAS: 78-70-6 | Soil | 0,327 mg/kg | Marine water | 0,02 mg/L |
| EC: 201-134-4 | Intermittent | 2 mg/L | Sediment (Fresh water) | 2,22 mg/kg |
| | Oral | 0,0078 g/kg | Sediment (Marine water) | 0,222 mg/kg |
| (r)-p-mentha-1,8-diene | STP | 1,8 mg/L | Fresh water | 0,014 mg/L |
| CAS: 5989-27-5 | Soil | 0,763 mg/kg | Marine water | 0,0014 mg/L |
| EC: 227-813-5 | Intermittent | Non-applicable | Sediment (Fresh water) | 3,85 mg/kg |
| | Oral | 0,133 g/kg | Sediment (Marine water) | 0,385 mg/kg |
| Citronellol | STP | 580 mg/L | Fresh water | 0,002 mg/L |
| CAS: 106-22-9 | Soil | 0,004 mg/kg | Marine water | 0 mg/L |
| EC: 203-375-0 | Intermittent | 0,024 mg/L | Sediment (Fresh water) | 0,026 mg/kg |
| | Oral | Non-applicable | Sediment (Marine water) | 0,003 mg/kg |
| Methyl 2,4-dihydroxy-3,6-dimethylbenzoate | STP | 10 mg/L | Fresh water | 0,0033 mg/L |
| CAS: 4707-47-5 | Soil | 0,016 mg/kg | Marine water | 0,00033 mg/L |
| EC: 225-193-0 | Intermittent | Non-applicable | Sediment (Fresh water) | 0,089 mg/kg |
| | Oral | Non-applicable | Sediment (Marine water) | 0,0089 mg/kg |
| propan-2-ol | STP | 2251 mg/L | Fresh water | 140,9 mg/L |
| CAS: 67-63-0 | Soil | 28 mg/kg | Marine water | 140,9 mg/L |
| EC: 200-661-7 | Intermittent | 140,9 mg/L | Sediment (Fresh water) | 552 mg/kg |
| | Oral | 0,16 g/kg | Sediment (Marine water) | 552 mg/kg |
| Butanone | STP | 709 mg/L | Fresh water | 55,8 mg/L |
| CAS: 78-93-3 | Soil | 22,5 mg/kg | Marine water | 55,8 mg/L |
| EC: 201-159-0 | Intermittent | 55,8 mg/L | Sediment (Fresh water) | 284,74 mg/kg |
| | Oral | 1 g/kg | Sediment (Marine water) | 284,7 mg/kg |

- CONTINUED ON NEXT PAGE -Date of compilation: 06/06/2022 Page 9/25 Version: 1







| Identification | | | | |
|--|--------------|-------------------------|-------------------------|-----------------------------|
| a-methyl-1,3-benzodioxole-5-propionaldehyde | STP | 10 mg/L | Fresh water | 0,005 mg/L |
| CAS: 1205-17-0 | Soil | 0,008 mg/kg | Marine water | 0,001 mg/L |
| EC: 214-881-6 | Intermittent | 0,053 mg/L | Sediment (Fresh water) | 0,057 mg/kg |
| | Oral | Non-applicable | Sediment (Marine water) | 0,006 mg/kg |
| 1,2,3,5,6,7-hexahydro-1,1,2,3,3-pentamethyl-4H-inden-4- one | STP | 10 mg/L | Fresh water | 0,004 mg/L |
| CAS: 33704-61-9 | Soil | 0,0174 mg/kg | Marine water | 0 mg/L |
| EC: 251-649-3 | Intermittent | Non-applicable | Sediment (Fresh water) | 0,0991 mg/kg |
| | Oral | 0,00111 g/kg | Sediment (Marine water) | 0,00991 mg/kg |
| Pin-2(10)-ene | STP | 3,26 mg/L | Fresh water | 0,001004 mg/L |
| CAS: 127-91-3 | Soil | 0,067 mg/kg | Marine water | 0,0001 mg/L |
| EC: 204-872-5 | Intermittent | Non-applicable | Sediment (Fresh water) | 0,337 mg/kg |
| | Oral | 0,0131 g/kg | Sediment (Marine water) | 0,034 mg/kg |
| Citral | STP | 1,6 mg/L | Fresh water | 0,007 mg/L |
| CAS: 5392-40-5 | Soil | 0,021 mg/kg | Marine water | 0,001 mg/L |
| EC: 226-394-6 | Intermittent | 0,068 mg/L | Sediment (Fresh water) | 0,125 mg/kg |
| | Oral | Non-applicable | Sediment (Marine water) | 0,013 mg/kg |
| 2,6-di-tert-butyl-p-cresol | STP | 0,17 mg/L | Fresh water | 0,000199 mg/L |
| CAS: 128-37-0 | Soil | 0,04769 mg/kg | Marine water | 0,00002 mg/L |
| EC: 204-881-4 | Intermittent | 0,00199 mg/L | Sediment (Fresh water) | 0,0996 mg/kg |
| 20.20.00. | Oral | 0,00833 g/kg | Sediment (Marine water) | 0,00996 mg/kg |
| Geranyl acetate | STP | 8 mg/L | Fresh water | 0,00372 mg/L |
| CAS: 105-87-3 | Soil | 0,086 mg/kg | Marine water | 0,000372 mg/L |
| EC: 203-341-5 | Intermittent | 0,0372 mg/L | Sediment (Fresh water) | 0,442 mg/kg |
| | Oral | Non-applicable | Sediment (Marine water) | 0,044 mg/kg |
| Pin-2(3)-ene | STP | 0,2 mg/L | Fresh water | 0,000606 mg/L |
| CAS: 80-56-8 | Soil | 0,0317 mg/kg | Marine water | 0,000061 mg/L |
| EC: 201-291-9 | Intermittent | 0,00303 mg/L | Sediment (Fresh water) | 0,157 mg/kg |
| | Oral | 0,00876 g/kg | Sediment (Marine water) | 0,0157 mg/kg |
| Para-anisyl propanal | STP | 3 mg/L | Fresh water | 0,0052 mg/L |
| CAS: 5462-06-6 | Soil | 0,0178 mg/kg | Marine water | 0,00052 mg/L |
| EC: 226-749-5 | Intermittent | Non-applicable | Sediment (Fresh water) | 0,104 mg/kg |
| | Oral | Non-applicable | Sediment (Marine water) | 0,0104 mg/kg |
| Cineole | STP | 10 mg/L | Fresh water | 0,057 mg/L |
| CAS: 470-82-6 | Soil | 0,25 mg/kg | Marine water | 0,0057 mg/L |
| EC: 207-431-5 | Intermittent | 0,57 mg/L | Sediment (Fresh water) | 1,425 mg/kg |
| | Oral | 0,04 g/kg | Sediment (Marine water) | 0,142 mg/kg |
| (E)-1-(2,6,6-trimethyl-2-cyclohexen-1-yl)-2-buten-1-one | STP | 3,2 mg/L | Fresh water | 0,00109 mg/L |
| CAS: 24720-09-0 | Soil | 0,021 mg/kg | Marine water | 0,00109 mg/L |
| EC: 246-430-4 | Intermittent | 0,0109 mg/L | Sediment (Fresh water) | 0,107 mg/kg |
| | Oral | 0,00667 g/kg | Sediment (Marine water) | 0,011 mg/kg |
| Coumarin | STP | 6,4 mg/L | Fresh water | 0,011 mg/kg |
| CAS: 91-64-5 | Soil | 0,4 Hg/L 0,018 mg/kg | Marine water | 0,019 Hg/L |
| EC: 202-086-7 | Intermittent | 0,0142 mg/L | Sediment (Fresh water) | 0,00 19 Hig/L 0,15 mg/kg |
| LO. 202 000-1 | Oral | 0,0307 g/kg | Sediment (Marine water) | 0,13 filg/kg 0,015 mg/kg |
| n months 1.4 diana | | | , | |
| p-mentha-1,4-diene | STP | 10 mg/L | Fresh water | 0,003 mg/L |
| CAS: 99-85-4 | Soil | 0,423 mg/kg | Marine water | 0 mg/L |
| EC: 202-794-6 | Intermittent | Non-applicable | Sediment (Fresh water) | 0,49 mg/kg |

8.2 Exposure controls:

A.- Individual protection measures, such as personal protective equipment



This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any country-specific legislation







Fresso Car Perfume Signature Man

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION (continued)

As a preventative measure it is recommended to use basic Personal Protective Equipment, with the corresponding <<CE marking>> in accordance with Regulation (EU) 2016/425. For more information on Personal Protective Equipment (storage, use, cleaning, maintenance, class of protection,...) consult the information leaflet provided by the manufacturer. For more information see subsection 7.1. All information contained herein is a recommendation which needs some specification from the labour risk prevention services as it is not known whether the company has additional measures at its disposal.

B.- Respiratory protection

The use of protection equipment will be necessary if a mist forms or if the occupational exposure limits are exceeded.

C.- Specific protection for the hands

| Pictogram | PPE | Labelling | CEN Standard | Remarks |
|---------------------------|---|-----------|---------------------|--|
| Mandatory hand protection | Chemical protective gloves (Material: Linear low-density polyethylene (LLDPE), Breakthrough time: > 480 min, Thickness: 0.062 mm) | CAT III | EN 420:2004+A1:2010 | Replace the gloves at any sign of deterioration. |

As the product is a mixture of several substances, the resistance of the glove material can not be calculated in advance with total reliability and has therefore to be checked prior to the application.

D.- Eye and face protection

| Pictogram | PPE | Labelling | CEN Standard | Remarks |
|---------------------------|---|-----------|---------------------------------|---|
| Mandatory face protection | Panoramic glasses against splash/projections. | CATII | EN 166:2002 EN ISO 4007:2018 | Clean daily and disinfect periodically according to the manufacturer's instructions. Use if there is a risk of splashing. |

E.- Body protection

| Pictogram | PPE | Labelling | CEN Standard | Remarks |
|-----------|----------------------|-----------|-------------------|---|
| | Work clothing | CATI | | Replace before any evidence of deterioration. For periods of prolonged exposure to the product for professional/industrial users CE III is recommended, in accordance with the regulations in EN ISO 6529:2013, EN ISO 6530:2005, EN ISO 13688:2013, EN 464:1994. |
| | Anti-slip work shoes | CATII | EN ISO 20347:2012 | Replace before any evidence of deterioration. For periods of prolonged exposure to the product for professional/industrial users CE III is recommended, in accordance with the regulations in EN ISO 20345:2012 y EN 13832-1:2007 |

F.- Additional emergency measures

| Emergency measure | Standards | Emergency measure | Standards |
|-------------------|---|---------------------|--|
| • | ANSI Z358-1 ISO 3864-1:2011, ISO 3864-4:2011 | ⊣ (♦ | DIN 12 899 ISO 3864-1:2011, ISO 3864-4:2011 |
| Emergency shower | | Eyewash stations | |

Environmental exposure controls:

In accordance with the community legislation for the protection of the environment it is recommended to avoid environmental spillage of both the product and its container. For additional information see subsection 7.1.D

Volatile organic compounds:

With regard to Directive 2010/75/EU, this product has the following characteristics:

V.O.C. (Supply): 46,04 % weight

V.O.C. density at 20 °C: 425,15 kg/m³ (425,15 g/L)

Average carbon number: 2,9

Average molecular weight: 57,85 g/mol

Date of compilation: 06/06/2022 Version: 1 Page 11/25



This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any country-specific legislation



Fresso Car Perfume Signature Man

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties:

For complete information see the product datasheet.

Appearance:

Physical state at 20 °C: Liquid

Appearance: Not available Colour: Amber Odour: Pleasant

Odour threshold: Non-applicable *

Volatility:

91 °C Boiling point at atmospheric pressure: Vapour pressure at 20 °C: 6155 Pa

Vapour pressure at 50 °C: 28789,71 Pa (28,79 kPa)

Evaporation rate at 20 °C: Non-applicable *

Product description:

Density at 20 °C: 923,4 kg/m³ Relative density at 20 °C: 0,923

Dynamic viscosity at 20 °C: Non-applicable * Kinematic viscosity at 20 °C: Non-applicable * Kinematic viscosity at 40 °C: Non-applicable * Concentration: Non-applicable * рН: Non-applicable * Vapour density at 20 °C: Non-applicable * Partition coefficient n-octanol/water 20 °C: Non-applicable * Solubility in water at 20 °C: Non-applicable * Solubility properties: Non-applicable * Decomposition temperature: Non-applicable * Melting point/freezing point: Non-applicable *

Flammability:

13 °C Flash Point:

Flammability (solid, gas): Non-applicable *

225 °C Autoignition temperature: Lower flammability limit: Not available Upper flammability limit: Not available

Particle characteristics:

Median equivalent diameter: Non-applicable

9.2 Other information:

Information with regard to physical hazard classes:

Explosive properties: Non-applicable * Non-applicable * Oxidising properties: Non-applicable * Corrosive to metals: Heat of combustion: Non-applicable * Aerosols-total percentage (by mass) of flammable Non-applicable *

components:

Other safety characteristics:

*Not relevant due to the nature of the product, not providing information property of its hazards.

Page 12/25 Date of compilation: 06/06/2022 Version: 1



This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any country-specific legislation







Fresso Car Perfume Signature Man

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES (continued)

Surface tension at 20 °C: Non-applicable * Refraction index: Non-applicable *

*Not relevant due to the nature of the product, not providing information property of its hazards.

SECTION 10: STABILITY AND REACTIVITY

10.1 Reactivity:

No hazardous reactions are expected because the product is stable under recommended storage conditions. See section 7.

10.2 Chemical stability:

Chemically stable under the indicated conditions of storage, handling and use.

10.3 Possibility of hazardous reactions:

Under the specified conditions, hazardous reactions that lead to excessive temperatures or pressure are not expected.

10.4 Conditions to avoid:

Applicable for handling and storage at room temperature:

| Shock and friction | Contact with air | Increase in temperature | Sunlight | Humidity |
|--------------------|------------------|-------------------------|---------------------|----------------|
| Not applicable | Not applicable | Risk of combustion | Avoid direct impact | Not applicable |

10.5 Incompatible materials:

| Acids | Water | Oxidising materials | Combustible materials | Others |
|--------------------|----------------|---------------------|-----------------------|-------------------------------|
| Avoid strong acids | Not applicable | Avoid direct impact | Not applicable | Avoid alkalis or strong bases |

10.6 Hazardous decomposition products:

See subsection 10.3, 10.4 and 10.5 to find out the specific decomposition products. Depending on the decomposition conditions, complex mixtures of chemical substances can be released: carbon dioxide (CO₂), carbon monoxide and other organic compounds.

SECTION 11: TOXICOLOGICAL INFORMATION

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008:

The experimental information related to the toxicological properties of the product itself is not available

Dangerous health implications:

In case of exposure that is repetitive, prolonged or at concentrations higher than the recommended occupational exposure limits, adverse effects on health may result, depending on the means of exposure:

A- Ingestion (acute effect):

- Acute toxicity: Based on available data, the classification criteria are not met, however, it contains substances classified as dangerous for consumption. For more information see section 3.
- Corrosivity/Irritability: Based on available data, the classification criteria are not met. However, it does contain substances classified as hazardous for this effect. For more information see section 3.
- B- Inhalation (acute effect):
 - Acute toxicity: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for inhalation. For more information see section 3.
 - Corrosivity/Irritability: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.
- C- Contact with the skin and the eyes (acute effect):
 - Contact with the skin: Based on available data, the classification criteria are not met. However, it contains substances classified as hazardous for skin contact. For more information see section 3.
 - Contact with the eyes: Produces eye damage after contact.
- D- CMR effects (carcinogenicity, mutagenicity and toxicity to reproduction):



This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any country-specific legislation



Fresso Car Perfume Signature Man

SECTION 11: TOXICOLOGICAL INFORMATION (continued)

- Carcinogenicity: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for the effects mentioned. For more information see section 3.
- IARC: (r)-p-mentha-1,8-diene (3); 2,6-di-tert-butyl-p-cresol (3); Coumarin (3); propan-2-ol (3); ethanol (1)
- Mutagenicity: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.
- Reproductive toxicity: Based on available data, the classification criteria are not met. However, it does contain substances classified as hazardous for this effect. For more information see section 3.

E- Sensitizing effects:

- Respiratory: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous with sensitising effects. For more information see section 3.
- Skin: Based on available data, the classification criteria are not met. However, it contains substances classified as dangerous with sensitising effects. For more information see section 3.
- F- Specific target organ toxicity (STOT) single exposure:

Based on available data, the classification criteria are not met. However, it contains substances classified as hazardous for inhalation. For more information see section 3.

- G- Specific target organ toxicity (STOT)-repeated exposure:
 - Specific target organ toxicity (STOT)-repeated exposure: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.
 - Skin: Based on available data, the classification criteria are not met. However, it does contain substances which are classified as dangerous due to repetitive exposure. For more information see section 3.
- H- Aspiration hazard:

Based on available data, the classification criteria are not met. However, it does contain substances classified as hazardous for this effect. For more information see section 3.

Other information:

Non-applicable

Specific toxicology information on the substances:

| Identification | Acı | ite toxicity | Genus |
|---|-----------------|------------------|--------|
| ethanol | LD50 oral | 6200 mg/kg | Rat |
| CAS: 64-17-5 | LD50 dermal | 20000 mg/kg | Rabbit |
| EC: 200-578-6 | LC50 inhalation | 124,7 mg/L (4 h) | Rat |
| 2,6-dimethyloct-7-en-2-ol | LD50 oral | 3600 mg/kg | |
| CAS: 18479-58-8 | LD50 dermal | Non-applicable | |
| EC: 242-362-4 | LC50 inhalation | Non-applicable | |
| 2-ethyl-4-(2,2,3-trimethyl-3-cyclopenten-1-yl)-2-buten-1-ol | LD50 oral | >5000 mg/kg | Rat |
| CAS: 28219-61-6 | LD50 dermal | Non-applicable | |
| EC: 248-908-8 | LC50 inhalation | Non-applicable | |
| Linalyl acetate | LD50 oral | 14500 mg/kg | Rat |
| CAS: 115-95-7 | LD50 dermal | 5610 mg/kg | Rabbit |
| EC: 204-116-4 | LC50 inhalation | Non-applicable | |
| Linalool | LD50 oral | 3000 mg/kg | Rat |
| CAS: 78-70-6 | LD50 dermal | 5610 mg/kg | Rabbit |
| EC: 201-134-4 | LC50 inhalation | Non-applicable | |
| Citronellol | LD50 oral | 3450 mg/kg | Rat |
| CAS: 106-22-9 | LD50 dermal | 2650 mg/kg | |
| EC: 203-375-0 | LC50 inhalation | Non-applicable | |
| Methyl 2,4-dihydroxy-3,6-dimethylbenzoate | LD50 oral | >5000 mg/kg | Rat |
| CAS: 4707-47-5 | LD50 dermal | >5000 mg/kg | Rat |
| EC: 225-193-0 | LC50 inhalation | Non-applicable | |
| propan-2-ol | LD50 oral | 5280 mg/kg | Rat |
| CAS: 67-63-0 | LD50 dermal | 12800 mg/kg | Rat |
| EC: 200-661-7 | LC50 inhalation | 72,6 mg/L (4 h) | Rat |

Date of compilation: 06/06/2022 Version: 1 Page 14/25



SEC

Safety data sheet
This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any country-specific legislation



Non-applicable

LC50 inhalation





Fresso Car Perfume Signature Man

| Identification | A | acute toxicity | Genus |
|--|-----------------|-----------------|--------|
| Butanone | LD50 oral | 4000 mg/kg | Rat |
| CAS: 78-93-3 | LD50 dermal | 6400 mg/kg | Rabbit |
| EC: 201-159-0 | LC50 inhalation | 23,5 mg/L (4 h) | Rat |
| a-methyl-1,3-benzodioxole-5-propionaldehyde | LD50 oral | 3550 mg/kg | Rat |
| CAS: 1205-17-0 | LD50 dermal | Non-applicable | |
| EC: 214-881-6 | LC50 inhalation | Non-applicable | |
| 1,2,3,5,6,7-hexahydro-1,1,2,3,3-pentamethyl-4H-inden-4-one | LD50 oral | 3450 mg/kg | |
| CAS: 33704-61-9 | LD50 dermal | 2650 mg/kg | |
| EC: 251-649-3 | LC50 inhalation | Non-applicable | |
| Citral | LD50 oral | 4950 mg/kg | Rat |
| CAS: 5392-40-5 | LD50 dermal | 2250 mg/kg | Rabbit |
| EC: 226-394-6 | LC50 inhalation | Non-applicable | |
| 2,6-di-tert-butyl-p-cresol | LD50 oral | 10000 mg/kg | Rat |
| CAS: 128-37-0 | LD50 dermal | Non-applicable | |
| EC: 204-881-4 | LC50 inhalation | Non-applicable | |
| Pin-2(3)-ene | LD50 oral | 500 mg/kg | Rat |
| CAS: 80-56-8 | LD50 dermal | Non-applicable | |
| EC: 201-291-9 | LC50 inhalation | Non-applicable | |
| Para-anisyl propanal | LD50 oral | 4500 mg/kg | |
| CAS: 5462-06-6 | LD50 dermal | Non-applicable | |
| EC: 226-749-5 | LC50 inhalation | Non-applicable | |
| Cineole | LD50 oral | 2480 mg/kg | Rat |
| CAS: 470-82-6 | LD50 dermal | Non-applicable | |
| EC: 207-431-5 | LC50 inhalation | Non-applicable | |
| E)-1-(2,6,6-trimethyl-2-cyclohexen-1-yl)-2-buten-1-one | LD50 oral | 1500 mg/kg | Rat |
| CAS: 24720-09-0 | LD50 dermal | 4100 mg/kg | Rat |
| EC: 246-430-4 | LC50 inhalation | Non-applicable | 1 |
| Coumarin | LD50 oral | 293 mg/kg | Rat |
| CAS: 91-64-5 | LD50 dermal | 293 mg/kg | Rat |
| EC: 202-086-7 | LC50 inhalation | Non-applicable | |
| p-mentha-1,4-diene | LD50 oral | 3850 mg/kg | Rat |
| CAS: 99-85-4 | LD50 dermal | Non-applicable | |
| | | | |

11.2 Information on other hazards:

Endocrine disrupting properties

Endocrine-disrupting properties: The product fails to meet the criteria.

Other information

Non-applicable

EC: 202-794-6









Fresso Car Perfume Signature Man

SECTION 12: ECOLOGICAL INFORMATION

The experimental information related to the eco-toxicological properties of the product itself is not available

12.1 Toxicity:

Acute toxicity:

| Identification | | Concentration | Species | Genus |
|--|------|-------------------|---------------------------------|------------|
| ethanol | LC50 | 11000 mg/L (96 h) | Alburnus alburnus | Fish |
| CAS: 64-17-5 | EC50 | 9268 mg/L (48 h) | Daphnia magna | Crustacean |
| EC: 200-578-6 | EC50 | 1450 mg/L (192 h) | Microcystis aeruginosa | Algae |
| 2-ethyl-4-(2,2,3-trimethyl-3-cyclopenten-1-yl)-2-buten-1-ol | LC50 | >1 - 10 (96 h) | | Fish |
| CAS: 28219-61-6 | EC50 | >1 - 10 (48 h) | | Crustacean |
| EC: 248-908-8 | EC50 | >1 - 10 (72 h) | | Algae |
| Linalyl acetate | LC50 | 11 mg/L (96 h) | Cyprinus carpio | Fish |
| CAS: 115-95-7 | EC50 | 15 mg/L (48 h) | Daphnia magna | Crustacean |
| EC: 204-116-4 | EC50 | 62 mg/L (72 h) | Desmodesmus subspicatus | Algae |
| $\hbox{$1$-(1,2,3,4,5,6,7,8-octahydro-2,3,8,8-tetramethyl-2-naphthyl)ethan-1-one}$ | LC50 | >0.1 - 1 (96 h) | | Fish |
| CAS: 54464-57-2 | EC50 | >0.1 - 1 (48 h) | | Crustacean |
| EC: 259-174-3 | EC50 | >0.1 - 1 (72 h) | | Algae |
| Cedryl methyl ketone | LC50 | >0.1 - 1 (96 h) | | Fish |
| CAS: 32388-55-9 | EC50 | >0.1 - 1 (48 h) | | Crustacean |
| EC: 251-020-3 | EC50 | >0.1 - 1 (72 h) | | Algae |
| (r)-p-mentha-1,8-diene | LC50 | >0.1 - 1 (96 h) | | Fish |
| CAS: 5989-27-5 | EC50 | >0.1 - 1 (48 h) | | Crustacean |
| EC: 227-813-5 | EC50 | >0.1 - 1 (72 h) | | Algae |
| propan-2-ol | LC50 | 9640 mg/L (96 h) | Pimephales promelas | Fish |
| CAS: 67-63-0 | EC50 | 13299 mg/L (48 h) | Daphnia magna | Crustacean |
| EC: 200-661-7 | EC50 | 1000 mg/L (72 h) | Scenedesmus subspicatus | Algae |
| Butanone | LC50 | 3220 mg/L (96 h) | Pimephales promelas | Fish |
| CAS: 78-93-3 | EC50 | 5091 mg/L (48 h) | Daphnia magna | Crustacean |
| EC: 201-159-0 | EC50 | 4300 mg/L (168 h) | Scenedesmus quadricauda | Algae |
| a-methyl-1,3-benzodioxole-5-propionaldehyde | LC50 | 5,3 mg/L (96 h) | Oncorhynchus mykiss | Fish |
| CAS: 1205-17-0 | EC50 | 8 mg/L (48 h) | Daphnia magna | Crustacean |
| EC: 214-881-6 | EC50 | 28 mg/L (72 h) | Pseudokirchneriella subcapitata | Algae |
| 1,2,3,5,6,7-hexahydro-1,1,2,3,3-pentamethyl-4H-inden-4-one | LC50 | >1 - 10 (96 h) | | Fish |
| CAS: 33704-61-9 | EC50 | >1 - 10 (48 h) | | Crustacean |
| EC: 251-649-3 | EC50 | >1 - 10 (72 h) | | Algae |









Fresso Car Perfume Signature Man

SECTION 12: ECOLOGICAL INFORMATION (continued)

| Identification | | Concentration | Species | Genus |
|---|------|------------------|-------------------------|------------|
| Pin-2(10)-ene | LC50 | >0.1 - 1 (96 h) | | Fish |
| CAS: 127-91-3 | EC50 | >0.1 - 1 (48 h) | | Crustacean |
| EC: 204-872-5 | EC50 | >0.1 - 1 (72 h) | | Algae |
| Citral | LC50 | 6,1 mg/L (24 h) | Oryzias latipes | Fish |
| CAS: 5392-40-5 | EC50 | 11 mg/L (24 h) | Daphnia magna | Crustacean |
| EC: 226-394-6 | EC50 | 16 mg/L (72 h) | Scenedesmus subspicatus | Algae |
| 2,6-di-tert-butyl-p-cresol | LC50 | 0,57 mg/L (96 h) | Brachydanio rerio | Fish |
| CAS: 128-37-0 | EC50 | 0,61 mg/L (48 h) | Daphnia magna | Crustacean |
| EC: 204-881-4 | EC50 | Non-applicable | | |
| Geranyl acetate | LC50 | >10 - 100 (96 h) | | Fish |
| CAS: 105-87-3 | EC50 | >10 - 100 (48 h) | | Crustacean |
| EC: 203-341-5 | EC50 | >10 - 100 (72 h) | | Algae |
| Pin-2(3)-ene | LC50 | >0.1 - 1 (96 h) | | Fish |
| CAS: 80-56-8 | EC50 | >0.1 - 1 (48 h) | | Crustacean |
| EC: 201-291-9 | EC50 | >0.1 - 1 (72 h) | | Algae |
| (E)-1-(2,6,6-trimethyl-2-cyclohexen-1-yl)-2-buten-1-one | LC50 | 1,09 mg/L (96 h) | Oryzias latipes | Fish |
| CAS: 24720-09-0 | EC50 | 2,37 mg/L (48 h) | Daphnia magna | Crustacean |
| EC: 246-430-4 | EC50 | Non-applicable | | |
| 1-methyl-4-(4-methyl-3-pentenyl)cyclohex-3-ene-1-carbaldehyde | LC50 | >0.1 - 1 (96 h) | | Fish |
| CAS: 52475-86-2 | EC50 | >0.1 - 1 (48 h) | | Crustacean |
| EC: 257-942-2 | EC50 | >0.1 - 1 (72 h) | | Algae |

Chronic toxicity:

| Identification | | Concentration | Species | Genus |
|-------------------------------|------|----------------|--------------------|------------|
| ethanol | NOEC | 250 mg/L | Danio rerio | Fish |
| CAS: 64-17-5 EC: 200-578-6 | NOEC | 2 mg/L | Ceriodaphnia dubia | Crustacean |
| 2,6-dimethyloct-7-en-2-ol | NOEC | Non-applicable | | |
| CAS: 18479-58-8 EC: 242-362-4 | NOEC | 9,5 mg/L | Daphnia magna | Crustacean |
| 2,6-di-tert-butyl-p-cresol | NOEC | 0,053 mg/L | Oryzias latipes | Fish |
| CAS: 128-37-0 EC: 204-881-4 | NOEC | 0,069 mg/L | Daphnia magna | Crustacean |

12.2 Persistence and degradability:

| Identification | Degradability | | Biodegradab | oility |
|----------------|-----------------------|----------------|-----------------|----------|
| ethanol | BOD5 Non-applicable (| | Concentration | 100 mg/L |
| CAS: 64-17-5 | COD | Non-applicable | Period | 14 days |
| EC: 200-578-6 | BOD5/COD | Non-applicable | % Biodegradable | 89 % |









Fresso Car Perfume Signature Man

| Identification | De | gradability | Biode | gradability |
|--|----------|----------------|-----------------|----------------|
| 2,6-dimethyloct-7-en-2-ol | BOD5 | Non-applicable | Concentration | 10 mg/L |
| CAS: 18479-58-8 | COD | Non-applicable | Period | 28 days |
| EC: 242-362-4 | BOD5/COD | Non-applicable | % Biodegradable | 72 % |
| 2-ethyl-4-(2,2,3-trimethyl-3-cyclopenten-1-yl)-2-buten-1-ol | BOD5 | Non-applicable | Concentration | 100 mg/L |
| CAS: 28219-61-6 | COD | Non-applicable | Period | 28 days |
| EC: 248-908-8 | BOD5/COD | Non-applicable | % Biodegradable | 0 % |
| Linalyl acetate | BOD5 | Non-applicable | Concentration | 81 mg/L |
| CAS: 115-95-7 | COD | Non-applicable | Period | 28 days |
| EC: 204-116-4 | BOD5/COD | Non-applicable | % Biodegradable | 80 % |
| Linalool | BOD5 | Non-applicable | Concentration | 100 mg/L |
| CAS: 78-70-6 | COD | Non-applicable | Period | 28 days |
| EC: 201-134-4 | BOD5/COD | Non-applicable | % Biodegradable | 90 % |
| Methyl 2,4-dihydroxy-3,6-dimethylbenzoate | BOD5 | Non-applicable | Concentration | 100 mg/L |
| CAS: 4707-47-5 | COD | Non-applicable | Period | 28 days |
| EC: 225-193-0 | BOD5/COD | Non-applicable | % Biodegradable | 59 % |
| propan-2-ol | BOD5 | 1,19 g O2/g | Concentration | 100 mg/L |
| CAS: 67-63-0 | COD | 2,23 g O2/g | Period | 14 days |
| EC: 200-661-7 | BOD5/COD | 0,53 | % Biodegradable | 86 % |
| Butanone | BOD5 | 2,03 g O2/g | Concentration | Non-applicable |
| CAS: 78-93-3 | COD | 2,31 g O2/g | Period | 20 days |
| EC: 201-159-0 | BOD5/COD | 0,88 | % Biodegradable | 89 % |
| a-methyl-1,3-benzodioxole-5-propionaldehyde | BOD5 | Non-applicable | Concentration | 100 mg/L |
| CAS: 1205-17-0 | COD | Non-applicable | Period | 28 days |
| EC: 214-881-6 | BOD5/COD | Non-applicable | % Biodegradable | 65 % |
| 1,2,3,5,6,7-hexahydro-1,1,2,3,3-pentamethyl-4H-inden-4- one | BOD5 | Non-applicable | Concentration | 100 mg/L |
| CAS: 33704-61-9 | COD | Non-applicable | Period | 28 days |
| EC: 251-649-3 | BOD5/COD | Non-applicable | % Biodegradable | 0 % |
| Citral | BOD5 | 0,56 g O2/g | Concentration | 100 mg/L |
| CAS: 5392-40-5 | COD | 1,99 g O2/g | Period | 28 days |
| EC: 226-394-6 | BOD5/COD | 0,28 | % Biodegradable | 92 % |
| 2,6-di-tert-butyl-p-cresol | BOD5 | Non-applicable | Concentration | 50 mg/L |
| CAS: 128-37-0 | COD | Non-applicable | Period | 28 days |
| EC: 204-881-4 | BOD5/COD | Non-applicable | % Biodegradable | 4,5 % |









Fresso Car Perfume Signature Man

SECTION 12: ECOLOGICAL INFORMATION (continued)

| Identification | De | gradability | Biodegradability | |
|---|----------|----------------|------------------|----------------|
| Pin-2(3)-ene | BOD5 | Non-applicable | Concentration | 100 mg/L |
| CAS: 80-56-8 | COD | Non-applicable | Period | 28 days |
| EC: 201-291-9 | BOD5/COD | Non-applicable | % Biodegradable | 95 % |
| (E)-1-(2,6,6-trimethyl-2-cyclohexen-1-yl)-2-buten-1-one | BOD5 | Non-applicable | Concentration | 30 mg/L |
| CAS: 24720-09-0 | COD | Non-applicable | Period | 28 days |
| EC: 246-430-4 | BOD5/COD | Non-applicable | % Biodegradable | 56 % |
| Coumarin | BOD5 | Non-applicable | Concentration | 100 mg/L |
| CAS: 91-64-5 | COD | Non-applicable | Period | 28 days |
| EC: 202-086-7 | BOD5/COD | Non-applicable | % Biodegradable | 100 % |
| p-mentha-1,4-diene | BOD5 | Non-applicable | Concentration | Non-applicable |
| CAS: 99-85-4 | COD | Non-applicable | Period | 28 days |
| EC: 202-794-6 | BOD5/COD | Non-applicable | % Biodegradable | 27 % |

Bioaccumulative potential:

| Identification | Bioaccumulation potential | | |
|---|---------------------------|----------|--|
| ethanol | BCF | 3 | |
| CAS: 64-17-5 | Pow Log | -0.31 | |
| EC: 200-578-6 | Potential | Low | |
| 2-ethyl-4-(2,2,3-trimethyl-3-cyclopenten-1-yl)-2-buten-1-ol | BCF | 65 | |
| CAS: 28219-61-6 | Pow Log | 4.4 | |
| EC: 248-908-8 | Potential | Moderate | |
| Linalyl acetate | BCF | 174 | |
| CAS: 115-95-7 | Pow Log | 3.9 | |
| EC: 204-116-4 | Potential | High | |
| Linalool | BCF | | |
| CAS: 78-70-6 | Pow Log | 2.97 | |
| EC: 201-134-4 | Potential | | |
| Methyl 2,4-dihydroxy-3,6-dimethylbenzoate | BCF | 232 | |
| CAS: 4707-47-5 | Pow Log | | |
| EC: 225-193-0 | Potential | High | |
| propan-2-ol | BCF | 3 | |
| CAS: 67-63-0 | Pow Log | 0.05 | |
| EC: 200-661-7 | Potential | Low | |
| Butanone | BCF | 3 | |
| CAS: 78-93-3 | Pow Log | 0.29 | |
| EC: 201-159-0 | Potential | Low | |









Fresso Car Perfume Signature Man

SECTION 12: ECOLOGICAL INFORMATION (continued)

| Identification | Bioa | Bioaccumulation potential | | |
|--|-----------|---------------------------|--|--|
| a-methyl-1,3-benzodioxole-5-propionaldehyde | BCF | | | |
| CAS: 1205-17-0 | Pow Log | 2.4 | | |
| EC: 214-881-6 | Potential | | | |
| 1,2,3,5,6,7-hexahydro-1,1,2,3,3-pentamethyl-4H-inden-4-one | BCF | 82 | | |
| CAS: 33704-61-9 | Pow Log | 4.2 | | |
| EC: 251-649-3 | Potential | Moderate | | |
| Pin-2(10)-ene | BCF | 440 | | |
| CAS: 127-91-3 | Pow Log | 4.35 | | |
| EC: 204-872-5 | Potential | High | | |
| Citral | BCF | 10 | | |
| CAS: 5392-40-5 | Pow Log | 3.45 | | |
| EC: 226-394-6 | Potential | Low | | |
| 2,6-di-tert-butyl-p-cresol | BCF | 1365 | | |
| CAS: 128-37-0 | Pow Log | 5.1 | | |
| EC: 204-881-4 | Potential | Very High | | |
| Pin-2(3)-ene | BCF | 2800 | | |
| CAS: 80-56-8 | Pow Log | 4.83 | | |
| EC: 201-291-9 | Potential | Very High | | |
| Cineole | BCF | | | |
| CAS: 470-82-6 | Pow Log | 2.74 | | |
| EC: 207-431-5 | Potential | | | |
| (E)-1-(2,6,6-trimethyl-2-cyclohexen-1-yl)-2-buten-1-one | BCF | 20 | | |
| CAS: 24720-09-0 | Pow Log | 2.97 | | |
| EC: 246-430-4 | Potential | Low | | |

Mobility in soil: 12.4

| Identification | Absorption/desorption | | Volatility | |
|---|-----------------------|----------------------|------------|-------------------|
| ethanol | Koc | 1 | Henry | 4,61E-1 Pa·m³/mol |
| CAS: 64-17-5 | Conclusion | Very High | Dry soil | Yes |
| EC: 200-578-6 | Surface tension | 2,339E-2 N/m (25 °C) | Moist soil | Yes |
| 2-ethyl-4-(2,2,3-trimethyl-3-cyclopenten-1-yl)-2-buten-1-ol | Koc | 870 | Henry | Non-applicable |
| CAS: 28219-61-6 | Conclusion | Low | Dry soil | Non-applicable |
| EC: 248-908-8 | Surface tension | Non-applicable | Moist soil | Non-applicable |
| Linalyl acetate | Koc | 518 | Henry | 177 Pa·m³/mol |
| CAS: 115-95-7 | Conclusion | Low | Dry soil | Yes |
| EC: 204-116-4 | Surface tension | Non-applicable | Moist soil | Yes |









Fresso Car Perfume Signature Man

| Identification | Absorption/desorption | | Volatility | |
|--|-----------------------|--------------------------|------------|-------------------|
| Methyl 2,4-dihydroxy-3,6-dimethylbenzoate | Koc | 235 | Henry | 1,1E-2 Pa·m³/mol |
| CAS: 4707-47-5 | Conclusion | Moderate | Dry soil | Non-applicable |
| EC: 225-193-0 | Surface tension | Non-applicable | Moist soil | Non-applicable |
| propan-2-ol | Koc | 1.5 | Henry | 8,207E-1 Pa·m³/mo |
| CAS: 67-63-0 | Conclusion | Very High | Dry soil | Yes |
| EC: 200-661-7 | Surface tension | 2,24E-2 N/m (25 °C) | Moist soil | Yes |
| Butanone | Koc | 30 | Henry | 5,77 Pa·m³/mol |
| CAS: 78-93-3 | Conclusion | Very High | Dry soil | Yes |
| EC: 201-159-0 | Surface tension | 2,396E-2 N/m (25 °C) | Moist soil | Yes |
| a-methyl-1,3-benzodioxole-5-propionaldehyde | Koc | 71 | Henry | Non-applicable |
| CAS: 1205-17-0 | Conclusion | Very High | Dry soil | Non-applicable |
| EC: 214-881-6 | Surface tension | Non-applicable | Moist soil | Non-applicable |
| 1,2,3,5,6,7-hexahydro-1,1,2,3,3-pentamethyl-4H-inden-4- one | Koc | 200 | Henry | Non-applicable |
| CAS: 33704-61-9 | Conclusion | Moderate | Dry soil | Non-applicable |
| EC: 251-649-3 | Surface tension | Non-applicable | Moist soil | Non-applicable |
| Pin-2(10)-ene | Koc | Non-applicable | Henry | Non-applicable |
| CAS: 127-91-3 | Conclusion | Non-applicable | Dry soil | Non-applicable |
| EC: 204-872-5 | Surface tension | 2,685E-2 N/m (25 °C) | Moist soil | Non-applicable |
| 2,6-di-tert-butyl-p-cresol | Koc | 8183 | Henry | 3,42E-1 Pa·m³/mol |
| CAS: 128-37-0 | Conclusion | | Dry soil | Yes |
| EC: 204-881-4 | Surface tension | 1,255E-2 N/m (258,85 °C) | Moist soil | Yes |
| Pin-2(3)-ene | Koc | Non-applicable | Henry | Non-applicable |
| CAS: 80-56-8 | Conclusion | Non-applicable | Dry soil | Non-applicable |
| EC: 201-291-9 | Surface tension | 2,587E-2 N/m (25 °C) | Moist soil | Non-applicable |
| Cineole | Koc | Non-applicable | Henry | Non-applicable |
| CAS: 470-82-6 | Conclusion | Non-applicable | Dry soil | Non-applicable |
| EC: 207-431-5 | Surface tension | 3,24E-2 N/m (25 °C) | Moist soil | Non-applicable |
| (E)-1-(2,6,6-trimethyl-2-cyclohexen-1-yl)-2-buten-1-one | Koc | 941.1 | Henry | Non-applicable |
| CAS: 24720-09-0 | Conclusion | Low | Dry soil | Non-applicable |
| EC: 246-430-4 | Surface tension | Non-applicable | Moist soil | Non-applicable |
| p-mentha-1,4-diene | Koc | 8038 | Henry | Non-applicable |
| CAS: 99-85-4 | Conclusion | Immobile | Dry soil | Non-applicable |
| EC: 202-794-6 | Surface tension | 2,991E-2 N/m (25 °C) | Moist soil | Non-applicable |

12.5 Results of PBT and vPvB assessment:

Date of compilation: 06/06/2022 Page 21/25 Version: 1



This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any country-specific legislation







Fresso Car Perfume Signature Man

SECTION 12: ECOLOGICAL INFORMATION (continued)

Product fails to meet PBT/vPvB criteria

12.6 Endocrine disrupting properties:

Endocrine-disrupting properties: The product fails to meet the criteria.

Other adverse effects: 12.7

Not described

SECTION 13: DISPOSAL CONSIDERATIONS

13.1 Waste treatment methods:

| Code | Description | Waste class (Regulation (EU) No 1357/2014) |
|-----------|--|--|
| 07 01 04* | other organic solvents, washing liquids and mother liquors | Dangerous |

Type of waste (Regulation (EU) No 1357/2014):

HP14 Ecotoxic, HP3 Flammable, HP4 Irritant — skin irritation and eye damage

Waste management (disposal and evaluation):

Consult the authorized waste service manager on the assessment and disposal operations in accordance with Annex 1 and Annex 2 (Directive 2008/98/EC). As under 15 01 (2014/955/EC) of the code and in case the container has been in direct contact with the product, it will be processed the same way as the actual product. Otherwise, it will be processed as non-dangerous residue. Waste should not be disposed of to drains. See paragraph 6.2.

Regulations related to waste management:

In accordance with Annex II of Regulation (EC) No 1907/2006 (REACH) the community or state provisions related to waste management are stated

Community legislation: Directive 2008/98/EC, 2014/955/EU, Regulation (EU) No 1357/2014

SECTION 14: TRANSPORT INFORMATION

Transport of dangerous goods by land:

With regard to ADR 2021 and RID 2021:



14.1 UN number or ID number: UN1266

PERFUMERY PRODUCTS 14.2 UN proper shipping name:

14.3 Transport hazard class(es): 3 Labels: 14.4 Packing group: Ш

14.5 Environmental hazards: Yes

14.6 Special precautions for user

Special regulations: 163, 640D D/E Tunnel restriction code:

Physico-Chemical properties: see section 9

Limited quantities:

14.7 Maritime transport in bulk Non-applicable

according to IMO instruments:

Transport of dangerous goods by sea:

With regard to IMDG 39-18:

- CONTINUED ON NEXT PAGE -



This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any country-specific legislation



Fresso Car Perfume Signature Man

SECTION 14: TRANSPORT INFORMATION (continued)

14.1 UN number or ID number: UN1266

PERFUMERY PRODUCTS 14.2 UN proper shipping name:

14.3 Transport hazard class(es): 3

Labels: 3 Ш 14.4 Packing group:

14.5 Marine pollutant: Yes

14.6 Special precautions for user

Special regulations: 163 EmS Codes: F-E, S-D Physico-Chemical properties: see section 9

Limited quantities: 5 L

Non-applicable Segregation group: Maritime transport in bulk Non-applicable

according to IMO instruments:

Transport of dangerous goods by air:

With regard to IATA/ICAO 2022:



14.1 UN number or ID number: UN1266

14.2 UN proper shipping name: PERFUMERY PRODUCTS

Transport hazard class(es): 3 Labels: Ш 14.4 Packing group: Yes

14.5 Environmental hazards:

14.6 Special precautions for user

Physico-Chemical properties: see section 9 14.7 Maritime transport in bulk Non-applicable

according to IMO instruments:

SECTION 15: REGULATORY INFORMATION

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture:

Regulation (EC) No 528/2012: contains a preservative to protect the initial properties of the treated article. Contains ethanol.

Candidate substances for authorisation under the Regulation (EC) No 1907/2006 (REACH): Non-applicable

Substances included in Annex XIV of REACH ("Authorisation List") and sunset date: Non-applicable

Regulation (EC) No 1005/2009, about substances that deplete the ozone layer: Non-applicable

Article 95, REGULATION (EU) No 528/2012: ethanol (Product-type 1, 2, 4, 6); propan-2-ol (Product-type 1, 2, 4)

REGULATION (EU) No 649/2012, in relation to the import and export of hazardous chemical products: Non-applicable

Seveso III:

| Section | Description | Lower-tier requirements | Upper-tier requirements |
|---------|-----------------------|-------------------------|-------------------------|
| P5c | FLAMMABLE LIQUIDS | 5000 | 50000 |
| E2 | ENVIRONMENTAL HAZARDS | 200 | 500 |

Limitations to commercialisation and the use of certain dangerous substances and mixtures (Annex XVII REACH, etc):

Shall not be used in:

- —ornamental articles intended to produce light or colour effects by means of different phases, for example in ornamental lamps and ashtrays,
- -tricks and jokes,
- —games for one or more participants, or any article intended to be used as such, even with ornamental aspects.

Specific provisions in terms of protecting people or the environment:



This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any country-specific legislation



Fresso Car Perfume Signature Man

SECTION 15: REGULATORY INFORMATION (continued)

It is recommended to use the information included in this safety data sheet as a basis for conducting workplace-specific risk assessments in order to establish the necessary risk prevention measures for the handling, use, storage and disposal of this product.

Other legislation:

The product could be affected by sectorial legislation

15.2 Chemical safety assessment:

The supplier has not carried out evaluation of chemical safety.

SECTION 16: OTHER INFORMATION

Legislation related to safety data sheets:

The SDS shall be supplied in an official language of the country where the product is placed on the market. This safety data sheet has been designed in accordance with ANNEX II-Guide to the compilation of safety data sheets of Regulation (EC) No 1907/2006 (COMMISSION REGULATION (EU) 2020/878).

Modifications related to the previous Safety Data Sheet which concerns the ways of managing risks.:

Non-applicable

Texts of the legislative phrases mentioned in section 2:

H319: Causes serious eye irritation.

H411: Toxic to aquatic life with long lasting effects.

H225: Highly flammable liquid and vapour.

Texts of the legislative phrases mentioned in section 3:

The phrases indicated do not refer to the product itself; they are present merely for informative purposes and refer to the individual components which appear in section 3

CLP Regulation (EC) No 1272/2008:

Acute Tox. 4: H302 - Harmful if swallowed.

Aquatic Acute 1: H400 - Very toxic to aquatic life.

Aquatic Chronic 1: H410 - Very toxic to aquatic life with long lasting effects.

Aquatic Chronic 2: H411 - Toxic to aquatic life with long lasting effects.

Aquatic Chronic 3: H412 - Harmful to aquatic life with long lasting effects.

Asp. Tox. 1: H304 - May be fatal if swallowed and enters airways.

Eye Irrit. 2: H319 - Causes serious eye irritation.

Flam. Liq. 2: H225 - Highly flammable liquid and vapour.

Flam. Liq. 3: H226 - Flammable liquid and vapour.

Repr. 2: H361 - Suspected of damaging fertility or the unborn child.

Skin Irrit. 2: H315 - Causes skin irritation.

Skin Sens. 1: H317 - May cause an allergic skin reaction.

Skin Sens. 1B: H317 - May cause an allergic skin reaction.

STOT SE 3: H336 - May cause drowsiness or dizziness.

Classification procedure:

Eye Irrit. 2: Calculation method

Aquatic Chronic 2: Calculation method

Flam. Liq. 2: Calculation method (2.6.4.3)

Advice related to training:

Training is recommended in order to prevent industrial risks for staff using this product and to facilitate their comprehension and interpretation of this safety data sheet, as well as the label on the product.

Principal bibliographical sources:

http://echa.europa.eu

http://eur-lex.europa.eu

Abbreviations and acronyms:



This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any country-specific legislation







Fresso Car Perfume Signature Man

SECTION 16: OTHER INFORMATION (continued)

ADR: European agreement concerning the international carriage of dangerous goods by road

IMDG: International maritime dangerous goods code IATA: International Air Transport Association

ICAO: International Civil Aviation Organisation

COD: Chemical Oxygen Demand

BOD5: 5day biochemical oxygen demand

BCF: Bioconcentration factor

LD50: Lethal Dose 50

LC50: Lethal Concentration 50 EC50: Effective concentration 50

LogPOW: Octanolwater partition coefficient Koc: Partition coefficient of organic carbon

UFI: unique formula identifier

IARC: International Agency for Research on Cancer

The information contained in this safety data sheet is based on sources, technical knowledge and current legislation at European and state level, without being able to guarantee its accuracy. This information cannot be considered a guarantee of the properties of the product, it is simply a description of the security requirements. The occupational methodology and conditions for users of this product are not within our awareness or control, and it is ultimately the responsibility of the user to take the necessary measures to obtain the legal requirements concerning the manipulation storage, use and disposal of chemical products. The information on this safety data sheet only refers to this product, which should not be used for needs other than those specified.